



INSTALLATION INSTRUCTIONS

TANTRUM

LED STROBE & ROCK LIGHTS

Installation Instructions & User's Manual




About The Tantrum Kit:

1 LED PODS



LIGHT Qty: 8

2 MASTER CONTROLLER



PART (C1) Qty: 1

3 WIRELESS REMOTE



PART (R1) Qty: 1

4 DISTRIBUTION BLOCK



PART (D1) Qty: 1

5 MOUNTING HARDWARE



PART (H1) Qty: 1

FEATURES

1. IP-67 Waterproof Housing
2. Solid On or Flash Pattern Operation
3. Extremely Low 0.67A Draw

TANTRUM KIT SPECIFICATION

1. Warranty : Standard
2. Input Voltage : 12V DC
3. LED Lifespan : 50,000 Hours

PREPARATION

1. We recommend completely reading instructions before installing.
2. Consult your local state regulatory agency regarding the use of LED lighting.
3. The placement of LED lighting should not restrict airflow to the radiator, or block head lamps, turn signals, or parking lights.

TANTRUM KIT



MOUNTING INSTALLATION INSTRUCTION

1. Mount LED Pods in desired location using provided adhesive and screws(H1), mount distribution block(D1) on firewall.
2. Run cords to distribution block(D1) and plug in waterproof connectors.
3. Run master controller(C1) wire through firewall to interior of vehicle, mount master controller(C1) and plug into distribution block(D1).

WIRING INSTALLATION INSTRUCTION

1. Plug in cigarette lighter adapter or hardwire to constant power source ((Black/White (+) 12Volts DC & Black (-) Ground).
2. Press power button on master controller to test.

WIRELESS REMOTE FUNCTIONS



4 Functions

- B) ON/OFF
- C) RESET (Solid On)
- A) Sequence/Pattern Selection
- D) Speed Selection

TIP: For complete application guide see website



You May Also Be Interested In:



STRIP LIGHTS
- Touch Activation Option
- 7.5" & 12" Lengths



PRO PODS
- Available in 5 Different Colors



Part # - 4000308
Item # - XIL-LICENSEP
License Plate Bracket for Lights
up to 20"



Part # - 9892313
Item # - XIL-WINCH6
Light Bar Winch Fairlead 6"
Bracket
(Available in 10")