

SHINANO®

QUALITY JAPANESE TOOLS

February - September 2024

Prices include GST.

Impact Wrenches

- 1/2" Compact Impact Wrench**
- 3 Position forward torque selector dial beneath trigger
 - Full-time maximum torque in reverse
 - Forward/Reverse toggle switch
 - Responsive 8 vane motor
 - Feather touch trigger

112 MM HEAD LENGTH
(including Anvil)

Max Torque: 550 Ft/lbs
Free Speed: 9,000 RPM
Bolt Cap: 16 MM
Weight: 1.17 Kg

\$349
PN: SI1455SR



3/8" Butterfly Wrench
Max Torque: 66 Ft/lbs
Length: 158 MM
Weight: 0.94 Kg

\$319
PN: SI1305



1/2" Impact Wrench Kit
• Twin Hammer

Max Torque: 369 Ft/lbs
Free Speed: 6,000 RPM
Bolt Cap: 16 MM
Weight: 2.55 Kg

\$389
PN: SI1420T



- 1/2" Impact Wrench**
- Responsive 8 vane motor
 - Forward/Reverse selector
 - 4 position speed selector
 - Feather touch trigger
 - Twin Hammer

Improved Motor!

Max Torque: 627 Ft/lbs
Free Speed: 8,500 RPM
Bolt Cap: 20 MM
Weight: 1.9 Kg

\$489
PN: SI1490B



3/4" Impact Wrench
Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 218 MM
Weight: 3.25 Kg

\$899
PN: SI1550



1" Impact Wrench
Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 220 MM
Weight: 3.5 Kg

\$1,189
PN: SI1555SR

Belt Sanders

- 10 MM Belt Sander**
- 160° adjustable sanding arm
 - Includes 6, 10 MM sanding belts
 - Includes in-line air regulator for quick speed adjustments

Belt Size: 330 x 10 or 12 MM
Free Speed: 15,000 RPM
Weight: 0.73 Kg

SWIVEL INLET WITH REGULATOR

\$465
PN: SI2740



20 MM Belt Sander
Belt Size: 520 x 20 MM
Free Speed: 15,000 RPM
Weight: 1.43 Kg

\$599
SI2800



30 MM Belt Sander
Belt Size: 540 x 30 MM
Free Speed: 10,000 RPM
Weight: 2.02 Kg

\$899
PN: SI2830

Compact Polishers

NEW MODELS!

Includes Foam & Wool Polishing Pads!



- Includes Optional Side handle, Foam & Wool Polishing Pads

3" Single Action Polisher
Free Speed: 2,600 RPM
Output: 180 Watts
Length: 180 MM
Weight: 0.68 Kg

\$535
SI2009EX

3" High Speed Single Action Polisher
Free Speed: 5,000 RPM
Output: 190 Watts
Length: 180 MM
Weight: 0.68 Kg

\$535
SI2009H

Die Grinders

1/4" Heavy Duty Angle Head Die Grinder
Free Speed: 20,000 RPM
Length: 162 MM
Weight: 0.56 Kg

\$425

PN: SI2005HD



1/4" Small Die Grinder
Free Speed: 27,000 RPM
Length: 151 MM
Weight: 0.37 Kg

\$269
PN: SI2002EX



1/4" Medium Die Grinder
Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.60 Kg

\$259
PN: SI2011S



1/4" Medium Die Grinder
Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.37 Kg

\$269
PN: SI2012EX



1/4" High Torque Die Grinder
Free Speed: 5,500 RPM
Length: 170 MM
Weight: 0.60 Kg

\$349
PN: SI2015A



1/4" Extended Die Grinder
Free Speed: 24,000 RPM
Length: 326 MM
Weight: 1.34 Kg

\$465
PN: SI2022S



Needle Scalers

Straight Grip Needle Scaler
Stroke: 4.5 MM
Impact Rate: 3,500 BPM
Length: 333 MM
Weight: 2.06 Kg

\$599
PN: SI4150EX



Pistol Grip Needle Scaler
Stroke: 4.5 MM
Impact Rate: 3,300 BPM
Length: 355 MM
Weight: 2.19 Kg

\$649
PN: SI4160



Wet Grinders & Sanders

5" Angle Wet Grinder

- Stainless steel motor & gearbox bearings
- Water & air regulators
- Guard mounted nozzles

\$865
PN: SI2515LAWS

Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 Kg



3-5" Wet Sander

- Waterproofed mechanism
- Water & air regulators
- Water exits through spindle

\$925
PN: SI2322WRLE

Spindle Size: M14x2
Free Speed: 5,500 RPM
Weight: 1.32 Kg



Ratchet Wrenches

1/4" Mini Ratchet Wrench

Max Torque: 31 Ft/lbs
Length: 168 MM
Weight: 0.54 Kg

\$299
PN: SI1217EX



3/8" Ratchet Wrench

Max Torque: 59 Ft/lbs
Length: 265 MM
Weight: 1.16 Kg

\$249
PN: SI1320A



3/8" Mini Ratchet Wrench

Max Torque: 35 Ft/lbs
Length: 168 MM
Weight: 0.54 Kg

\$299
PN: SI1218EX



1/2" Ratchet Wrench

Max Torque: 66 Ft/lbs
Length: 265 MM
Weight: 1.17 Kg

\$249
PN: SI1325A



3/8" Through Ratchet

Includes 8, 10, 11, 12, 13 & 14 MM sockets, 3/8" square drive.
Max Torque: 33 Ft/lbs
Length: 211 MM
Weight: 0.54 Kg

\$585
PN: SI1288S



IDEAL FOR HARD TO ACCESS NUTS & BOLTS

3/8" Ratchet Wrench

Max Torque: 85 Ft/lbs
Length: 263 MM
Weight: 1.15 Kg

\$319
PN: SI1340EX



1/2" Ratchet Wrench

Max Torque: 85 Ft/lbs
Length: 263 MM
Weight: 1.15 Kg

\$319
PN: SI1345EX



1/2" Heavy Duty Ratchet

Max Torque: 118 Ft/lbs
Length: 368 MM
Weight: 1.95 Kg

\$539
PN: SI1435



Hammering Tools

10.2 MM Pistol Grip Air Hammer
Length: 208 MM
Impact Rate: 2,600 BPM
Weight: 1.60 Kg

\$299
PN: SI4120A



Spring Retainer

Suits most hammers.

\$19
PN: GPA70X2



20 MM Flat Chisel
Shank Dia.: 10.2 MM

\$41
PN: SI810



60 MM Paint Scraper Chisel
Shank Dia.: 10.2 MM

\$76
PN: SI823



Air Tool Oil

Add only a couple of drops daily to greatly reduce internal wear and maintain the integrity of the gaskets and seals

250 ml Air Tool Oil
\$13
PN: SI250

1 Litre Air Tool Oil
\$27
PN: SI1000

5 Litre Air Tool Oil
\$97
PN: SI5000



Heavy Duty Impact Wrenches

1" H-Duty Impact Wrench

Max Torque: 1,840 Ft/lbs
Bolt Cap: 41 MM
Length: 285 MM
Weight: 10.9 Kg

\$1,599
PN: SI1860

Also available with 6" anvil (SI1866) or 8" anvil (SI1868).



1" H-Duty D-Handle Impact Wrench

Max Torque: 1,770 Ft/lbs
Bolt Cap: 41 MM
Length: 350 MM
Weight: 10.6 Kg

\$1,599
PN: SI1870



Also available with 6" anvil (SI1876) or 8" anvil (SI1878). Call for pricing.

1" H-Duty Impact Wrench

Max Torque: 2430 Ft/lbs
Bolt Cap: 46 MM
Length: 420 MM
Weight: 15.4 Kg

\$2,049
PN: SI1880



8" Anvil

\$2,379
PN: SI1888

1-1/2" H-Duty Impact Wrench

Max Torque: 4,060 Ft/lbs
Bolt Cap: 55 MM
Length: 510 MM
Weight: 18.0 Kg

\$3,195
PN: SI1900



Angle Grinders

4" Angle Grinder

Spindle Size: M10 x 1.5
Free Speed: 12,700 RPM
Weight: 1.82 Kg

\$585
PN: SI2500L



- Governed for optimal disc RPM

5" Angle Grinder

Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 Kg

\$599
PN: SI2515LA



- Governed for optimal disc RPM
- Spindle Lock

7" Angle Grinder

Free Speed: 7,500 RPM
Length: 337 MM
Weight: 3.24 Kg

\$799
SI2600L



- Speed governed for optimal disc RPM
- Spline disc receiver and nut

Drills

3/8" Compact Drill

• Non-reversible
Chuck Size: 10 MM
Free Speed: 2,600 RPM
Length: 130 MM
Weight: 0.79 Kg

\$279
PN: SI5500



3/8" Straight Drill

Chuck Size: 10 MM
Free Speed: 6,000 RPM
Length: 231 MM
Weight: 1.06 Kg

\$415
PN: SI2015AD



3/8" H-Duty Reversible Drill

Chuck Size: 10 MM
Free Speed: 2,000 RPM
Length: 132 MM
Weight: 1.02 Kg

\$399
SI5305A



1/2 Capacity Reversible Keyed Drill

Chuck Size: 13 MM
Free Speed: 800 RPM
Length: 155 MM
Weight: 1.45 Kg

\$565
PN: SI5305-8A



Palm Grip Sanders

3" Mini Orbital Sander
Free Speed: 12,000 RPM
Orbit Dia.: 3 MM
Weight: 0.54 Kg

\$475

PN: SI3102



6" Dual Action Sander
Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 0.94 Kg

\$589

PN: SI3101-6



100 x 75 MM Orbital Mini Palm Grip Dust-Free Pad Sander
Free Speed: 10,000 RPM
Orbit Dia.: 4 MM
Weight: 1.15 Kg

\$465

PN: SI3011A



6" Dual Action Dust-Free Sander
Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 1.29 Kg

\$699

PN: SI3111-6



Disc Sanders

Mini Dual Action Sander

- Velcro Pad
- 2 Speed

Free Speed: 15,000 RPM
Pad Size: 75 MM
Orbit Dia.: 3 MM
Weight: 0.52 Kg

\$310

PN: SI2110



2" Disc Sander Kit
Free Speed: 17,000 RPM
Length: 144 MM
Weight: 0.50 Kg

Includes 2
Abrasive Discs

\$259

PN: SI2201



4" High Speed Disc Sander
• 3" & 4" pads, 75 MM backing pad & abrasives
Free Speed: 19,000 RPM
Length: 167 MM
Weight: 0.99 Kg

\$289

PN: SI2210R



6" Dual Action Sander
• Velcro Pad

\$299

SI3100

Free Speed: 10,000 RPM
Orbit Dia.: 7 MM
Weight: 1.82 Kg



Angle Head Sanders

5" Angle Head Disc Sander
Spindle: 5/8 x 11 UNC
Length: 285 MM
Free Speed: 5,500 RPM
Weight: 1.50 Kg

\$515

PN: SI2026S



7" Heavy Duty Angle Sander
Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 4,500 RPM
Weight: 2.13 Kg

\$515

PN: SI2351



Polishers

75 MM Pistol Grip Polisher
• Kit includes: Wool Buff, sponge Buff, Velcro Pad & 3 Sanding Pads
Free Speed: 4,500 RPM
Length: 147 MM
Weight: 0.64 Kg

\$389

PN: SI2221



7" Heavy Duty Angle Polisher
Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 2,300 RPM
Weight: 2.13 Kg

\$515

PN: SI2451



Cutting Tools

3" Cut Off Grinder

Length: 196 MM
Free Speed: 20,000 RPM
Weight: 1.00 Kg

\$269

PN: SI2033



Air Nibbler

Free Speed: 2,600 SPM
Length: 175 MM
Weight: 1.00 Kg

\$485

PN: SI4600



3" Cut Off Discs Pack of 5
PN: C0007K \$27

Multifunction Body Saw
Stroke Length: 10 MM
Free Speed: 10,000 RPM
Length: 259 MM
Weight: 0.58 Kg

10 MM Stroke

\$399

SI4700B



Multifunction Mini Saw & File
Stroke Length: 5 MM
Free Speed: 10,500 RPM
Length: 148 MM
Weight: 0.52 Kg

5 MM Stroke

\$485

PN: SI4740



Uses Files & Saw Blades!

105 MM Files to suit SI4740
• 5 MM shank

Triangular PN: 506P-56T
Round PN: 506P-56R
Flat PN: 506P-56S



Quality Bi-metal Blades
• Sold in Pack of 5

18 TPI PN: PT301A18

24 TPI PN: PT301A24

32 TPI PN: PT301A32

\$30 EA

\$29 EA

Screwdrivers

All screwdrivers feature forward & reverse.

1/4" Straight Screwdriver

- Adjustable clutch

Max Torque: 3.70 Ft/lbs
Free Speed: 1,600 RPM
Bolt Cap: 1/4"
Length: 247 MM
Weight: 1.12 Kg

\$515

PN: SI1161



1/4" Screwdriver

- Nose mounted clutch adjuster

Free Speed: 700 RPM
Max Torque: 14.8 Ft/lbs
Length: 176 MM
Weight: 0.85 Kg

\$495

PN: SI1170



1/4" Screwdriver

- Adjustable clutch

Max Torque: 3.70 Ft/lbs
Free Speed: 2,000 RPM
Bolt Cap: 1/4"
Length: 207 MM
Weight: 1.18 Kg

\$539

PN: SI1166A



1/4" Screwdriver
• Adjustable clutch

Max Torque: 6.60 Ft/lbs
Free Speed: 800 RPM
Bolt Cap: 5/16"
Length: 229 MM
Weight: 1.35 Kg

\$649

PN: SI1166-8A



Quick Change Sanding & Stripping Kit

Ceramic Sanding Abrasives

\$539

PN: SI2201KIT3

46 Piece kit includes:
2" Disc Sander (SI2201 tool only)
Free Speed: 17,000 RPM
Weight: 0.49 Kg
1 x 50 MM quick-lock backing pad
1 x 75 MM quick-lock backing pad
5 x 50 MM 36, 60 & 80 Grit Discs (Total 15)
5 x 75 MM 36 & 80 Grit Discs (Total 10)
2 x 50 MM 40, 60, 80 & 120 Grit Flap Discs (Total 8)
2 x 75 MM 40, 60 & 80 Grit Flap Discs (Total 6)
2 x 50 MM Clean & Strip Discs
2 x 75 MM Clean & Strip Discs

Quick Change Sanding & Abrasive Kit also available PN: SI2201KIT1 \$429
For kit contents refer to: www.gamer.com.au/SI2201KIT1



SHINANO
INDUSTRIAL TOOLS

Specifically designed for reliable operation and long service life in the harshest working environments.



2" Industrial Angle Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Spindle: 1/4" UNF x 9.5 MM
Length: 170 MM
Weight: 0.64 Kg

\$495
PN: SI-AG2-U2P

5" Industrial Angle Grinder

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.08 Kg

\$759
PN: SI-AG5-E3L

4" Industrial Angle Grinder

Free Speed: 13,500 RPM
Output: 600 Watts
Spindle: M8 x 15.8 MM
Length: 276 MM
Weight: 1.89 Kg

\$679
PN: SI-AG4-A2L

7" Industrial Angle Grinder

Free Speed: 7,600 RPM
Output: 1000 Watts
Spindle: 5/8" UNC x 22.2 MM
Length: 285 MM
Weight: 3.3 Kg

\$889
PN: SI-AG7-E5L

High Spec Collet

The High Spec Collets grips entire length of the burr shank. This reduces run-out, which improves cutting efficiency and extends the service life of the burr.

NOT included with SI-SG3-CL.



Silencer Hose

In addition to significantly reduced noise levels, the 50 cm silencer hose expels any moisture or oil that may be in exhaust air away from the work piece.

Mini Industrial Angle Die Grinder

Free Speed: 20,000 RPM
Output: 200 Watts
Collet Size: 1/4"
Length: 166 MM
Weight: 0.57 Kg

\$425
PN: SI-AG20E-6L



Industrial Angle Die Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Collet Size: 1/4"
Length: 170 MM
Weight: 0.64 Kg

• Spindle lock button for easy burr replacement

\$495
PN: SI-AG2-C2P



Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 150 MM
Weight: 0.38 Kg

\$349
PN: SI-SG20E-6L

Extended Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 284 MM
Weight: 0.68 Kg

\$449
PN: SI-SG20E-6LL

Straight Industrial Die Grinder

• High powered tool for confined work areas
• High Spec Collet NOT included.

Free Speed: 14,000 RPM
Output: 520 Watts
Collet Size: 1/4"
Length: 346 MM
Weight: 1.53 Kg

\$689
PN: SI-SG3-CL



Industrial 6" Dual Action Sander

• Powerful 485 Watt motor with adjustable power setting
• Handle exhaust
Free Speed: 11,200 RPM
Pad/Disc Size: 150 MM (6")
Spindle Size: 5/16-24 UNF
Orbit Dia: 6 MM

\$499
SI-DS6-6L



Industrial Edge Profilers

- Quickly & easily machine consistent radiused edges (meets and exceeds IMO's PSPC regs.).
- 3 Carbide tips, each with 8 cutting edges for cost-effective operation.
- Suitable for use on aluminium, structural grade steel and most types of stainless steel.



Guide Plate: 100 MM
Head Height: 113 MM
Free Speed: 10,000 RPM
Output: 600 Watts
Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

\$1,495
PN: SI-4011L

Guide Plate: 150 MM
Head Height: 142 MM
Free Speed: 10,000 RPM
Output: 900 Watts
Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

\$1,495
PN: SI-4010L

5" Industrial Wet Angle Grinder

- Adjustable disc RPM & water feed

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.25 Kg

Water injection through guard



7" Version Available

\$1,095
PN: SI-AG5-E3LWS

Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 187 MM
Weight: 0.71 Kg

\$389
PN: SI-SG60E-6L



Extended Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 322 MM
Weight: 1.19 Kg

\$499

PN: SI-SG60E-6LL



2.5" Industrial Straight Grinder

- Accepts 65x13mm grinding wheels

Free Speed: 14,600 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.53 Kg

\$689
PN: SI-SG3-2L

3" Industrial Straight Grinder

- Accepts 75x13mm grinding wheels

Free Speed: 12,700 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.7 Kg

\$689
PN: SI-SG3-3L

