

# The WORKSHOP Catalogue

February - May 2024 All prices quoted include GST.

**ACCUD**

Measuring Equipment

**500 MM Drum Brake Vernier**

Range: 500 mm  
 Graduations: 0.05 mm  
 Jaw Length: 145 mm  
 Anvil Dia.: 3 mm  
 Anvil Length: 11.5 mm  
 Overall Length: 670 mm



**New!**

**PERFECT FOR TRUCKS!**

**\$595**

PN: AC-146-020-52

**THE BONE™ BACK IN TOWN!**  
 CREEPERS & STOOLS

**THE BONESTER SUPER LOW PROFILE**

**180 KG CAPACITY**

Mechanics Creeper  
 1092L x 594W x 114H mm  
 Wheels: Ø75 mm x 22 mm  
 Load Capacity: 180 Kg  
 38 mm Ground Clearance  
 Weight: 6 Kg



**\$479**

PN: BONE4031

**THE BONE LOW PROFILE**

**180 KG CAPACITY**

Mechanics Creeper  
 1194L x 648W x 160H mm  
 Wheels: Ø130 mm x 25 mm  
 Load Capacity: 180 Kg  
 45 mm Ground Clearance  
 Weight: 8 Kg



**\$599**

PN: BONE6031

**ROUGH RIDER**

**180 KG CAPACITY**

Mechanics Creeper  
 1194L x 648W x 191H mm  
 Wheels: Ø130 mm x 33 mm  
 73 mm Ground Clearance  
 Weight: 9.1 Kg



**\$649**

PN: BONE7031

**THE TAIL BONE**

Rough Rider Mechanics Stool

Huge 130 mm Rough Rider Tyres  
 44 mm Ground Clearance  
 330 mm Seat Height  
 740L x 800W mm  
 Weight: 7.5 Kg



**180 KG CAPACITY**

**\$459**

PN: BONE5131

**BASSO**

**6" Random Orbital Dust-Free Sander**

Orbit Diameter: 5 mm  
 Free Speed: 12,000 RPM  
 Spindle: 5/16 x 24 UNF  
 Weight: 0.99 Kg



**Full range on page 26.**

**\$299**

PN: BOS156SA2

**flexipads**

**Ultra Tough & Rigid Grinding Pads!**



**New!**

Keep backing pads & sanding discs cool and increase service life with Coolflow™ & Turbo backing pads.

**Full Range on page 35.**

**KUANI**  
 Gear up your world™

**Dual Chuck Tyre Inflator**

Units: PSI, kg/cm<sup>2</sup>, KPA & Bar  
 Air Flow: 1.28 CFM @ 100 PSI  
 Hose Length: 750 MM  
 Range: 0-220 PSI  
 Weight: 1.2 Kg



**GREAT FOR TRUCK TYRES!**

**\$199**

PN: KP79G07

**geiger**

**6 MM Heavy Duty Quick Release Deburrer**

- Removable cap for blade storage
- 6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with
- 6 mm General Purpose Blade (GDSR10S).



**\$37**

PN: GDSRSDMKK

**Full range on page 17.**

See full product range at: [gamer.com.au](http://gamer.com.au)



## Lathe Tool Set

Centre Height: 12 mm  
9 Piece set includes replaceable tips and Case.



**HOT PRICE!**

**\$315**  
PN: J112

## 3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Includes:  
4-12 MM,  
4-20 MM  
4-32 MM



**\$189**  
PN: G3SD

## Centre Drill Set

5 Piece set includes sizes:  
1# Dia: 3.15 MM / 1.16 MM  
2# Dia: 4.7 MM / 2 MM  
3# Dia: 6.3 MM / 2.95 MM  
4# Dia: 4.9 MM / 3.2 MM  
5# Dia: 11 MM / 4.85 MM




**\$26**  
PN: GCDS

## 115 Piece Hss Drill Set

115 Piece set includes:

- 29 Fractional Imperial**  
Drill Bits from 1/16" (1.59 mm) to 1/2" (12.7 mm)
- 60 ASME Standard Numbered**  
Drill Bits from No.1 (5.79 mm) to No.60 (1.02 mm)
- 26 ASME Standard Lettered**  
Drill Bits from A (5.94 mm) to Z (10.49 mm)



**\$189**  
PN: GDS115

## Screw Extractor Set

5 piece set is suitable for extracting screws or bolts from 4M to M20.



**\$20**  
PN: GSES

## Metric 18 Piece Tap & Drill Set

18 piece set includes precision ground tap drill and thread taps for M2.5, M3, M3.5, M4, M5, M6, M8, M10 & M12 internal threads.



**\$110**  
PN: GTDS

## Letter Stamp Sets

27 piece set includes A-Z plus "&" character  
Made from CRV (6150).

10 mm Stamp Set

**\$115**

PN: GYC601-10

12 mm Stamp Set

**\$145**

PN: GYC601-12



## Number Stamp Sets

9 piece set includes 0 to 8 (6 is used as 9)  
Made from CRV (6150).



3 mm Stamp Set **\$30**  
PN: GYC602-3

4 mm Stamp Set **\$32**  
PN: GYC602-4

5 mm Stamp Set **\$36**  
PN: GYC602-5

6 mm Stamp Set **\$42**  
PN: GYC602-6

8 mm Stamp Set **\$52**  
PN: GYC602-8

10 mm Stamp Set **\$62**  
PN: GYC602-10

12 mm Stamp Set **\$87**  
PN: GYC602-12

## Alphanumeric Stamp Sets

36 piece set includes  
27 "A" to "Z",  
"&", and 9 Piece  
0-8 (6 is used as 9)  
Hardness:  
HRC 58-62°



3 mm Stamp Set **\$60**  
PN: GYC607-3

4 mm Stamp Set **\$69**  
PN: GYC607-4

5 mm Stamp Set **\$83**  
PN: GYC607-5

6 mm Stamp Set **\$99**  
PN: GYC607-6

8 mm Stamp Set **\$169**  
PN: GYC607-8

## Single Line Alphanumeric Stamp Sets

Made from S55C High carbon steel, HRC 58-60°.

100 Piece set includes:  
9 Character Type Holder,  
hex wrench, A-Z, 0-9,  
&, /, - and blank space.

3 mm Stamp Set

**\$489**

PN: GYC610-3

6 mm Stamp Set

**\$589**

PN: GYC610-6



## Auto Centre Punch

- Adjustable hammer setting

Length: 120 mm



**\$37**  
PN: VACP1

## Hook & Pick Set

Includes Straight, Right-Angle, Curved & Hooked Picks.



**\$36**  
PN: GXHP4



## Drill Chuck Arbors



Other sizes available.

- MT2 x JT6 Arbor **\$24**  
PN: DCAMT2J6
- MT3 x JT6 Arbor **\$31**  
PN: DCAMT3J6
- MT2 x J3 Arbor **\$24**  
PN: DCAMT2J3
- MT3 x B16 Arbor **\$31**  
PN: DCAMT3B16

## Drift Slide Hammer

- Made from carbon steel

Length: 375 mm  
Weight: 1.3 kg  
HRC: 44-48°



**\$98**  
PN: VHD1

## Precision Keyless Chucks

Especially suited to CNC machining centre and milling machine use



### Keyless 13 MM Drill Chuck

Accuracy: 0.05 / 50 mm  
Length: 105.3 mm (closed)  
Mount: JT6


**\$195**  
PN: VKD102

### Keyless 3-16 MM Drill Chuck

Accuracy: 0.05 / 50 mm  
Length: 110.3 mm (closed)  
Mount: JT6

**\$205**  
PN: VKD104

## Drill Press Vices



### 100 MM Drill Press Vice

Base: 177 x 161 mm  
Jaw Size: 101 x 23 mm  
Jaw opening: 100 mm

**\$52**  
PN: TV102-4

### 200 MM Drill Press Vice

Base: 348 x 287 mm  
Jaw Size: 200 x 46 mm  
Jaw opening: 200 mm

**\$379**  
PN: TV122-8

## Round Vice

- Reversible mount for smaller bar diameters.
- Mount horizontally or vertically



Capacity: 10-80 mm round  
Base: 230 x 161 mm (Hor.)  
Base: 161 x 135 mm (Vert.)  
Jaw width: 100 mm

**\$369**  
PN: GVSR

## Metal Working Bench Vises

- Integrated anvil & pipe jaws
- Lockable 360° Swivel base



### 150 MM Bench Vice

Jaw face: 155 x 85 mm  
Jaw opening: 150 mm  
Weight: 14 kg

**\$369**  
PN: GBV6

### 200 MM Bench Vice

Jaw face: 205 x 85 mm  
Jaw opening: 200 mm  
Weight: 18 kg

**\$475**  
PN: GBV8

## Right Angles Welders Vises



Designed to accurately hold same size bar at right angles to each other.

60 MM Jaw Opening


**\$159**  
PN: TV274

100 MM Jaw Opening

**\$199**  
PN: TV275

## Cross Vises

- Gibbed slide ways for slack adjustment
- Travel locks for repetitive work



### 100 MM Cross Vice

Base: 223 x 130 mm  
Overall height: 133 mm  
Jaw Size: 103 x 34 mm

**\$119**  
PN: TV144-4

### 150 MM Cross Vice

Base: 280 x 160 mm  
Overall height: 160 mm  
Jaw Size: 154 x 44 mm

**\$229**  
PN: TV144-6

## Precision Drill Press Vises

- Hardened prismatic jaws
- Removable pin handle for extra torque



### 100 MM Drill Vice

Jaw Face: 103 x 32 mm  
Jaw opening: 80 mm

**\$275**  
PN: GS101-4

### 125 MM Drill Vice

Jaw Face: 130 x 38 mm  
Jaw opening: 110 mm

**\$355**  
PN: GS101-5

## Mill & Drill Stands

### Rotary Jobber Drill Stand

Range: 1-13 mm  
Capacity: 100 drill bits  
Size: 174 x 90 mm



**\$53**  
PN: VMS3

### 62 Pocket End Mill Stand

Pocket Sizes: 15 x 6 mm, 12 x 8 mm, 10 x 10 mm, 8 x 16 mm, 7 x 20 mm, 6 x 25 mm, 2 x 32 mm & 2 x 42 mm  
Material: ABS



**\$50**  
PN: VMS2



## Soluble Cutting Oil

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate). Mix between 5% to 10% with clean tap water.

1 Litre

**\$34**  
PN: SOLOIL1

5 Litres

**\$125**  
PN: SOLOIL5

20 Litres


**\$419**  
PN: SOLOIL20







### Dual Scale Vernier Calipers



Graduation: 0.02 mm / 01"  
Accuracy: ±0.03/01"

**150 mm Dual Scale Vernier Caliper**

PN: AC-120-006-12  
**\$85**

**200 mm Dual Scale Vernier Caliper**

PN: AC-120-008-12  
**\$115**

**300 mm Dual Scale Vernier Caliper**

PN: AC-120-012-12  
**\$220**

### Metric Dial Calipers



**150 mm Metric Dial Caliper**

Graduation: 0.02 mm  
Accuracy: ±0.03 mm

PN: AC-101-006-11  
**\$169**

**200 mm Metric Dial Caliper**

Graduation: 0.02 mm  
Accuracy: ±0.03 mm


PN: AC-101-008-11  
**\$199**

**300 mm Metric Dial Caliper**

Graduation: 0.02 mm  
Accuracy: ±0.04 mm

PN: AC-101-012-11  
**\$310**


### 150 mm Digital Plastic Caliper



Resolution: 0.01 mm / 005"  
Accuracy: ±0.1 mm

PN: AC-117-006-11  
**\$49**

### Dual Scale Digital Calipers



**USB DATA OUTPUT**

Resolution: 0.01 mm  
Accuracy: ±0.03 mm

**150 mm Dual Scale Digital Caliper**

PN: AC-111-006-12  
**\$110**

**200 mm Dual Scale Digital Caliper**

PN: AC-111-008-12  
**\$169**

**300 mm Dual Scale Digital Caliper**

PN: AC-111-012-12  
**\$239**

### Coolant Proof IP67 Dual Scale Digital Calipers



**150 mm Dual Scale Coolant Proof Digital Caliper**

Resolution: 0.01 mm / 005"  
Accuracy: ±0.03 mm / 01"

PN: AC-112-006-12  
**\$289**

**200 mm Dual Scale Coolant Proof Digital Caliper**

Resolution: 0.01 mm / 005"  
Accuracy: ±0.03 mm / 01"


PN: AC-112-008-12  
**\$369**

**300 mm Dual Scale Coolant Proof Digital Caliper**

Resolution: 0.01 mm / 005"  
Accuracy: ±0.03 mm / 01"

PN: AC-112-012-12  
**\$649**

### Splash Proof IP54 Dual Scale Digital Calipers



Resolution: 0.01 mm / 005"  
Accuracy: ±0.03 mm / 01"

**USB DATA OUTPUT**

- Highly accurate glass scale
- USB data output

**150 mm Dual Scale Splash Proof IP54 Digital Caliper**

PN: AC-111-006-11  
**\$139**


**200 mm Dual Scale Splash Proof IP54 Digital Caliper**

PN: AC-111-008-11  
**\$189**

**300 mm Dual Scale Splash Proof IP54 Digital Caliper**

PN: AC-111-012-11  
**\$279**

### Dual Scale Long Series Digital Calipers



**USB DATA OUTPUT**

- Functions: zero point, mm/inch, ABS, data preset
- Measures: Inside, Outside
- USB data output

**600 mm Dual Scale Digital Caliper**

Range: Outside 0-620 mm / 0-24.5"  
Inside 20-600 mm / 0-24"  
Resolution: 0.01 mm / 05"  
Accuracy: ±0.05 mm / 02"  
Jaw Reach: 100 mm


PN: AC-118-024-11  
**\$779**

**1000 mm Dual Scale Digital Caliper**

Range: Outside 0-1020 mm / 0-40.2"  
Inside 20-1000 mm / 0-40"  
Resolution: 0.01 mm / 05"  
Accuracy: ±0.08 mm / 03"  
Jaw Reach: 150 mm

PN: AC-118-040-11  
**\$1,489**

### Fractional Imperial & Metric Digital Calipers



Resolution: 0.01 mm, 05", 1/128"  
Accuracy: ±0.03 mm

- IP54 splash proof
- Auto On/Off

**150 mm Fractional Imperial Digital Caliper**

PN: AC-113-006-11  
**\$149**


**200 mm Fractional Imperial Digital Caliper**

PN: AC-113-008-11  
**\$210**

**300 mm Fractional Imperial Digital Caliper**

PN: AC-113-012-11  
**\$299**

### Dual Scale Vernier Calipers



- Fine Adjustment
- Made of stainless steel
- Stain chrome reading surface

**600 mm Dual Scale Vernier Caliper**

Graduation: 0.02 mm / 01"  
Accuracy: ±0.05 mm

PN: AC-127-024-11  
**\$469**

**1000 mm Dual Scale Vernier Caliper**

Graduation: 0.02 mm / 01"  
Accuracy: ±0.08 mm

PN: AC-127-040-11  
**\$1,239**

**2000 mm Dual Scale Vernier Caliper**

Graduation: 0.02 mm / 01"  
Accuracy: ±0.14 mm

PN: AC-127-080-11  
**\$3,799**



## Dial Indicators

### 10 mm Jeweled Bearing Dial Indicator

Graduations: 0.01 mm  
Accuracy: 20 µm

- Jeweled Bearing
- Limit hands
- Lug back



PN: AC-222-010-11

**\$99**

### 25mm Dial Indicator

Graduations: 0.01 mm  
Accuracy: 20 µm

PN: AC-229-025-11

**\$129**

### 1" Dial Indicator

Graduation: 0.1"  
Accuracy: 20 µm

PN: AC-225-025-11

**\$89**

## 25 MM Dual Scale Digital Indicator

Resolution: 0.01 mm / 0.05"  
Accuracy: 20 µm

- Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
- USB data output
- Supplied with flat & lug back



PN: AC-212-025-13

**\$219**

## Indicator Point Extensions



### Metric Indicator Point Extensions

Thread: M2.5x0.45 mm

25 mm - PN: AC-270-000-04

**\$22**

50 mm - PN: AC-270-000-09

**\$22**

75 mm - PN: AC-270-000-14

**\$29**

100 mm - PN: AC-270-000-17

**\$29**

**IMPERIAL SIZES AVAILABLE**

## Caliper Attachments

### Caliper Point Extension Kit

Measure slotted, stepped or grooved surfaces in hard to access spaces with four different point configurations. Max Jaw Thickness: 4 mm Probe length: 20 mm



PN: GCAK

**\$49**

Caliper not included.

### 75 mm Base

Beam Width: 16 mm

PN: AC-179-000-00

**\$49**

### 100 mm Base

Beam Width: 16 mm

PN: AC-179-000-01

**\$85**



## Dial Indicators

### 30 mm Dial Indicator

Graduations: 0.01 mm  
Accuracy: ±35 µm

PN: AC-229-030-11

**\$159**

- 1 mm range per revolution
- Lug and flat back

### 50 mm Dial Indicator

Graduations: 0.01 mm  
Accuracy: ±35 µm

PN: AC-229-050-21

**\$329**

### 2" Imperial Dial Indicator

Graduations: 0.01 mm  
Accuracy: ±35 µm

PN: AC-225-050-11

**\$149**



## Dial Test Indicators

- Anti-magnetic metal body
- Jeweled bearing
- Carbide stylus
- Includes 4 & 8 mm clamps

### 40 µm Dial Test Indicator

Graduation: 0.001 mm  
Accuracy: ±4 µm

PN: AC-261-014-01

**\$389**

### 80 µm Dial Test Indicator

Graduation: 0.01 mm  
Accuracy: ±13 µm

PN: AC-261-008-11

**\$139**



## Dial Bore Gauges



### 18-35 mm Dial Bore Gauge

Graduations: 0.01 mm  
Accuracy: ±0.015 mm

PN: AC-251-035-11

**\$259**

### 35-60 mm Dial Bore Gauge

Graduations: 0.01 mm  
Accuracy: ±0.018 mm

PN: AC-251-060-11

**\$259**

### 50-160 mm Dial Bore Gauge

Graduations: 0.01 mm  
Accuracy: ±0.018 mm

PN: AC-251-160-11

**\$259**

### 2-6" Dial Bore Gauge

Graduations: 0.01 mm  
Accuracy: ±0.0071"

PN: AC-252-060-11

**\$289**

### 18-160 mm Dial Bore Gauge Set

Range: 18-160mm  
Indicating range: 10 mm  
Graduations: 0.01 mm  
Accuracy:  
18-35mm / ±0.015 mm  
35-60mm / ±0.018 mm  
50-160mm / ±0.018 mm

PN: AC-251-346-13

**\$769**



## Dial Indicator & Magnetic Stand Kits

### 10 mm Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"  
Magnetic Force: 60 kgf

Graduation: 0.01 mm

Accuracy: ±20 µm

PN: AC-280-000-02

**\$185**

### 1" Inch Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"

Magnetic Force: 60 kgf

Graduation: 0.001"

Accuracy: ±20 µm

PN: AC-280-001-02

**\$185**



- Supplied in Aluminium Case

## Universal Magnetic Stands

### Fine Adjustment Magnetic Stand

Stem holes: 8 mm  
Magnetic Force: 60 kgf



PN: AC-281-060-01

**\$89**

### Magnetic Stand

Stem holes: 8 mm  
Magnetic Force: 60 kgf



PN: AC-281-060-02

**\$79**

### Mini Universal Magnetic Stand

Magnetic Force: 40 kgf  
Stem holes: 8 mm  
Height: 231 mm  
Arm length: 192 mm



PN: AC-286-040-01

**\$199**

### Universal Magnetic Stand

Stem hole: 8 mm  
Height: 395 mm  
Arm Lengths: 340 mm  
Magnetic Force: 80 kgf



PN: AC-282-080-02


**\$229**

### Indicator Centering Mount

Mounts Indicator to chuck to indicate alignment between chuck and cylinders or holes.

PN: AC-269-060-01

**\$49**





## ACCURATE MEASUREMENT

### Contact Tachometer

Rotary Range: 0.5-19,999 rpm  
Linear Range: 0.05-1999.9 m/min  
Power Supply: 2 x AAA  
Weight: 106g

- Includes various coupling attachments



PN: AC-CT900

**\$139**

### Laser Tachometer

Range: 2.5 - 99,999 RPM  
Sampling Range: 50 - 500 mm  
Power Supply: 2 x AAA  
Weight: 106 g

Supplied with 45 cm of 3M™ Reflective Tape.

PN: AC-LT900

**\$129**



### Digital Sound Level Meter

- Fast & Slow display functions, Continuous & Min/Max functions
- Back-lit LCD
- Programmable Exceedance Alarm

Range: 30-130 db  
Accuracy: 1.5 db  
Resolution: 0.1 db  
Weight: 64g



PN: AC-SLM130

**\$129**

### Digital Anemometer

- Temperature & Wind Speed display
- Real-time/Max/Ave functions
- Back-lit LCD
- Unit: m/s, km/h, ft/min, Knots, mph

Range: 0.3-30m/s  
Accuracy: ±5%  
Resolution: 0.1m/s  
Weight: 154g



PN: AC-AM30

**\$129**

### Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa  
Units: HV, HB, HRC, HRB, HS & tensile strength MPa  
Accuracy: ±8 HLD / 0.8 HRC (HLD=800)  
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)  
Min. sample thickness: 5 mm  
Min. sample diameter: 22 mm  
Max. sample roughness: 1.61-Jm(Ra)  
Power: 3 x AAA battery  
Dimensions: 121 x 68 x 30 mm



PN: AC-HL350

**\$879**

### Coating Thickness Gauge

- Measure the thickness of non-magnetic coatings on magnetic and non magnetic substrates
- Single and continuous sampling modes
- Low, High & Average functions

Range: 0 - 1250 µm



PN: AC-CFN1200B

**\$399**

### Roughness Tester

- Roughness value, profile & curve
- 100 samples Memory

Range: 160 µm  
Resolution: (RA) 0.001 µm  
Units: RA, Rz, Ry, Rq, Rp, Rm, Rt, R3z, Rmax, Sk, Sm & TP



PN: AC-SR200

**\$2,599**

### Moisture Meter

Temp. Range: -10-60 °C  
Humidity Range: 0.1 °C RH  
Moisture Range: 2-40/50/60/70% (for wood samples)

PN: AC-WMM700

**\$99**



### Concrete Moisture Meter

Range: 0-40%  
Resolution: 0.5 %  
Accuracy: ±2%

PN: AC-WMM900

**\$479**



### Laser Distance & Level Meters

- Functions: Distance, Area, Volume, Indirect distance,
- Maximum & Minimum Memory
  - Laser Sight
  - Built-in Spirit Level
  - IP54 Protection Level
  - Back-light LCD Display
  - Battery Power Indicator
  - 1/4"-20 UNC Tripod Mount

Accuracy: 1.5 mm  
Units: Metre/Inch/Foot  
Light spot: Ø8 mm @ 40 m  
Memory: 20 data points  
Power: 2 x AAA  
Weight: 110 g



40 Meter Range

PN: AC-TM40

**\$129**

100 Meter Range

PN: AC-TM100

**\$269**

### Dual Scale Digital Temperature & Humidity Monitor

- Measuring Unit °C/°F
- Records Max. & min. temperature & humidity
- Time, Date & Month display
- 12 or 24 hour display modes
- Daily alarm function
- Alternating display function



Temperature Range: Indoor: -10 - +50°C  
Humidity Range: indoor 20% - 99%  
Power supply: 1.5V (AAA size) x1  
Size 96W mm x 105H mm


PN: AC-HTC-1

**\$39**

### 200x Digital Wifi Microscope

- Capture pictures or video
- Measuring software & calibration rule included
- 8 LED Light array

Resolution: 2 Megapixel  
Magnification: 10 - 200x  
Interface: USB2.0 or WiFi



Connects to any Wifi enabled Laptop, Phone or Tablet.

PN: AC-WIFI200

**\$509**

### Infrared Thermometers & Imaging

- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
  - Battery Power Indicator
  - Mutable sample capture alarm
  - Back-light LCD Display
  - 1/4"-20 UNC Tripod Mount
  - Laser Sight

#### 950° Infrared Thermometer

Range: -50 to 950 °C  
Accuracy: 1.5% or 1.5 °  
Distance spot ratio: 12:1

PN: AC-IT700

**\$189**



#### 1650°C Infrared Thermometer

Range: -50 to 1650 °C  
Accuracy: 1.5% or 1.5 °  
Distance spot ratio: 12:1

PN: AC-IT1650S

**\$519**

### Infrared Thermal Imaging Camera

- Multiple IR & Visible Band Display Modes
- Built-in USB / WIFI data interface
- 8 thermal image map modes

Thermal range: -10°C - 450°C  
Resolution: 220 x 160 IR / 640 x 480 Visible  
Frame rate: 9Hz IR / 25Hz Visible  
Display size: 88 mm  
Image storage: 20,000 images (8 Gb)  
Protection level: IP54



88 mm  
220 x 160  
IR DISPLAY

PN: AC-ITC450

**\$1,895**



## Metric Outside Micrometers



**SIZES AVAILABLE  
UP TO 1000 mm**

- Carbide measuring faces
- Setting standard included
- Ratchet stop

### 25 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-001-01  
Accuracy: 4  $\mu$ m  
Jaw Reach: 29 mm **\$69**

### 50-75 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-003-01  
Accuracy: 5  $\mu$ m  
Jaw Reach: 53 mm **\$89**

### 100-125 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-005-01  
Accuracy: 6  $\mu$ m  
Jaw Reach: 65 mm **\$129**

### 25-50 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-002-01  
Accuracy: 4  $\mu$ m  
Jaw Reach: 39 mm **\$79**

### 75-100 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-004-01  
Accuracy: 5  $\mu$ m  
Jaw Reach: 65 mm **\$99**

## Imperial Outside Micrometers



**SIZES AVAILABLE  
UP TO 40"**

- Carbide measuring faces
- Setting standard included
- Ratchet stop

### 1" mm Outside Micrometer

Graduation: 0.0001" PN: AC-324-001-01  
Accuracy:  $\pm 0.00015$ "  
Jaw Reach: 29 mm **\$79**

### 2-3" mm Outside Micrometer

Graduation: 0.0001" PN: AC-324-003-01  
Accuracy:  $\pm 0.0002$ "  
Jaw Reach: 53 mm **\$110**

### 4-5" Outside Micrometer

Graduation: 0.0001" PN: AC-324-005-01  
Accuracy:  $\pm 0.00025$ "  
Jaw Reach: 65 mm **\$139**

### 1-2" mm Outside Micrometer

Graduation: 0.0001" PN: AC-324-002-01  
Accuracy:  $\pm 0.00015$ "  
Jaw Reach: 39 mm **\$89**

### 3-4" Outside Micrometer

Graduation: 0.0001" PN: AC-324-004-01  
Accuracy:  $\pm 0.0002$ "  
Jaw Reach: 53 mm **\$109**

## Micrometer Sets

- Supplied with Calibration certificate



**IMPERIAL SETS  
AVAILABLE**

### 75 mm Micrometer 3 Piece Set

Set of 3 Micrometers  
Range: 0-75 mm  
Graduation: 0.01 mm  
Accuracy: 5  $\mu$ m  
PN: AC-321-003-03 **\$219**

### 100 mm Micrometer 4 Piece Set

Set of 4 Micrometers  
Range: 0-400 mm  
Graduation: 0.01 mm  
Accuracy:  $\pm 4-5 \mu$ m  
PN: AC-321-004-04 **\$369**

### 150 mm Micrometer 6 Piece Set

Set of 6 Micrometers  
Range: 0-150 mm  
Graduation: 0.01 mm  
Accuracy:  $\pm 4-6 \mu$ m  
PN: AC-321-006-06 **\$599**

### 150-300 mm Micrometer 6 Piece Set

Set of 6 Micrometers  
Range: 150-300 mm  
Graduation: 0.01 mm  
Accuracy:  $\pm 4-6 \mu$ m  
PN: AC-321-012-06 **\$1199**

### 300 mm Micrometer 12 Piece Set

Set of 12 Micrometers  
Range: 0-300 mm  
Graduation: 0.01 mm  
Accuracy:  $\pm 4-6 \mu$ m  
PN: AC-321-012-12 **\$1669**

## Coolant Proof Digital Micrometers



- Functions: mm/inch, Origin, zero point, ABS, Hold
- IP65 protection level
  - Carbide measuring faces
  - Ratchet stop.

### 25 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 01 mm  
Accuracy: 3  $\mu$ m  
Jaw Reach: 25 mm  
PN: AC-313-001-02 **\$279**

### 25-50 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 01 mm  
Accuracy: 3  $\mu$ m  
Jaw Reach: 32 mm  
PN: AC-313-002-02 **\$329**

## 3 Piece Measuring Tool Set

**150 mm Digital Caliper**  
Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

**25 mm Outside Micrometer**  
Graduation: 0.01 mm  
Accuracy: 4  $\mu$ m

**Beveled Square**  
Size: 100 x 70 mm  
DIN875 grade 0  
Squareness: 7  $\mu$ m



PN: AC-280-000-13  
**\$299**

## Micrometer Stand



Micrometer not included.

PN: AC-381-000-00  
**\$55**

## Tubular Inside Micrometer Sets



- Carbide measuring faces

### 50-300 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm  
Graduation: 0.01 mm  
PN: AC-352-012-01 **\$399**

### 50-600 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm  
Graduation: 0.01 mm  
PN: AC-352-024-01 **\$499**

## Telescopic Gauge Set

Handle lengths: 115-137 mm  
Gauge sizes: 8-12.7 mm, 12.7-19 mm, 19-32 mm, 32-54 mm, 54-90 mm & 90-150 mm



PN: AC-951-006-01  
**\$89**

## 1/4" Centering Indicator

- For quick and accurate centering in boring and milling set-up
- Jeweled bearing
- Includes with 7 probes



Range: 0-3mm  
Graduation: 0.01 mm  
Size: 150 x 60 x 33 mm

PN: AC-297-003-11  
**\$339**



## 300 mm Dual Scale Digital Output Height Gauge

Range: 0-300 mm/0-12"  
Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.04$  mm  
Beam Width: 23 mm  
External Jaw Reach: 80 mm  
Length: 470 mm

PN: AC-181-012-11  
**\$549**



## Depth Caliper & Micrometers

### 25 mm Digital Depth Caliper

- USB data output

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm  
PN: AC-176-001-11 **\$159**



### 0-150 mm Micrometer with Captive Anvils

PN: AC-392-006-01 **\$369**

### 0-300 mm Micrometer with Captive Anvils

Accuracy:  $\pm 3 \mu$ m  
Base size: 101.5 x 17 mm  
PN: AC-392-012-01 **\$599**



### 200 mm Digital Depth Caliper

PN: AC-171-008-11 **\$199**

### 300 mm Digital Depth Caliper

PN: AC-171-012-11 **\$399**

### 500 mm Digital Depth Caliper

PN: AC-171-020-11 **\$749**

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm







### Dual Scale Stainless Rulers



#### 150 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"  
 PN: AC-990-006-11  
**\$13**

#### 600 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"  
 PN: AC-990-024-11  
**\$49**

#### 300 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"  
 PN: AC-990-012-11  
**\$20**

#### 1000 mm Dual Scale Stainless Ruler

Graduation: 0.5 mm, 1 mm, 1/64", 1/32", 1/16"  
 PN: AC-990-040-11  
**\$69**

### Straight Edge Rulers



#### 300 mm Straight Edge Ruler

Graduations: 1 mm  
 Beam Width: 40 mm  
 Length: 300 mm  
 PN: AC-991-012-01  
**\$149**

#### 500 mm Straight Edge Ruler

Graduations: 1 mm  
 Beam Width: 40 mm  
 Length: 500 mm  
 PN: AC-991-020-01  
**\$229**

#### 1000 mm Straight Edge Ruler

Graduations: 1 mm  
 Beam Width: 50 mm  
 Length: 1000 mm  
 PN: AC-991-040-01  
**\$489**

### Double Ended Scriber

- Nickel plated with Hardened tips
  - Knurled handle
- Length: 250 mm



PN: AC-995-009-01  
**\$19**

### Radius Gauge Sets



- Includes concave & convex gauge for each size

#### 1-7 mm Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm

PN: AC-941-007-34  
**\$39**

#### 7.5-15 mm Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 mm

PN: AC-941-015-32  
**\$39**

#### 15.5-25 mm Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 mm

PN: AC-941-025-30  
**\$39**

### Dividers & Calipers



#### 200 mm Inside Spring Caliper

Range: 18-190 mm  
 Length: 200 mm  
 PN: AC-982-008-01  
**\$39**

#### 300 mm Inside Spring Caliper

Range: 18-290 mm  
 Length: 300 mm  
 PN: AC-982-012-01  
**\$49**

#### 500 mm Inside Spring Caliper

Range: 25-490 mm  
 Length: 500 mm  
 PN: AC-982-020-01  
**\$79**



#### 200 mm Spring Divider

Range: 0-190 mm  
 Length: 200 mm  
 PN: AC-985-008-01  
**\$39**

#### 300 mm Spring Divider

Range: 0-290 mm  
 Length: 300 mm  
 PN: AC-985-012-01  
**\$49**

#### 500 mm Spring Divider

Range: 0-490 mm  
 Length: 500 mm  
 PN: AC-985-020-01  
**\$79**



#### 200 mm Outside Spring Caliper


Range: 0-190 mm  
 Length: 200 mm  
 PN: AC-984-008-01  
**\$39**

#### 300 mm Outside Spring Caliper

Range: 0-290 mm  
 Length: 300 mm  
 PN: AC-984-012-01  
**\$49**

#### 500 mm Outside Spring Caliper

Range: 0-490 mm  
 Length: 500 mm  
 PN: AC-984-020-01  
**\$79**



#### 200 mm Dividing Caliper

Range: 0-190 mm  
 Length: 200 mm  
 PN: AC-986-008-01  
**\$39**

#### 300 mm Dividing Caliper

Range: 0-290 mm  
 Length: 300 mm  
 PN: AC-986-012-01  
**\$49**

#### 500 mm Dividing Caliper

Range: 0-490 mm  
 Length: 500 mm  
 PN: AC-986-020-01  
**\$69**

### Wide Base Machinist Squares (Grade 2)

#### 100 mm Wide Base Machinist Square

Squareness: (α) 28 μm (β) 30 μm  
 Base size: 19H x 12W x 70L mm  
 Blade Thickness: 3 mm

PN: AC-845-004-02

**\$39**

#### 150 mm Wide Base Machinist Square

Squareness: (α) 33 μm (β) 35 μm  
 Base size: 25H x 16W x 100L mm  
 Blade Thickness: 3 mm

PN: AC-845-006-02

**\$59**

#### 200 mm Wide Base Machinist Square

Squareness: (α) 37 μm (β) 40 μm  
 Base size: 32H x 16W x 130L mm  
 Blade Thickness: 4 mm

PN: AC-845-008-02

**\$69**

#### 300 mm Wide Base Machinist Square

Squareness: (α) 47 μm (β) 50 μm  
 Base size: 32H x 19W x 200L mm  
 Blade Thickness: 4 mm

PN: AC-845-012-02

**\$99**

#### 600 mm Wide Base Machinist Square

Squareness: (α) 75 μm (β) 80 μm  
 Base size: 50H x 30W x 350L mm  
 Blade Thickness: 6 mm

PN: AC-845-024-02

**\$389**



### Thread Gauge Sets



#### Metric & Whitworth Thread Gauge

Metric 60° Range: 0.25-6.0 mm  
 Whitworth 55° Range: 4-62 TPI

PN: AC-925-062-52

**\$38**

#### Metric Thread Gauge

Metric 60° Range: 0.25 - 6.0 mm

PN: AC-922-006-24

**\$26**

#### Whitworth Thread Gauge

Whitworth 55° Range: 4-42 TPI

PN: AC-924-042-30

**\$28**

### Circumference Tape



#### 60-950 mm Circumference Tape

Range: Dia. 20-300 mm / Cir. 60-950 mm  
 Graduation: 0.1 mm

PN: AC-956-012-11

**\$42**

#### 940-2200 mm Circumference Tape

Range: Dia. 300-700 mm / Cir. 940-2200 mm  
 Graduation: 0.1 mm

PN: AC-956-028-11

**\$59**

#### 2190-3460 mm Circumference Tape

Range: Dia. 700-1100 mm / Cir. 2190-3460 mm  
 Graduation: 0.1 mm

PN: AC-956-044-11

**\$79**



## Combination Squares

### Combination Square

90° or 45° square  
90° square accuracy: ±8',  
45° square accuracy: ±10'

**Wear Resistant  
Cast Iron Head**




PN: AC-817-090-12  
**\$139**

### Combination Square Set

**Circle Centre Finder** 90° or 45° square  
Accuracy: ±0.15 mm 90° square accuracy: ±8',  
Ruler range: 300 mm / 12" 45° square accuracy: ±10'

**Protractor**  
Range: 0-180°  
Accuracy: ±7'

PN: AC-817-180-02  
**\$269**



## Marking Gauges

### 100 mm Centre Marking Gauge

Range: 4-90 mm Ø  
Accuracy: ±0.15 mm

PN: AC-993-004-01  
**\$129**

### 150 mm Centre Marking Gauge

Range: 4-90 mm Ø  
Accuracy: ±0.15 mm

PN: AC-993-006-01  
**\$159**



## Angle Finders

### 150 mm / 180° Angle Finder

Length: 150 mm  
Graduation: 1°  
Accuracy: ±0.3°

PN: AC-812-005-01  
**\$69**

### 200 mm / 180° Angle Finder

Length: 200 mm  
Graduation: 1°  
Accuracy: ±0.3°

PN: AC-812-006-01  
**\$99**

### 300 mm / 180° Angle Finder

Length: 300 mm  
Graduation: 1°  
Accuracy: ±0.3°

PN: AC-812-008-01  
**\$129**

### 500 mm / 180° Angle Finder

Length: 500 mm  
Graduation: 1°  
Accuracy: ±0.3°

PN: AC-812-012-01  
**\$189**



## Combination Rulers



### 200 mm Digital Combination Ruler

Length: 200 mm  
Range: 360°  
Resolution: 0.1°

PN: AC-821-008-01  
**\$109**

### 300 mm Digital Combination Ruler

Length: 300 mm  
Range: 360°  
Resolution: 0.1°

PN: AC-821-012-01  
**\$129**

## Radius & Hole Gauges

### Radius Gauge Set



Range: 0.5-13 mm  
Accuracy: ±0.05 mm  
Increments: 0.5 mm

PN: AC-942-013-26  
**\$109**

### Small Hole Gauge Set

Range: 3-13 mm




PN: AC-952-004-01  
**\$59**

## Welding Gauges

### Fillet Weld Gauge

Sizes: 3, 4, 5, 6, 8,  
9, 10, 11, 12,  
14, 16, 19,  
22 & 25 mm  
Accuracy:  
0.5 mm



PN: AC-977-025-01  
**\$69**


### Welding Gauge

Range: 0-6 mm  
Porosity Comparison  
Range: 1.5 & 3 mm  
Graduation: 0.5 mm  
Accuracy: 0.5 mm

PN: AC-978-006-01  
**\$69**



## Feeler Gauges



### 200 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm  
Length: 200 mm

PN: AC-914-100-20  
**\$49**

### 150 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm  
Length: 150 mm

PN: AC-913-100-20  
**\$39**

### 300 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm  
Length: 300 mm

PN: AC-915-100-20  
**\$49**

### Dual Scale Angled Feeler Gauge

Metric Range: 0.005 - 0.030 mm  
Imperial Range: 0.127" - 0.762"  
Blade Length: 100 mm



PN: AC-919-030-26  
**\$49**

### Tapered Feeler Gauge

Metric Range: 0.03-1.00mm  
Blade Length: 100 mm

- Meets DIN2275
- Accuracy: ±(3+T/80) μm,



PN: AC-912-100-32  
**\$29**

## Feeler Tapes

Size: 13 mm x 5 m  
Accuracy: ±4 μm



### 0.02 mm Feeler Tape

PN: AC-916-002-01  
**\$49**

### 0.04 mm Feeler Tape

PN: AC-916-004-01  
**\$44**

## Protractor & Levels

### Digital Level & Protractor

- Magnetic V-groove Base



Size: 150 mm x 60 mm x 33 mm  
Accuracy : ±0.1°(at 0°/90°/180°/270°)  
±0.2°(other direction)

Resolution: 0.05°

PN: AC-722-360-01  
**\$219**

### Digital Protractor

- Functions: Zero point, ABS, Hold
- Level Vial



Range: 360°  
Resolution: 0.05°  
Accuracy: ±0.15°  
Length: 250 mm

PN: AC-726-360-01  
**\$209**

### Digital Level

- Magnetic base

Range: 0-360°  
Resolution: 0.1°  
Dimensions:  
59 x 59 x 28 mm  
Accuracy: ±0.1°  
±0.2°(other directions)

PN: AC-721-180-01  
**\$129**



### 200 mm Frame Level

- Two vee & two flat reference faces

Sensibility:  
0.02 mm / m per division  
Size: 200 x 200 x 35 mm



PN: AC-711-008-02  
**\$379**

### 600 mm Digital level

- Functions as level or protractor
- Absolute horizon memory
- Back-light Display
- Magnetic base



Units: Degrees, Slope %, mm/m & In/Ft Pitch.  
Resolution: 0.1°

PN: AC-725-360-01  
**\$199**

## Block Levels



- 140° Vee Groove

Sensibility: 0.02 mm / m per division

### 150 mm Block Level

Size: 150 x 40 x 45 mm

PN: AC-713-006-02  
**\$329**

### 200 mm Block Level

Size: 150 x 40 x 45 mm

PN: AC-713-008-02  
**\$369**

### 300 mm Block Level

Size: 300 x 40 x 45 mm


PN: AC-713-012-02  
**\$409**





## 1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



**Stainless Carbide Burrs also available.**

### Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1	<b>\$45</b>
3	2 3/8"	CBSE3	<b>\$66</b>
5	2 5/8"	CBSE5	<b>\$88</b>

### Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1	<b>\$45</b>
3	2 1/2"	CBSF3	<b>\$66</b>
5	2 3/4"	CBSF5	<b>\$88</b>

### Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1	<b>\$45</b>
3	2 1/2"	CBSG3	<b>\$66</b>
5	2 3/4"	CBSG5	<b>\$88</b>

### Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1	<b>\$45</b>
3	2 1/2"	CBSA3	<b>\$66</b>
5	2 3/4"	CBSA5	<b>\$88</b>

### End Cut Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSB1	<b>\$45</b>
3	2 1/2"	CBSB3	<b>\$66</b>
5	2 3/4"	CBSB5	<b>\$88</b>

### Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1	<b>\$45</b>
3	2 1/2"	CBSC3	<b>\$66</b>
5	2 3/4"	CBSC5	<b>\$88</b>

### Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1	<b>\$45</b>
3	2 1/8"	CBSD3	<b>\$66</b>
5	2 1/4"	CBSD5	<b>\$88</b>

### Flame Burrs

Size	Length	PN	Price
1	2 3/4"	CBSH1	<b>\$45</b>
3	2 1/2"	CBSH3	<b>\$66</b>
5	3"	CBSH5	<b>\$88</b>

### Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1	<b>\$45</b>
3	3"	CBSL3	<b>\$66</b>
5	3"	CBSL4	<b>\$88</b>

### Cone Burrs

Size	Length	PN	Price
1	1 7/8"	CBSM1	<b>\$45</b>
3	2 1/2"	CBSM4	<b>\$66</b>
5	2 3/4"	CBSM5	<b>\$88</b>

### Inverted Cone Burrs

Size	Length	PN	Price
1	2"	CBSN1	<b>\$45</b>
3	2 1/8"	CBSN3	<b>\$66</b>
5	2 1/4"	CBSN5	<b>\$88</b>

### 60° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSJ1	<b>\$45</b>
3	2 1/4"	CBSJ3	<b>\$66</b>
5	2 3/8"	CBSJ5	<b>\$88</b>

### 90° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSK1	<b>\$45</b>
3	2 1/8"	CBSK3	<b>\$66</b>
5	2 1/8"	CBSK5	<b>\$88</b>

## 1/4" Extended Carbide Burrs

### 6" Extended Size 3 Double-Cut Burrs

Shape	PN	Price
Cylinder	CBSA3L6	<b>\$105</b>
End Cut Cylinder	CBSB3L6	<b>\$105</b>
Radiused Cylinder	CBSC3L6	<b>\$105</b>
Ball	CBSD3L6	<b>\$105</b>
Oval	CBSE3L6	<b>\$105</b>
Radiused Tree	CBSF3L6	<b>\$105</b>
Pointed Tree	CBSG3L6	<b>\$105</b>
Radiused Cone	CBSL3L6	<b>\$105</b>

### 6" Extended Size 3 Non-ferrous Burrs

Shape	PN	Price
Radiused Cylinder	CBSC3L6NF	<b>\$105</b>
Ball	CBSD3L6NF	<b>\$105</b>
Oval	CBSE3L6NF	<b>\$105</b>
Radiused Tree	CBSF3L6NF	<b>\$105</b>
Flame	CBSH3L6NF	<b>\$105</b>

## Carbide Burr Sets

### 1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"



**\$205**

PN: CBSET10

### 3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"



**\$165**

PN: CBSET3

### 1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"



**\$339**

PN: CBSET8

### 1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"



**\$365**

PN: CBSET5

### 3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"



**\$195**

PN: CBSET3NF

### 3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"



**\$209**

PN: CBSET3INOX



## NG6 NEXT GENERATION ACCELERATOR

Patent pending geometry and **ACCELERATOR** Coating has shown up to double the rate of stock removal over conventional burrs.\*



### Radiused Tree Burrs

Size	Length	PN	Price
3	2 1/2"	CBSF3NG6C	<b>\$83</b>
5	2 3/4"	CBSF5NG6C	<b>\$115</b>

### Radiused Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSC3NG6C	<b>\$83</b>
5	2 3/4"	CBSC5NG6C	<b>\$115</b>

### Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSA3NG6C	<b>\$83</b>
5	2 3/4"	CBSA5NG6C	<b>\$115</b>

### Ball Burrs

Size	Length	PN	Price
3	2 1/8"	CBSD3NG6C	<b>\$83</b>

\* NG6 Coated Burrs should be operated at a minimum of 25,000 RPM.

## NG6 Burr Sets

3/8" Head  
NG6 Coated  
3 Piece Burr Set

**\$249**  
PN: CBSF3NG6C

1/2" Head  
NG6 Coated  
3 Piece Burr Set  
Shank Dia: 1/4"

**\$379**  
PN: CBSF35NG6C



1/4" & 3/8" Head NG6 Coated  
8 Piece Burr Set  
Shank Dia: 1/4"



**\$419**  
PN: CBSF8NG6C

## 1/4" Shank Non-ferrous Carbide Burrs

### Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1NF	<b>\$66</b>
3	2 1/2"	CBSA3NF	<b>\$83</b>
5	2 3/4"	CBSA5NF	<b>\$105</b>

### Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1NF	<b>\$66</b>
3	3"	CBSL3NF	<b>\$83</b>
5	3"	CBSL4NF	<b>\$105</b>

### Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1NF	<b>\$66</b>
3	2 1/2"	CBSC3NF	<b>\$83</b>
5	2 3/4"	CBSC5NF	<b>\$105</b>

### Cone Burrs

Size	Length	PN	Price
3	2 1/2"	CBSM4NF	<b>\$105</b>

### Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1NF	<b>\$66</b>
3	2 1/8"	CBSD3NF	<b>\$83</b>
5	2 1/4"	CBSD5NF	<b>\$105</b>

### Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1NF	<b>\$66</b>
3	2 1/2"	CBSG3NF	<b>\$83</b>
5	2 3/4"	CBSG5NF	<b>\$105</b>

### Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1NF	<b>\$66</b>
3	2 3/8"	CBSE3NF	<b>\$83</b>
5	2 5/8"	CBSE5NF	<b>\$105</b>

### Radiused Tree Burrs


Size	Length	PN	Price
1	2"	CBSF1NF	<b>\$66</b>
3	2 1/4"	CBSF3NF	<b>\$83</b>
5	2 3/8"	CBSF5NF	<b>\$105</b>

## 1/8" Carbide Burrs

1/8" Shank Carbide Burrs are available in the following head diameters:

**Size 00** 3/32" Head

**Size 0** 1/8" Head




A43 C41 D42 F42 L42 M42  
A42 C42 E41 G43

Shape	Size	PN	Price
Cylinder	0	CBSA43	<b>\$28</b>
Cylinder	00	CBSA42	<b>\$28</b>
Radiused Cylinder	0	CBSC41	<b>\$28</b>
Radiused Cylinder	00	CBSC42	<b>\$28</b>
Ball	0	CBSD42	<b>\$28</b>
Oval	0	CBSE41	<b>\$28</b>
Radiused Tree	0	CBSF42	<b>\$28</b>
Pointed Tree	0	CBSG43	<b>\$28</b>
Radiused Cone	0	CBSL42	<b>\$28</b>
Cone Burr	0	CBSM42	<b>\$28</b>

## Carbide Burr Operating Guide

These are recommended speeds for **Standard Length Burrs** with no more than a 1/2" overhang from the die-grinder collet. **NG6 Coated Burrs** should be operated at a minimum of 25K. **Extended Burrs** are generally subject to much lower maximum safe speeds.







## Automotive Screw Kits

### Japanese Sems Fine Hex Bolts

140 piece kit includes an assortment of M5x16, M5x20, M5x25, M6x16, M6x20, M6x25, M8x16, M8x20, M8x25 & M8x30 Japanese Automotive Fine Hex Sems screws.



**\$50**

PN: AAK01

### Pan Compi (Sems) Machine Screws

180 piece kit includes an assortment of 8 types of Pan Compi Machine Screws, ranging from M3x25, M5x12, M5x16, M5x20, M5x25, M6x16, M6x20 & M6x25.



**\$41**

PN: AAK07

### Japanese Sems Hex Bolts

50 piece kit includes an assortment of 8 types of Fine and Standard Course Japanese Automotive Hex Sems Screws ranging from M8x1.25x35 to M10x1.25x40.



**\$54**

PN: AAK02

### DIN 912 Socket Head Cap Screws

120 piece kit includes an assortment of 10 types of DIN 912 (grade 12.9) Allen socket cap screws, ranging from M5x16 & M10x30.



**\$47**

PN: AAK17

### Japanese Sems Hex Fender Screws

130 piece kit includes an assortment of 8 types of hex (sems) fender screws (JIS spec), ranging from No.8 (4.2 mm x 16) to No.14 (6.3 mm x 19).



**\$49**

PN: AAK03

### DIN 916 Socket Head Grub Screws

300 piece kit includes an assortment of 8 types of DIN 916 (grade 10.9) Allen head grub screws, ranging from M4x10 & M6x16.



**\$56**

PN: AAK18

### Mushroom Pozidrive Self Tapping Screws

200 piece kit includes an assortment of 8 types of Pozidrive Self Tapping Screws, ranging from M8 (4.2 mm x 19) to No.10 (4.8 mm x 30).



**\$38**

PN: AAK04

### DIN 7991 C'sunk Socket Head Screws

160 piece kit includes an assortment of 10 types of DIN 7991 (grade 10.9) Allen socket countersunk screws, ranging from M4x12 to M10x30.



**\$51**

PN: AAK19

## Automotive Electrical Kits

### Spade, Flag, Butt & Bullet Connectors

110 piece kit includes an assortment of 19 types of spade, flag, butt & bullet connectors, in a variety of Blue Red & Yellow.



**\$57**

PN: AAK21

### Medium Blade Fuses

50 piece kit includes an assortment of 10 types of Medium Blade Fuses, ranging from 7.5 AMP, 10 AMP, 15 AMP, 20 AMP, 25 AMP, 35 AMP, 40 AMP Fuses.



**\$41**

PN: AAK24

### Pre-Insulated Electrical Terminals

125 piece kit includes an assortment of 20 types of pre-insulated Round and Male Bullet electrical terminals, in a variety of Blue, Red, & Yellow.



**\$57**

PN: AAK22

### Heat Shrink Tubing

171 piece kit includes tubing in standard colours & lengths of 30, 60, 90 mm & 1m, diameters between 2.0 & 10.0 mm, a thermal rating of -55 to 125°C, voltage rating up to 600V, a shrink ratio of 2:1 and compliances with RoHS, cRU, CSA.



**\$39**

PN: AAK33

## Automotive Clip & Split Pin Kits

### Speed Clips & Nuts

90 piece kit includes an assortment of 7 types of speed clips & nuts, ranging from (No. 10) 4.8 mm to (No.14) 6.3 mm Speed Clips and 5 & 6 mm Speed Nuts.



**\$55**

PN: AAK05

### DIN 6799 Black Oxide E Clips

300 piece kit includes an assortment of 8 types of DIN 6799 black oxide e clips, ranging from M3, M4, M5, M6, M7, M8, M10 & M12.



**\$44**

PN: AAK20

### DIN 94 Split Pins - Small Kit

300 piece kit includes an assortment of 9 types of DIN 94 split pins, ranging from 2 mm dia. x 25 mm to 5 mm dia. x 63 mm Split Pins.



**\$44**

PN: AAK08

### Internal Circlips

120 piece kit includes an assortment of 16 types of internal circlips, ranging from M5 to M24.



**\$47**

PN: AAK29

### DIN 94 Split Pins - Large Kit

500 piece kit includes an assortment of 10 types of DIN 94 split pins, ranging from 1.6 mm dia. x 32 mm to 5 mm dia. x 50 mm Split Pins.



**\$65**

PN: AAK09

### External Circlips

120 piece kit includes an assortment of 16 types of external circlips, ranging from M5 to M24.



**\$47**

PN: AAK30

## Automotive Grease Nipple Kits

### Grease Nipples - Small Kit

50 piece kit includes an assortment of 8 types of grease nipples, ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90° & GN36 M8x1x45° Grease Nipples.



**\$58**

PN: AAK15

### Grease Nipples - Large Kit

100 piece kit includes an assortment of 8 types of grease nipples ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90°, GN36 M8x1x45° Grease Nipples.



**\$98**

PN: AAK16



## Automotive Nut, Bolt & Stud Kits

### Japanese Automotive Nuts

140 piece kit includes an assortment of 10 types of fine & course Japanese automotive nuts, ranging from M6x1.25 to M12x1.5.



**\$40**

PN: AAK06

### Exhaust Manifold Studs & Nuts

80 piece kit includes an assortment of 8 types of exhaust manifold studs & nuts ranging from M8x1.25 to M10x1.5 Copper Nuts and M8x1.25x40 to M10x1.5x50 Studs.



**\$80**

PN: AAK11

### Self Locking Nuts

100 piece kit includes an assortment of 9 types of Nyloc & All Metal Self Locking, in Extra Fine, Fine & Course, ranging from M6 to M12.



**\$42**

PN: AAK10

### Durlock Flange Bolts & Flange Nuts

100 piece kit includes an assortment of 12 types of (Std Course Thread) DIN 6921 durlock flange Bolts & DIN 6923 flange nuts and bolts, ranging from M6x12 to M10x25.



**\$68**

PN: AAK26

## Automotive Washer Kits

### DIN 7604A Soft Annealed Copper Washers

130 piece kit includes an assortment of 8 types of DIN 7604a Small Soft Annealed Copper Washers, ranging from M6 to M18.



**\$61**

PN: AAK12

### Fibre Washers

250 piece kit includes an assortment of 8 types of Fibre Washers, ranging from M4 (4.3 x 9 x 0.8 mm) to M16 (16.1 x 22 x 0.8 mm).



**\$53**

PN: AAK13

### DIN 6798 Internal & External Star Washers

300 piece kit includes an assortment of 10 types of DIN 6798 internal & external star washers, ranging from M5, M5, M6, M6, M8, M8, M10, M10, M12 & M12.



**\$33**

PN: AAK14

## Automotive O-Ring Kits

### Nitrile 70 Duro Shore A Imperial O-rings

225 piece kit includes an assortment of 18 types of nitrile 70 duro shore a imperial o-rings ranging from 3/32" ID x 1/16" (2.38 mm ID x 1.78 mm) to 13/16" ID x 5/32" (20.22 mm ID x 3.53 mm).



**\$47**

PN: AAK31

### NBR-70 Standard Metric O-rings

386 piece kit includes an assortment of 30 types of NBR-70 standard metric o-rings ranging from 3.0 mm ID x 2.0 mm CS (R-01) to 44 mm ID x 4.0 mm CS (R-30).



**\$74**

PN: AAK32

## Driver Kits

### Pozidrive, Square & Magnetic Nut Setters

60 piece kit includes an assortment of 10 mm Magnetic Nut Setters, 3/8 Magnetic Nut Setters, No.1x25, No.3x25, No.3x50, No.2x25, No.2x50 Pozi Bits, No.1x50 long Pozi Bits, No.1x25, No.1x50, No.2x25, No.2x50 Square Drive Bits.



**\$115**

PN: HAK39

## Washer Kits

### Zinc plated Spring Washers

500 piece kit includes an assortment of 8 types of Zinc Plated Spring Washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



**\$33**

PN: HAK06

### Heavy Duty Zinc Plated Flat Washers

500 piece kit includes an assortment of 8 types of heavy duty zinc plated flat washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



**\$36**

PN: HAK07

## Rivet Kits

### Aluminum Pop Rivets

300 piece kit includes an assortment of AS 40-10, AS 40-12, AS 48-10, AS 48-12, AS 48-15, AS 48-18 Aluminum Pop Rivets and AS 48-10 & AS 48-12 Aluminum White Pop Rivets.



**\$36**

PN: HAK15

### Alum. C'sunk & Large Flange Pop Rivets

200 piece kit includes an assortment of 32-10, 48-12, 48-15, 48-18 Countersunk Rivets and 40-12, 40-15, 48-10, 48-15 Large Flange Rivets.



**\$33**

PN: HAK16

## Penny Washer Kits

### Small Fender (Penny) Washers

300 piece kit includes an assortment of M3x12.5, M4x 16, M4x12.5, M5x 16, M5x25, M6x 19, M6x22 & M6x32 Zinc Plated Fender (Penny) Washers.



**\$41**

PN: HAK13

### Large Fender (Penny) Washers

150 piece kit includes an assortment of M6x25, M8x 19, M8x25, M8x32, M10x25, M10x30, M12x30, M12x40 Zinc Plated Fender (Penny) Washers.



**\$33**

PN: HAK14

## Nut & Bolt Kits

### Mild Steel Zinc Plated Nuts & Bolts

150 piece kit includes an assortment of 8 types of Mild Steel Zinc Plated M6 & M8 nuts & bolts, ranging from, M6x25, M6x16, M8x20, M8x25, M8x30 & M8x40.



**\$39**

PN: HAK11

### Zinc Plated Hex Nuts

200 piece kit includes an assortment of 8 types of DIN 934 Zinc Plated Hex Nuts, ranging from M4, M5, M6, M8, M10, M12, M14 & M16.



**\$33**

PN: HAK12

## Self Tapping Screws

### Pan Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan pozi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



**\$50**

PN: HAK01

### Pan Combi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan combi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



**\$50**

PN: HAK03



## HB-Series Storage Bins

### Geiger Small Short Bin

Size: 105W x 137D x 76H mm



**\$6 ea**

- PN: HB210B
- PN: HB210R

### Geiger Small Bin

Size: 105W x 187D x 76H mm



**\$7 ea**

- PN: HB220B
- PN: HB220R

### Geiger Medium Bin

Size: 140W x 276D x 127H mm



**\$13 ea**

- PN: HB230B
- PN: HB230R

### Geiger Large Short Bin

Size: 210W x 273D x 178H mm



**\$22 ea**

- PN: HB239B
- PN: HB239R

### Geiger Medium Duplex Bin

- Includes duplex divider

Size: 279W x 276D x 127H mm



**\$19 ea**

- PN: HB235B
- PN: HB235R

### Geiger Large Duplex Bin

- Includes duplex divider

Size: 420W x 375D x 178H mm




**\$32 ea**

- PN: HB250B
- PN: HB250R


## Mobile HB Storage Cart

Make your HB bins mobile with this hanging display unit with caster wheels (2 with brakes). This is an excellent time and space saver for any workshop.



HB Bins are easily detached from the storage cart, making it easy to take only what you need to the work area, while keeping items organized.

Includes Heavy Duty Galvanized Steel Cart with 72 x HB220 and 32 x HB230 bins, in combination of Blue or Red.  
Overall Size: 740W x 560D x 1460H mm




**\$1,199**

PN: MS20020K

## Wall Mountable

All HB series bins can be wall mounted when combined with HP Hanging Panels (see HP1 & HP1KIT). HP Panels can be tiled together and mounted horizontally or vertically.



## Free Standing Bench Storage

Included with all HB bins are four interlocking legs which create free-standing versatile bench storage.

## Set of 2 Hanging Panels

Includes 2 Panels, screws & wall plugs.  
Size: 605W x 455H x 8D mm

**\$83**

PN: HP1



## Heavy Duty A-Series Parts Cabinets

### ST2



Drawer Size: 120W x 210D x 55H mm

**60 Drawer Parts Cabinet**

**\$669**

PN: ST2460

Size: 586W x 222D x 937H mm

### A5



Drawer Size: 163W x 289D x 69H mm

**36 Drawer Parts Cabinet**

**\$625**

PN: A5336

Size: 586W x 290D x 937H mm

**24 Drawer Parts Cabinet**

**\$489**

PN: A5324

586W x 290D x 640H mm

### A7



Drawer Size: 120W x 218D x 69H mm

**48 Drawer Parts Cabinet**

**\$499**

PN: A7448

Size: 586W x 222D x 937H mm

**24 Drawer Parts Cabinet**

**\$339**

PN: A7324

Size: 444W x 222D x 642H mm

### A8



Drawer Size: 90W x 218D x 70H mm

**60 Drawer Parts Cabinet**

**\$595**

PN: A8560

Size: 586W x 222D x 937H mm

**32 Drawer Parts Cabinet**

**\$359**

PN: A8432

Size: 466W x 222D x 642H mm

**15 Drawer Parts Cabinet**

**\$239**

PN: A8315

Size: 355W x 222D x 415H mm

Size: 586W x 222D x 350H mm



## Heavy Duty A7 Parts Cabinets

Each drawer comes with 2 movable dividers.  
The front face of each drawer features a window.

### Lockable 48 Drawer Parts Cabinet

Size: 586W x 270D x 970H mm

**\$799**

PN: A7448D

### Lockable 24 Drawer Parts Cabinet

Size: 444W x 270D x 677H mm

**\$669**

PN: A7324D



**LOCKABLE DOORS**

## Steel HD Series Parts Cabinets

HD cabinets take up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The front face of each drawer features a window which makes it easy to identify the contents.

### 15 Drawer Steel Parts Cabinet

Size: 880W x 400D x 440H mm  
Drawer size: 160W x 110H x 410D mm



**\$575**

PN: HD515

### 18 Drawer Steel Parts Cabinet

Size: 550W x 400D x 880H mm  
Drawer Size: 160W x 110H x 410D mm

### 30 Drawer Steel Parts Cabinet

880W x 400D mm x 880H mm  
Drawer size: 160W x 110H x 410D mm



**\$699**

PN: HD318



**\$945**

PN: HD530

## HD-Series Storage Bins

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.  
Size: 880W x 400D x 1725H mm



The HD drawers are designed to be fully opened and not fall out, even at the 10 kg maximum weight limit and feature transparent windows for easy parts identification.

Each drawer comes with 2 movable dividers and is acid and oil resistant.  
Drawer size: 140W x 370D x 100H mm

### HD Drawer

Internal size: 140W x 370D x 100H mm  
Can take up to 7 Dividers



**\$20**

PN: HD1641

### 60 Drawer HD Series Steel Parts Cabinet

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.  
880W x 400D x 1725H mm

### HD Drawer Dividers

Packet of 10



**\$20**

PN: HD1641DIV

### 30 Drawer Parts Cabinet

980W x 400D x 1010H mm  
(inc handle and caster wheels)



**\$1,155**

PN: NHD530



**\$1,799**

PN: NHD560

## Multi Function Storage Bin

Includes bin and lid. Made from high impact polypropylene.  
Size: 450W x 360D x 250H mm

The NHA3645 bins can be stacked without a lid or nested together when not being used.

Rotate and nest bins together.

Stack bins with no lid needed.



**\$38**

PN: NHA3645K



## Multi-Function Bins & Crates

### Jumbo Storage Bin

Includes removable two stage folding lid. Made from impact resistant polypropylene.  
Size: 395W x 635D x 335H mm



**50 LITRE CAPACITY!**

**TAKES UP TO 30KG!**

**\$75**

PN: HB4068B

### Foldable Crates

Stackable in both collapsed and extended configuration

Size: 535W x 360D x 280H mm  
Collapsed Height: 50 mm

**SPACE SAVING COLLAPSIBLE DESIGN**



**\$51**

PN: FB5336B



## Workshop Stools & Creepers

### Workshop Stool

- 100 mm swivel casters, with 2 lockable
  - Centre mounted pull out drawer
  - Metal Frame
- Size: 670L x 330D x 380H mm  
Max. Load: 130 Kg



### Adjustable Hydraulic Stool

- Adjustable seat height
- 4" swivel wheels (2 lockable)
- Wide HDPE double walled seat
- Bottom Organiser tray
- Metal Frame

Height Range: 450-560 mm  
Size: 540L x 390W x 560H mm  
Max. Load: 150 Kg



### Mechanics Creeper

Size: 1005 x 470 x 135 mm  
Wheel Size: 75 x 25 mm

- Integrated side trays
- Made in Taiwan

**STEEL REINFORCED CASTER MOUNTS**



## Workshop Trolleys

### Plastic Parts Trolley

- Rounded corners protect walls & furniture
- Soft 4" PVC wheels (2 lockable)
- Deep Pocket shelves
- Handles both ends

Size: 82 x 47 x 105cm  
Capacity: 130 kg



### Compact Heavy Duty Parts Trolley

- 3 Shelves
- 1.6 mm steel uprights.

Size: 410W x 760D x 885H mm (including handle)



### Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- 1.6 mm steel uprights.

Size: 470W x 785D x 825H mm (including handle)



### Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- Enclosed front & rear for extra rigidity.
- Takes up to 100 kg per shelf, max total weight 200 kg per unit.

Size: 500W x 873D x 880H mm (including handle)



## Wall mountable Pivot Drawers

Pivot drawers slot together vertically or horizontally, to be safely mounted to walls or benches. Windowed drawers keep all your spare parts in plain sight with reduced exposure to dust, moisture or other contaminants.

### 8 Compartment Pivot Drawer Set

Size: 300W x 200H x 67D mm



### 6 Compartment Pivot Drawer Set

Size: 300W x 250H x 106D mm



### 5 Compartment Pivot Drawer Set

Size: 600W x 150H x 123D mm



### 4 Compartment Pivot Drawer Set

Size: 600W x 200H x 167D mm



### Single Sided 46 Bin Pivot Drawer Cart

Includes  
2 x FO308, 2 x FO306,  
2 x FO605 & 2 x FO604,  
46 bins in all

**\$899**  
PN: MSFO4568

### Double Sided 92 Bin Pivot Drawer Cart

Includes 4 x FO308,  
4 x FO306, 4 x FO605 &  
4 x FO604, 92 bins in all

**\$1,399**  
PN: MSFO4568X2

Cart Size: 690W x 560D x 1460H mm


**UP TO 92 BINS OF STORAGE!**





## Deburring Hex Body Handle with Pocket Clip

Aluminium 8 mm Hex body handle with pocket clip & non-replaceable C-10 blade.



**\$9**

PN: GD86110

## Hex Body Handle with C-10 Blade

10 mm Hex Handle Deburring Tools A/F Hex. Aluminium body handle with replaceable GDSC10 blades.



**\$16**

PN: GD86060

## Micro 2.6 MM Quick Release Deburrer

Holds all 2.6 mm Ø Deburring Blades Includes Blade.



**\$23**

PN: GDMC1

## 6 MM Heavy Duty Quick Release Deburrer

- Removable cap for blade storage
- 6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm General Purpose Blade (GDSR10S).



**\$37**

PN: GDSRSDMKK

## Telescopic Multifunction Deburring Tool

Multi-Component Handle (GDSTSDMK) & blade holder

Includes Standard Deburring blades: GDSC10, GDSC15, GDSC20, GDSC30 & GDSC35



**\$55**

PN: GD38325

## Double Deburrer

- Deburrs both sides of workpiece at same time
- Perfect for sheet metal finishing
- Finger guard

**REPLACEABLE BLADES**



**\$31**

PN: GDDB

## 24 Piece Deburring Set

Set includes a comprehensive range of Multi-Component and Quick Release Handles, 2.6, 3.2, & 6 mm Blades, Double Sided, Key-Way, Countersink Blades and a ceramic blade.

**DEBURR ANYTHING FROM PLASTIC TO STAINLESS STEEL!**



**\$295**

PN: GD88030

## Quick Release Handle with 3.2 MM MC-blades

3.2 mm Standard Quick Release Handle (GDSDSMDK) with Multi-cutting Edge Deburring blades: GDSMC10, GDSMC20, GDSMC101



**\$39**

PN: GD38333

## Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

Set Includes:  
3.2 mm Standard Quick Release Handle (GDSDSMDK)  
Standard 3.2 mm Deburring blades:  
2 x GDSC10, 2 x GDSC101,  
2 x GDSC15, 2 x GDSC20,  
1 x GDSC30, 1 x GDSC35



**\$53**

PN: GD88040

## Hex-Drive Ratchet Handle

- Quick release locking collar firmly retains driver bit unless collar is depressed
- Ratchet direction collar with clockwise, anticlockwise and locked functions.

Drive: 1/4" Hex



**\$52**

PN: GD46030

## Hex-Drive Pipe Deburring Bits

- Quickly deburr internal & external edges of cylindrical work pieces with superior results.
- Can be used with power tools, by hand or with a Hex-Drive Ratchet Handle (PN: GD46030 Above)
- Made from (M2 Grade) HSS



Drill not included.

### Hex-Drive Pipe Deburring Tools

Range: 4-42 MM  
Angle: 60°

**\$195**

PN: GD34265

Range: 4-42 MM  
Angle: 45°

**\$175**

PN: GD34295

### Pipe Deburring Hand Tools

Range: 4-42 MM  
Angle: 60°

**\$179**

PN: GD34260

Range: 4-42 MM  
Angle: 45°

**\$149**

PN: GD34290

### Heavy Duty Hex-Drive Pipe Deburring Bits

Max Speed: 1,800 RPM

OD Range: 16-31 MM  
ID Range: 16-35 MM  
Angle: 45°

**\$110**

PN: GD16319-2F

OD Range: 16-31 MM  
ID Range: 16-35 MM  
Angle: 60°

**\$110**

PN: GD16316-2F

OD Range: 22-42 MM  
ID Range: 22-46 MM  
Angle: 45°

**\$135**

PN: GD22429-2F

OD Range: 22-42 MM  
ID Range: 22-46 MM  
Angle: 60°

**\$159**

PN: GD22426-2F

OD Range: 40-58 MM  
ID Range: 40-62 MM  
Angle: 45°

**\$195**

PN: GD40589-2F

OD Range: 40-58 MM  
ID Range: 40-62 MM  
Angle: 60°

**\$225**

PN: GD40586-2F



## Hex Key Sets

### Metric 9 Piece Ball End Hex Key Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm



**\$41**

PN: GXHK9M

**\$50**

PN: GXHK131

### Imperial (SAE) 13 Piece Ball End Hex Key Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

### 13 Piece Torx® Wrench Set

Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 & T50

### 13 Piece Tamperproof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H



**\$52**

PN: GXTX13

**\$52**

PN: GXTP13

## Tapping Wrenches

### Tap Wrench

Range: M4 to M12  
Length: 280 mm



**\$35**

PN: GTHW

### T-Handle Ratchet Tap Wrench

- Forward, Locked & Reverse Ratchet
- Slidable T-handle



Range: 5M to 12M  
Length: 120 mm

**\$33**

PN: GTHRW

## Riveting Tool

### Medium Duty Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



**\$58**

PN: GHTJ701

### Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



**\$115**

PN: GHTTC20

## Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.

- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5
- Includes a selection of M3 to M6 nutserts

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts



**\$135**

PN: GHTJ703A

**2-in-1**  
RIVETS/NUTSERTS

**INCLUDES NUTSERTS!**

## Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8
- Space-Saving Foldable Handles
- Forged Main Arms

Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4 mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts



**2-in-1**  
RIVETS/NUTSERTS

**\$255**

PN: GHTH3

## Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch
- Not suitable mass production

### M6 Nutsert Tool

M3, M4, M5, M8 & M10 mandrels available (sold separately)  
Weight: 1.3 Kg

**\$789**

PN: GP400B

### M8 Nutsert Tool

M10 & M12 mandrels available (sold separately)  
Weight: 1.3 Kg

**\$799**

PN: GP200B



## Steel & Aluminium Nutserts

4 mm Max. sheet thickness



**PACKS OF 50**

M4 Aluminium PN: NM4RNA	<b>\$35</b>	M4 Steel PN: NM4PNS	<b>\$21</b>
M5 Aluminium PN: NM5RNA	<b>\$44</b>	M5 Steel PN: NM5PNS	<b>\$26</b>
M6 Aluminium PN: NM6RNA	<b>\$47</b>	M6 Steel PN: NM6PNS	<b>\$29</b>
M8 Aluminium PN: NM8RNA	<b>\$52</b>	M8 Steel PN: NM8PNS	<b>\$35</b>
M10 Aluminium PN: NM10RNA	<b>\$62</b>	M10 Steel PN: NM10PNS	<b>\$41</b>
		M12 Steel PN: NM12PNS	<b>\$55</b>

## Automotive Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set
- Not suitable mass production applications

Traction Power: 3,640 Ft/lbs  
Stroke: 6 mm  
Weight: 1.55 Kg



**KUANI**

**\$1,150**

PN: KP4258



## Helping Hand Magnifier

- Features a sturdy cast iron base, two articulated alligator clamps and magnifying glass.



Main Beam: 115 mm  
Arm Reach: 75 mm  
Lens Dia.: 60 mm

**\$33**  
PN: GHHM

## Hollow Punch Set

Set includes:  
5, 6, 8, 9, 11 & 13 mm

**\$37**  
PN: YC516



## Gasket Punch Set

14 Piece set includes:  
1/4", 5/16", 3/8", 7/16", 1/2", 5/8",  
3/4", 7/8", 1", 1 1/8", 1-1/4",  
1-3/8" & 1-1/2"



**\$105**  
PN: GGPS

## Precision Screwdriver Set

65 piece set includes:  
**4 mm & 1/4" Driver Handles & Extension Bars**  
**Hex:** 0.9, 1.3, 1.5, 2.0, 3, 4, 5 & 6 mm  
**Slotted:** 1.0 & 1.5, 2.0, 2.5, 3, 4, 5, 6 & 7 mm  
**Pozidriv:** #0 to #3  
**Phillips:** 000 to 3  
**Square:** 0 to 3 mm  
**Sockets:** 5 to 13 mm  
**Torx®:** T5, T6, T7, T8, T9, T10, T15, T20, T25, T30 & T40



**\$39**  
PN: GXBS1465  
**65 PIECE SET**

## Socket Sets

### 1/4" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench, Driver Handle, 50 mm Extension, Tee Bar & Universal Joint.  
**Standard Socket sizes:**  
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, & 14 mm  
**Hex Bits:** 3, 4, 5 & 6 mm  
**Phillips Bits:** #1, #2, & #3  
**Pozidriv Bits:** #1, #2 & #3  
**Slotted Bits:** 3, 4 & 6 mm  
**Torx® Bits:** T8, T9, T10 T15, T20, T25, T27, T30, & T40



**40 PIECE SET**

## Magnetic Clean-Up Tools

### Magnetic Clean-Up Wand

Capacity: 6.30 Kg  
Length 400 mm  
Weight 0.470 Kg



**\$89**  
PN: MW001

### Magnetic Broom

- Side mounted wheels for easy use over wide areas
- Telescopic main shaft
- Easy release trigger on main shaft
- Wide section magnetic pickup

Handle Length:  
720-1035 mm  
Head width: 377mm

**\$155**  
PN: MB001



### Magnetic Reach Extender

Head size: 96 MM  
Length: 960 MM  
Capacity: 4.5 Kg



**\$115**  
PN: MRE001

**HOT PRICE!**

**\$62**  
PN: GXSS1440

### 3/8" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench, 75 & 150 mm Extension Bars and Universal Joint.  
**Standard Socket sizes:**  
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22 mm  
**Deep Socket sizes:**  
10, 11, 12, 13, 14, 15, 17 & 19 mm  
**Spark Plug Socket:** 16 & 21 mm



**29 PIECE SET**

**HOT PRICE!**

**\$79**  
PN: GXSS3829

## Gear & Bearing Splitting Combination Set

### Small Bearing Separator

Jaw Range: 30-50 MM  
Working Range: 0-135 MM

### Large Bearing Separator

Jaw Range: 50-75 MM  
Working Range: 0-180 MM

Includes Centre Adapter.

S45C Drop Forged hardened Main Beam and Bearing Separators.



**\$245**  
PN: GBTK

## Multi-Hydraulic Gear Puller Kit

### Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 MM  
Jaw Range: 75-105 MM

### Gear Puller

Working Range: 25-185 MM

Set includes: Twin & Triple Leg Heads  
Hydraulic Ram (12 Ton capacity)  
Carbon Steel Beam  
200 MM, 150 MM, & 100 MM arms  
85 MM, 35 MM, Spacers,  
25 MM Centre Adapter



**\$589**  
PN: GHPK



# NICRON®

## LED TORCHES & HEADLAMPS

[nicronlight.com.au](http://nicronlight.com.au)

### TWIST Light

The head of a Twist Light can be swiveled anywhere from 0 to 90 degrees, offering extreme versatility.

Applicable to PN: B73R, B71pro, B75 & B70PLUS



### TWIST Pen Light



- Includes USB rechargeable battery
- Illuminated Multi-function Switch with Battery State Indicator

**\$99**

PN: B73R

**Brightness: 150 Lm  
Intensity: 650 Cd**

Primary Beam:  
**LOW** (60Lm)  
**HIGH** (150Lm)

Size: 152 x 18 x 15 mm  
Weight: 75g

Battery	Ingress Rating	Mag Base	Pen Clip
<b>10840 Li-ion</b> 2 x AAA	<b>SPLASH IP65</b>		

### Mini Twin-Beam Headlamp



**Brightness: 700 Lm  
Intensity: 4000 Cd**

**\$88**

PN: H11

- High-quality anodised aluminium body
- Primary Beam: **LOW** (50Lm)  
**MED** (250Lm)  
**HIGH** (500Lm)
- Flood Light: **LOW** (35Lm)  
**HIGH** (100Lm)  
Weight: 59g

Battery	Ingress Rating	Charge Port
<b>1 x 14500 Li-ion</b>	<b>SPLASH IP65</b>	<b>USB TYPE C</b>

### Mini Rechargeable Headlamp



**Brightness: 500 Lm  
Intensity: 160 Cd**

**\$90**

PN: H17

- Anodised aluminium body
  - Angle head vertically up to 180°
  - USB-C Charge Port
- Weight: 42g

Battery	Ingress Rating	Charge Port
<b>1 x 14500 Li-ion</b>	<b>IPX5</b>	<b>USB TYPE C</b>

### Mini TWIST Light



- Includes USB rechargeable battery
- Pen Clip

**\$99 ea**

**Brightness: 700 Lm  
Intensity: 4000 Cd**

Primary Beam:  
**LOW** (100Lm)  
**MED** (250Lm)  
**HIGH** (700Lm)  
**STROBE**: (700Lm)  
Size: 112 x 21 x 18 mm  
Weight: 85g

Battery	Ingress Rating	Mag Base	Pen Clip
<b>14500 Li-ion</b> 1 x AA	<b>SPLASH IP65</b>		

PN: B74RED PN: B74BLUE

### Twin-Beam Headlamp

- Anti-slip belt for mounting directly to helmets.
- Both lamps combined output 1600 Lm
- Headlamp vertical range of motion 120°
- Includes li-ion battery

Weight: 69g

Primary Beam: **LOW** (50Lm)  
**MED** (250Lm)  
**HIGH** (500Lm)  
**MAX** (1000Lm)

Flood Light: **LOW** (50Lm)  
**MED** (200Lm)  
**HIGH** (400Lm)  
**MAX** (800Lm)



**\$135**

PN: H35

**Brightness: 1600 Lm  
Intensity: 4000 Cd**

Battery	Ingress Rating	Charge Port
<b>1 x 18650 Li-ion</b>	<b>SPLASH IP65</b>	<b>USB TYPE C</b>

### PRO TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

**Brightness: 950 Lm  
Intensity: 10000 Cd**

Primary Beam:  
**LOW** (10Lm)  
**MED** (70Lm)  
**HIGH** (300Lm)  
**MAX** (950Lm)  
**STROBE** (950Lm)

Size: 160 x 28 mm  
Weight: 220g

**\$99**

PN: B71pro

Battery	Ingress Rating	Charge Port	Battery Indicator
<b>1 x 18650 Li-ion</b>	<b>SPLASH IP65</b>	<b>USB TYPE C</b>	<b>100%</b>
Beam Modes	Mag Base	Pen Clip	

### UV PRO TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

**Brightness: 1000 Lm  
Intensity: 3000 Cd**

Primary Beam:  
**LOW** (100Lm)  
**MED** (500Lm)  
**HIGH** (1000Lm)  
UV Light:  
**HIGH** (395nm)

Size: 160 x 28 mm  
Weight: 220g

**\$115**

PN: B75

Battery	Ingress Rating	Charge Port	Battery Indicator
<b>1 x 18650 Li-ion</b>	<b>SPLASH IP65</b>	<b>USB TYPE C</b>	<b>100%</b>
Beam Modes	Mag Base	Pen Clip	
<b>Wt 395 nm</b>			

### Camo TWIST Light



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

**Brightness: 950 Lm  
Intensity: 10000 Cd**

Primary Beam:  
**LOW** (10Lm)  
**MED** (70Lm)  
**HIGH** (300Lm)  
**MAX** (950Lm)  
**STROBE** (950Lm)

Size: 160 x 28 mm  
Weight: 220g

**\$115**

PN: B70PLUS

Battery	Ingress Rating	Charge Port	Battery Indicator
<b>1 x 18650 Li-ion</b>	<b>SPLASH IP65</b>	<b>USB TYPE C</b>	<b>100%</b>
Beam Modes	Mag Base	Pen Clip	





## Magnetic Base

Mount to any ferrous surface. Ideal for wheel wells and engine bays or other tight spaces.

Applicable to PN: B70PLUS, B71pro, B73R, B74BLUE, B74RED, B75, WL15, WL81-83-85



## Integrated Battery Indicator

A dedicated built-in LED battery indicator. Applicable to PN: B400 & WL83



## Multifunction Indicator Button

Illuminated multi-function switch with Battery State Indicator. Displays battery state with back-lit multi-colour LED button.

Applicable to PN: B200, B73R, B71pro, B75 & B70PLUS & WL81



## Dual Fuel Capability

Able to accept high capacity rechargeable and standard A series batteries.

Applicable to PN: B73R, B74BLUE, B74RED & F51



## Integrated Charging Port

Recharge without the need to remove the battery with an integrated charge port.

Applicable to PN: B10, B200, B400, B71PRO, B75, B70PLUS, F81, H11, H17, H35, WL15, WL81-83-85

## Mini Flashlight

**\$39**

PN: B10

Ingress Rating

SPLASH

IP65

Battery

1 x

16340

Li-ion



Brightness: 200 Lm  
Intensity: 2000 Cd

Primary Beam:  
LOW (30Lm)  
MED (100Lm)  
HIGH (200Lm)  
STROBE: (200Lm)  
Size: 65x 20mm  
Weight: 45g

- High Capacity Li-ion Rechargeable
- Key Ring

## Mini Key Chain Flashlight

**\$31**

PN: N1

Battery

1 x

AAA

Ingress Rating

IPX7

1m



Brightness: 100 Lm  
Intensity: 144 Cd

Ingress Rating: IPX7  
Size: 62 x 16 mm  
Weight: 15.5  
Battery: 1 x AAA

## Mini Focusable Flashlight

**\$88**

PN: F51

Ingress Rating

IPX4

Battery

14500

Li-ion

1 x AA



- Focusable Beam
- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

Brightness: 600 Lm  
Intensity: 3800 Cd

Primary Beam:  
LOW (100 Lm)  
MED (250 Lm)  
HIGH (600 Lm)  
Size: 103 x 26 mm  
Weight: 80g


## Focusable Flashlight

**\$115**

PN: F81

Brightness: 1000 Lm  
Intensity: 6500 Cd

Primary Beam:  
LOW (50Lm)  
MED (150Lm)  
HIGH (500Lm)  
MAX (1000Lm)  
STROBE (1000Lm)  
Size: 170 x 35mm  
Weight: 200g



Battery: 1 x 18650 Li-ion  
Ingress Rating: IP64  
Charge Port: USB TYPE C

## Long Range Tactical Flashlight

**\$149**

PN: B200




**HOT PRICE!**

**536m RANGE!**

Brightness: 1000 Lm  
Intensity: 72000 Cd

Primary Beam:  
LOW (100Lm)  
MED (300Lm)  
HIGH (1000Lm)  
STROBE: (1000Lm)  
Size: 235 x 59 mm  
Weight: 550g



Battery: 2 x 18650 Li-ion  
Ingress Rating: IP68 2m  
Indicator: 100%  
Charge Port: USB Micro B

## Utility Flashlight

**\$63**

PN: WL15



Brightness: 500 Lm  
Intensity: 800 Cd

Primary Beam:  
LOW (80Lm)  
HIGH (200Lm)  
Flood Light:  
LOW (100Lm)  
MED (300Lm)  
HIGH (500Lm)  
Size: 164 x 22 mm  
Weight: 140g



Battery: 3 x AA  
Ingress Rating: IPX4  
Mag Base

## Utility Flashlight


**\$115**

PN: WL81



Brightness: 1000 Lm  
Intensity: 6000 Cd

Primary Beam:  
LOW (80Lm)  
MED (500Lm)  
HIGH (1000Lm)  
STROBE: (1000Lm)  
Flood Light:  
LOW (35Lm)  
HIGH (250Lm)  
Size: 121 x 27 mm  
Weight: 110g



Battery: 18650 Li-ion  
Ingress Rating: IP67 1m  
Charge Port: USB TYPE C  
Indicator: 100%  
Mag Base

## Extreme Tactical Flashlight

**\$449**

PN: B400




**FREE 1.8m TRIPOD!**

While stocks last.

- High Capacity Li-ion Rechargeable
- 3.5mm 12V Charge Port
- 4 CREE LED Array

Brightness: 12000 Lm  
Intensity: 30000 Cd

Primary Beam:  
LOW (500Lm)  
MED (1000Lm)  
HIGH (3000Lm)  
MAX (6000Lm)  
EXTREME (12000Lm)  
STROBE: (6000Lm)  
Size: 152 x 64 mm  
Weight: 720g



Battery: 4 x 18650 Li-ion  
Ingress Rating: IP67 1m  
Indicator: 10% 100%  
Tripod Mount: 1/4"-20 UNC

## 2 in 1 Utility Work Lamp

**\$115**

PN: WL83




- Top mounted hanger
- Top mounted spot light
- Front mounted flood light
- Handle incorporates foldout stand

Brightness: 500 / 200 Lm  
Intensity: 225 Cd

Primary Beam:  
LOW (200Lm)  
HIGH (500Lm)  
Spot Light:  
LOW (200Lm)

Size: 200 x 60 x 30 mm  
Weight: 285g



Battery: 21700 Li-ion  
Ingress Rating: IP20  
Charge Port: USB TYPE C  
Indicator: 10% 100%  
Mag Base

## 2 in 1 Utility Work Lamp


**\$110**

PN: WL85



- Foldout stand with integrated hook
- Primary Beam:  
LOW (12 Lm)  
MED (160 Lm)  
HIGH (450 Lm)  
Spot Light:  
LOW (60 Lm)  
HIGH (280 Lm)

Size: 123 x 55 x 32 mm  
Weight: 180 g



Charge Port: USB TYPE C  
Mag Base  
Indicator: 10% 100%  
Ingress Rating: IPX5



## Tyre Inflaters

### Dual Tyre Chuck

Inlet: JIS standard fitting  
Output: Schrader Valve



**\$20**  
PN: GPA051

### Flexible Tyre Chuck

Inlet: JIS standard fitting  
Output: Schrader Valve



**\$23**  
PN: GPATC-2

### 0-60psi Tyre Pressure Gauge

Range: 0-60 PSI.  
Metering: Analogue  
Units: PSI & Bar  
Output: Schrader valve



**\$42**  
PN: GPATPG60

### Dual Access Tyre Chuck

Inlet: 1/4" Female  
Output: Schrader Valve x 2  
Length: 220 mm



**\$36**  
PN: GPA1570

### Dual Access Tyre Water Chuck

Inlet: 15 mm male garden  
Output: Schrader Valve x 2  
Length: 220 mm



**\$39**  
PN: GPA1570W

### Pistol Grip Tyre Inflator

- Large easy to read gauge
- Integrated purge valve
- Tyre chuck with locking lever



**\$90**  
PN: GPA016

Range: 0-220 PSI  
Metering: Analog  
Units: PSI, Bar, KPA

### Digital Tyre Inflator

Measuring range: 5-60 PSI  
Hose Length: 30 cm  
Units: PSI, Bar, kPa



**\$159**  
PN: GP1558-4

### Deluxe Tyre Inflator

Range: 0-160 PSI  
Units: PSI, KPA



**\$149**  
PN: GPA6200

## Blowguns

### Long Nose Air Duster

- Cast aluminium body, metal trigger & nozzle.

Inlet: 3/8" Nitto fitting  
Nozzle size: 4.5 x 70 mm



**ALL METAL BODY!**

**\$28**  
PN: GPA9025

### 3/8" High Flow Blow Gun Kit

Kit includes:  
High Flow Duster,  
Easily Adjustable High  
Flow Nozzle, Heavy Duty High  
Flow Nozzle & Standard Nozzle.



**ALL METAL BODY!**

**\$69**  
PN: GHF60AS

### Integrated Blow Gun

- Light weight Polymer body with 1/4" steel inlet & 2 metre fitted hose



**\$66**  
PN: GPB90K

### Pocket Blow Gun

- Integrated metal inlet thread
  - Rubber Tip
- Length: 115 MM  
Inlet: JIS Fitting  
Material: Aluminium



**\$16**  
PN: PBG-N

### 4" Rubber Tipped Blowgun

- Integrated metal inlet thread
  - Rubber Tip
- Length: 110 mm  
Material: POM/Steel



**\$20**  
PN: GP1562

### Extendable Blow Gun

Length: 270 to 390 mm  
Material: POM/Steel



- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring

**\$36**  
PN: GP1562E

### 1 Metre Blow Gun

Overall Length: 1050 mm  
Inlet: 1/4" metal  
Material: POM / Aluminum

- Durable all metal construction
- Foam grip



**ALL METAL BODY!**

**\$79**  
PN: GP1561

### Filter Cleaning Nozzle

Suitable for cleaning cylindrical filters or pipes.  
SOLD SEPARATELY  
Size: 15.5 dia. x 40 mm  
Nozzles: 12 x 2mm



**\$25**  
PN: GP1561FN

## Wonder Gun Kit

- Quickly change between vacuum & blow with an integrated switch
- Heavy duty metal body

Kit includes: Blow Gun, Vacuum Hose, brush, extended small & flat nozzles, Extendable Hose (30 to 80cm) & Dust Bag



**\$125**  
PN: GPA0310KB



## Surface Preparation

### 10 MM Belt Sander

Belt Size: 10 x 330 mm

**\$285**

PN: GP1264A



### 20 MM Belt Sander

Belt Size: 20 x 520 mm

**\$439**

PN: GP1265A

### 6" Dual Action Sander

Pad Size: 6" (150 mm) Velcro  
Free Speed: 9,000 RPM  
Orbit Diameter: 7 mm  
Weight: 2.0 Kg

**\$189**

PN: GP1205N



### Straight Line Sander

• Takes 70 x 445 mm clip on paper.  
• Ideal for flat panel automotive work.

Pad Size: 397 x 68 mm  
Free Speed: 2,500 RPM  
Weight: 2.5 Kg

**\$255**

PN: GP1203



### 5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for 22 mm hole abrasives, thread adapter for 50 mm pad & 50 mm abrasive pads  
Spindle Size: 3/8 x 24 UNF  
Free Speed: 16,000 RPM  
Weight: 1.2 kg

**\$169**

PN: GP1204R



### Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes:  
five 105 mm (4 inch) stripping wheels,  
Spare disc hub & carry case.



**\$735**

PN: GP2001A

### Stripping Wheels

- 1 0.5 mm Straight Wire PN: GPA2001A-1
- 2 0.55 mm Hooked Wire PN: GPA2001A-2
- 3 Abrasive Stripping PN: GPA2001A-5
- 4 Caramel Stripping PN: GPA2001A-4
- 5 0.7mm Hooked Wire PN: GPA2001A-3

**\$52 ea**

## Sandblasters

### All-In-One Sandblaster

- Light weight all in one design
- Ideal for spot and rust removal on small areas

Nozzle Size: 5.2 mm  
Capacity: 266cc



**\$73**

PN: GPASB100

### Sand Blasting Kit

Includes 3 extra nozzles, hose and tube.  
Siphon feed  
Weight: 0.9 Kg



**\$69**

PN: GP909

## Air Body Saw

Free Speed: 10,000 opm  
Capacity: 3 mm mild steel  
Stroke length 9.5 mm



**\$265**

PN: GP9301

### Quality Bi-metal Blades

18 TPI Pack of 5

PN: PT301A18

24 TPI Pack of 5

PN: PT301A24

32 TPI Pack of 5

PN: PT301A32



**\$30 ea**

## 7" Sander



Free Speed: 4,500 RPM  
Spindle: Male 5/8-11UNC  
Avg Air Cons.: 12 CFM  
Weight: 2.6 kg

**\$355**

PN: GP1206A

## Heavy Duty Angle Grinders



### 4" Heavy Duty Angle Grinder

Spindle: M10 x 1.5  
Free Speed: 11,000 RPM  
Weight: 1.95 kg

**\$345**

PN: GP8102

### 5" Heavy Duty Angle Grinder

Spindle: M14 x 2.0  
Free Speed: 11,000 RPM  
Weight: 1.95 kg

**\$385**

PN: GP31003

## Punch & Flange Tool

Capacity: 1.2 mm Mild Steel  
Flange Capacity: 14 mm  
Hole Punch Diameter: 5 mm  
Weight: 1.1kg

**\$265**

PN: GP9201



## Air Nibbler



**GREAT FOR CUTTING CURVES.**

Cutting Capacity:  
1.4 mm steel  
1.6 mm aluminium  
Free Speed: 2900 SPM  
Weight: 0.9kg

**\$229**

PN: GP9101

## 3" Cut Off Grinder



**\$135**

PN: GP3201

Disc Size: 3" (75 mm)  
Free Speed: 22,000 RPM  
Weight: 0.8 Kg



## Die Grinders

### 1/4" Medium Die Grinder

Free Speed: 22,000 RPM  
Weight: 0.675 Kg

**\$95**

PN: GP2202



### 1/4" Medium Die Grinder

- Polymer sleeved for comfort

Free Speed: 21,000 RPM  
Weight: 0.833 Kg

**\$125**

PN: GP2202R



### 1/4" Medium Die Grinder Kit

- Kit includes 1/8" & 1/4" collets and a range of 10 grinding stones

Free Speed: 22,000 RPM

**\$125**

PN: GP2202K



### 1/4" Angle Die Grinder

Free Speed: 18,000 RPM  
Weight: 0.833 Kg

**\$199**

PN: GP2203R



## Reversible Drills

### Reversible 3/8" Drill

Free Speed: 1,800 RPM  
Chuck Size: 10 mm  
Weight: 1.36 Kg

**\$189**

PN: GP41013



### Reversible 3/8" Keyless Drill

Free Speed: 1,800 RPM  
Chuck Size: 10 mm  
Weight: 1.36 Kg

**\$210**

PN: GP41013K



### 1/2" Reversible Drill

Free Speed: 800 RPM  
Drilling Capacity: 13 mm  
Weight: 1.76 Kg

**\$265**

PN: GP4204



### 3/8" Reversible Angle Drill

- Forward / Reverse Toggle Switch
- Rear exhaust

Free Speed: 1500 RPM  
Capacity: 10 mm  
Weight: 1.02kg

**\$299**

PN: GP4209



## Air-Hydraulic Riveters

### 3/16" Automotive Rivet Gun

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"  
Traction Power: 1950 lbs  
Weight: 1.5 Kg

**\$315**

PN: GP1121D



### 3/16" Industrial Rivet Gun

Rivet Capacity: 1/8, 5/32 & 3/16"  
Traction Power: 1980 lbs  
Weight: 1.45 Kg

**\$399**

PN: GP6302



### 9/32" Industrial Rivet Gun

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity: 3/16", 1/4", 5/32" & 9/32"  
Traction Power: 3,120 lbs  
Weight: 3.4 Kg

**\$789**

PN: GP6304



**SUITABLE FOR STAINLESS RIVETS!**

## 7" Polisher

Free Speed: 2,500 RPM  
Spindle: Male 5/8-11UNC  
Avg Air Cons.: 12 CFM  
Weight: 2.6 Kg

**\$355**

PN: GP1206P



## Impact Wrenches

### 1/2" Impact Wrench

- Kit includes 10 sockets, 9, 10, 11, 13, 14, 17, 19, 22, 24 & 27 mm
- Single Hammer

Max Torque: 260 ftlb  
Bolt Capacity: 16 mm  
Free Speed: 7,000 RPM  
Weight: 2.0 Kg

**\$315**

PN: GP260T



### 1/2" Impact Wrench

Max Torque: 500 Ft/lbs  
Nett Weight: 2.0 Kg

**\$699**

PN: GP3125



### 3/4" Impact Wrench

Max Torque: 1100 Ft/lbs  
Nett Weight: 3.48 Kg

## Heavy Duty Ratchet Wrenches

- Front exhaust

Max Torque: 75 ft/lbs  
Free Speed: 200 RPM  
Weight: 1.2 Kg

3/8" Drive PN: GP5203

1/2" Drive PN: GP5204

**\$199 ea**





## Hammering Tools

### Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 mm needles

Stroke Length : 33 mm  
Impact Rate: 4,600 BPM  
Overall length: 420 mm  
Weight: 2.8 Kg



**\$389**  
PN: GP201

### Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.  
Free Speed: 3,000 BPM  
Stroke Length: 19.05 mm  
Shank Size: 10.2 mm  
Weight: 1.70 Kg

**\$135**  
PN: GP102KD



### Straight Needle Scaler Kit

- Includes Moil Point, 20 mm Flat, 35 mm Bents & Needle Scaler Attachment in plastic carry case

Impact Rate : 4600 BPM  
Overall length : 460 mm  
Piston Stroke : 38 mm  
Weight : 2.1 Kg



**\$485**  
PN: GP268K

### Heavy Duty Air Hammer

- Includes 5 chisels & spring retainer

Impact Rate: 2,200 BPM  
Shank Size : 10.2 mm (round)  
Stroke Length : 92 mm  
Weight : 2.05 kg

**\$179**  
PN: GP112K



## Percussive Engraving Stylus

- Medium point stylus included
- Fine & wide point stylus also available

Inlet: 1/4" Male thread  
Hose Length: 1.43 m  
Weight: 0.40 Kg

**\$315**  
PN: GP110



## Air Caulking Gun



- Aluminium body
- Pressure Range: 45-90 PSI
- Cartridge Size: 310 CC
- Weight: 1.3 Kg

**\$94**  
PN: GP203

## Engine Cleaner Gun

- Siphon type, designed to connect to an external degreaser supply
- Flow rate control with adjustable nozzle
- 1.2m hose with built in filter

Length: 405 mm



**\$59**  
PN: GPA1565

### Set of 2 Spring Retainers

- Suits 10.2 mm round chisels



**\$19**  
PN: GPA70X2

### Heavy Duty Quick Change Spring Retainer

- Fits most standard air hammers & chisels



**\$52**  
PN: GPA2311

### 38 MM Flattening Hammer



**\$58**  
PN: HAC-100

### Needle Scaler Attachment

- Mounts to most standard air hammers
- Replacement needles available



Needle Array: 19 Needles  
Needle size: 3 x 180 mm

**\$110**  
PN: GP60012

### 7" Chisel Set

- 5 piece set includes 20 mm Cold Chisel, Single Blade Cutter, Tapered Punch, Panel Cutter & Rivet Cutter

Shank Dia.: 10.2 mm



**\$52**  
PN: GPA57

## Engine Cleaner with Bowl

- Ideal for cleaning cars, trucks, bikes and marine

Bowl capacity: 700 cc  
Length: 410 mm



**\$110**  
PN: GPA034

## 1/8" Micro Die Grinder Kit

Free Speed: 55,000 RPM

**INCLUDES 10 GRINDING STONES**



**\$245**  
PN: GP2204K

## Rotary Tool Kit

206 Piece set includes, diamond & HSS cutters & twist drills, grinding, cloth, felt, emery & flap wheels, rotary brushes, sanding & cut off discs, polishing compound & dressing stone

**206 PIECE SET**



**\$85**  
PN: RTK206

## Air & Manual Grease Gun

- Takes standard 450 cc cartridge

Kit includes one cannister, manual & pneumatic heads



**\$159**  
PN: GP1081D



## 1/2" Twin Hammer Impact Wrench



- Light weight composite housing
- 4 speed air regulator
- Exhausts through handle, away from the work area

Free Speed: 8,000 RPM  
Max Torque: 685 Ft/lbs (928 Nm)  
Weight: 1.98kg

**\$395**

PN: BIT260M1

## 1/4" Die Grinder

Free Speed: 20,000 RPM  
Length: 165 mm  
Weight : 0.55Kg



**\$189**

PN: BG210R

## 1/4" 115° Angle Die Grinder

Free Speed: 18,000 RPM  
Output: 0.45 hp  
Weight : 0.75 Kg



**\$229**

PN: BG230RA1

## 1/4" Right Angle Die Grinder

- Light weight composite housing

Free Speed: 18,000 RPM  
Length: 183 mm  
Weight: 0.8 Kg



**\$199**

PN: BG220RA1

## Extended 1/4" Die Grinder

Free Speed: 21,000 RPM  
Length: 280 mm  
Weight: 0.80 Kg



**\$199**

PN: BG215RA1

## 2" Angle Grinder

Free Speed: 15,000 RPM  
Output : 0.45 hp  
Weight: 0.8 Kg



**\$199**

PN: BG222RA1

2" Grinder Discs  
Thickness: 4 mm  
Max Speed: 23,500 RPM



**\$13**

PN: 3510232

## 6" Random Orbital Sander

Orbit Diameter: 5 mm  
Spindle: 5/16"x24 UNF  
Free Speed: 12,000 RPM  
Weight: 0.99 Kg



**\$269**

PN: BOS156A2

## 6" Random Orbital Dust-Free Sander

Orbit Diameter: 5 mm  
Free Speed: 12,000 RPM  
Spindle: 5/16 x 24 UNF  
Weight: 0.99 kg



**\$299**

PN: BOS156SA2

## 8" Geared Sanders

Orbit Diameter: 5 mm  
Pad mount: 5 hole  
Free Speed: 900 RPM  
Weight: 1.88 kg



Standard

**\$579**

PN: BOS258GR-D1

Dust Free

**\$589**

PN: BOS258GRC-D1

## 1/2" Reversible Keyless Drill

Free speed: 800 RPM  
Weight: 1.95 Kg



**\$279**

PN: BDR208KLA1

## Heavy Duty Air Hammer Kit

- Integrated piston cushion for lower vibration and less operator fatigue
- T handle design for better tool balance

- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case

Impact Rate: 2,900 bpm  
Chisel shank: 10.2 mm  
Weight: 1.73 Kg

**\$279**

PN: BHA67A1



## 3" Cut Off Tool



Free Speed: 21,000 RPM  
Length: 188 mm  
Weight: 0.8 Kg

Cutting Disc not included.

**\$149**

PN: BCTA1

## 3" Cutting Discs

Ø75 x 0.8 x Ø9.53 mm  
Speed Rated to 25,000 RPM



**\$27**

PN: GO007K



## Nail Gun Oil

Basso Premium Nail Gun Oil is formulated to prolong the performance of your Basso nail gun in both warm and cold climates. Adding only a couple of drops daily to the air inlet will greatly reduce internal wear and maintain the integrity of the gaskets and seals.

250 ml  
Bottle

**\$16**  
PN: BO250

1 Litre  
Bottle

**\$26**  
PN: BO1000



## Countersink & Nail Remover

Pin Dia.: 4.8 mm  
Nail Dia.: 2-4 mm  
Weight: 0.80 Kg

**GREAT FOR  
TIMBER FRAME  
DEMOLITION!**

**REMOVE  
ASBESTOS SHEETS  
IN ONE PIECE!**



**\$349**  
PN: BPULLER

## Medium Duty C Brad Nailer

Shank: 1.4x1.6 mm (16 Gauge)  
Nail Length: 19-50 mm  
Capacity: 100 brads  
Weight: 1.54 Kg



**\$299**  
PN: B1650LA1

## 80 Series Stapler

Staple Crown: 12.8 mm (80 Series)  
Staple Length: 6-16 mm  
Capacity: 100 Staples  
Weight: 0.90 Kg



**\$199**  
PN: BN8016E

## 50 MM C1 Series Bradder

Shank: 1x1.25 mm (18 Gauge)  
Nail Length: 15-50 mm  
Capacity: 100 brads  
Weight: 1.25 Kg



**\$259**  
PN: B1850A1

## C1 Series Bradder

Shank: 1x1.25 mm (18 Gauge)  
Nail Length: 10-32 mm  
Capacity: 100 brads  
Weight: 0.68 Kg



**\$199**  
PN: B1832PA2

## 97 Series Stapler

Staple Crown: 4.5 mm (97 Series)  
Staple Length: 10-25 mm  
Capacity: 142 staples  
Weight: 1.2Kg



**\$259**  
PN: BS9725B1

## Heavy Duty C Brad Nailer

Shank: 1.4x1.6 mm (16 Gauge)  
Nail Length: 19-50 mm  
Capacity: 100 nails  
Weight: 1.9 Kg



**\$399**  
PN: B1650B1

## T-Nailers

Nail Length: 18-64 mm  
Capacity: 80 nails  
Weight: 2.55 Kg

2.2 mm Nail Shank PN: BT2264A1

2.5 mm Nail Shank PN: BT2564A1

**\$399 ea**



## 34° DA Nailer

- Swivel exhaust
- Depth adjustment
- Angled air inlet

Shank: 1.8 mm (15 gauge)  
Nail Length: 25-64 mm  
Capacity: 100 Nails  
Weight: 1.95kg



**\$389**  
PN: BA3464A1

## Heavy Duty Coil Nailer

Shank: 2.03-2.8 mm  
Nail Length: 32-65 mm  
Capacity: 200-400 nails  
Weight: 2.3 Kg

0° Angle

**\$679**

PN: BC2865F1

15° Angle

**\$679**

PN: BC2865D1



## 90 MM Angle Framing Gun

- Easy to use Depth Adjuster
- Adjustable Joist Hanger
- Protective cover on safety
- Single & Bump Fire modes

Shank: 2.9-3.3 mm  
Nail Length: 50-90 mm  
Capacity: 90 nails  
Weight: 3.50 Kg



**\$579**  
PN: BA3490F1



## SG420 Gravity Feed Air Brush



**\$149**  
PN: SG420A

Nozzle: 0.2 MM  
Working Pressure: 14-50 PSI  
Fluid Capacity: 7 cc  
Weight: 280 g

## KH818 Gravity Feed Spray Guns



**\$285 ea**

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI  
Fluid Capacity: 600 cc  
Weight: 280 g

1.3 MM Nozzle PN: K818M13  
1.4 MM Nozzle PN: K818M14  
1.8 MM Nozzle PN: K818M18  
2.5 MM Nozzle PN: K818M25

## KH818 HVLP Gravity Feed Spray Guns



**\$299 ea**

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI  
Fluid Capacity: 600 cc  
Weight: 514 g

1.3 MM Nozzle PN: KH818M13  
1.4 MM Nozzle PN: KH818M14  
1.8 MM Nozzle PN: KH818M18

## K818 Suction Feed Spray Guns



**\$289 ea**

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI  
Fluid Capacity: 1000 cc  
Weight: 514 g

1.3 MM Nozzle PN: K818S13  
1.8 MM Nozzle PN: K818S18  
2.0 MM Nozzle PN: K818S20  
2.5 MM Nozzle PN: K818S25

## KH818 HVLP Suction Feed Spray Guns



**\$325**  
PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI  
Fluid Capacity: 1000 cc  
Weight: 514 g  
Nozzle: 1.8 MM S-Steel

## K357 Mini Gravity Feed Spray Guns



Working Pressure: 30-45 PSI  
Fluid Capacity: 125 cc  
Weight: 280 g

0.8 MM Nozzle

1.2 MM Nozzle

**\$215**  
PN: K357M08

**\$245**  
PN: K357M12

## K818 Pressure Feed Spray Gun Systems



### 2 Litre Pressure Feed Spray Gun Systems

- Features:
- 3 meter hose
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Tank handle/hanger

**2 Litre Pressure Feed Tank**  
Tank dimensions:  
130L MM x 130W MM x 445H MM  
Capacity: 2 Litre  
Max. pressure: 60 PSI  
Weight total: 2.15 kg

1.2 MM Nozzle PN: PW2LTRK12  
1.5 MM Nozzle PN: PW2LTRK15  
1.8 MM Nozzle PN: PW2LTRK18  
2.0 MM Nozzle PN: PW2LTRK20  
2.5 MM Nozzle PN: PW2LTRK25

**\$529 ea**

### 10 Litre Pressure Feed Spray Gun Systems

- Features:
- 3 meter hose
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Tank handle/hanger

**10 Litre Pressure Feed Tank**  
Tank dimensions:  
315L MM x 315W MM x 485H MM  
Capacity: 10 Litre  
Max. pressure: 60 PSI  
Weight total: 10.1 kg

1.2 MM Nozzle PN: PW10LTRK12  
1.5 MM Nozzle PN: PW10LTRK15  
1.8 MM Nozzle PN: PW10LTRK18  
2.0 MM Nozzle PN: PW10LTRK20  
2.5 MM Nozzle PN: PW10LTRK25

**\$685 ea**

### 20 Litre Pressure Feed Spray Tank Systems

- Features:
- 10 meter hose
  - Stainless Steel Liner
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Manual Agitation

**K818 Pressure Feed 20 Litre Pressure Feed Tank**  
Tank dimensions:  
400L MM x 400W MM x 780H MM  
Capacity: 20 Litre  
Max. pressure: 60 PSI  
Weight total: 26 kg

1.2 MM Nozzle PN: PW20LTRK12  
1.5 MM Nozzle PN: PW20LTRK15  
1.8 MM Nozzle PN: PW20LTRK18  
2.0 MM Nozzle PN: PW20LTRK20  
2.5 MM Nozzle PN: PW20LTRK25

**\$1,550 ea**



## 1/2" Compact Impact Wrench

Free Speed: 9,500 RPM  
Max. Torque: 500 Ft/lbs  
Weight: 1.65 Kg



**97 MM Head**

**\$359**

PN: KP1479

## 1/2" Impact Wrench

Free Speed: 9,500 RPM  
Max Torque: 1,000 Ft/lbs  
Weight 2.30 Kg



**\$379**

PN: KP1488

**Max Torque  
1,000  
Ft/lbs**

## 1" Super Duty Impact Wrench

Free Speed: 5,000 RPM  
Max. Torque: 1,800 Ft/lbs  
Weight: 7.10 Kg



**\$1,399**

PN: KP1838A-P

## 1" Super Duty Impact Wrenches

Free Speed: 5,500 RPM  
Max. Torque: 1,600 Ft/lbs  
Air Inlet: 1/2"



**\$1,299**

PN: KP1835

## 3/4" Impact Wrench

Free Speed: 6,500 RPM  
Max Torque: 750 Ft/lbs  
Nett Weight: 4.55 Kg



**\$699**

PN: KP1023

**6" Extended Anvils Available.**

## 3/4" Heavy Duty Impact Wrench

Free Speed: 5,500 RPM  
Max Torque: 1100 Ft/LBS  
Nett Weight: 5.6 Kg



**\$999**

PN: KP1030

## 1" HD Impact Wrench

- Rubber body protection
- 4 power settings with forward & reverse selector
- Side handle

Free Speed: 3,500 RPM  
Max. Torque: 2,500 Ft/lbs  
Length: 436 mm  
Air Inlet: 1/2"  
Weight: 15.55 Kg



**2,500  
Ft/lbs**

**\$2,599**

PN: KP1045

**1.5" Variant  
PN: KP1050 \$2999**

## Compact Needle Scaler

Impact Rate: 3,700 BPM  
Overall Length: 290 mm  
12 Needles Ø3 x 125 mm



**\$289**

PN: KP4714

## Pistol Grip Needle Scaler

Impact Rate: 3,700 BPM  
Overall Length: 350 mm  
19 Needles Ø3 x 180 mm



**\$439**

PN: KP4722P

## Heavy Duty Chipping Hammer

- Moil Point & Flat Chisels available
- Side Exhaust

**Includes  
2  
Chisels**



Stroke: 102 mm  
Impact Rate: 1500 BPM  
Length: 350 mm  
Weight: 9 Kg

**\$945**

PN: KP4735S3H

## Pittsburgh Air Hammer

- 360° Adjustable Anvil Guide

Impact Rate: 4,200 RPM  
Stroke: 50 mm  
Weight: 2.20 Kg



**\$299**

PN: KP4711PH

## Through Ratchet Wrench

- Included socket sizes:  
8, 10, 12, 13, & 14 mm  
5/16, 3/8, 7/16, 1/2 and 9/16"  
1/4" & 3/8" anvils

**Includes  
10  
Sockets**



Free Speed: 450 RPM  
Max. Torque: 30 Ft/lbs  
Weight: 0.60 Kg

**\$389**

PN: KP2219

## Heavy Duty Air Caulking Gun

Takes 50 mm diameter sausages  
400, 500 & 600 ml sizes.  
Air pressure: 45-90 PSI  
Length: 550 mm  
Weight: 0.9 Kg



**\$325**

PN: KP4613

## Two Speed Pistol Grip Sander

- Includes 50 mm & 75 mm Quick-Lock Backing Pads
- Side mounted speed regulator

Free Speed: 15,000 RPM  
Weight: 0.45 Kg



**\$199**

PN: KP6712

## 3" Orbital Pistol Grip Sander

- Side mounted speed regulator

Free Speed: 15,000 RPM  
Weight: 0.58 Kg



**\$265**

PN: KP6628

## Two Speed Air Sander

- Rotary or Random orbit modes
- Side mounted speed regulator

Hi Free Speed: 6000 RPM  
Low Free Speed: 3000 RPM  
Orbital Diameter: 1.5 mm  
Weight: 0.58 Kg



**\$285**

PN: KP6635



**3/16" Medium Duty Riveter**

- Suitable for Aluminium & Mild Steel rivets

Capacity:  
2.4 mm (3/32") to 4.8 mm (3/16")  
Traction power: 1045 Kg  
Stroke: 16 mm  
Weight: 1.56 Kg



Includes an Assortment of Aluminium Rivets & Spares

**\$265**

PN: FP4821AK

**3/16" Compact Riveter with Vacuum Extraction**

- Suitable for Aluminium & Mild Steel rivets
- Vacuum Mandrel collection
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")  
Traction power: 908 Kg  
Stroke: 15 mm  
Weight: 1.39 Kg



Ideal for the Aluminium Window Industry

**\$859**

PN: FP4032CVK

**3/16" Heavy Duty Composite Riveter**

- Suitable rivets of all materials
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")  
Traction power: 908 Kg  
Stroke: 23.5 mm  
Weight: 1.55 Kg

**\$699**

PN: FP4831C

**1/4" Riveter with Vacuum Extraction**

- Automatic mandrel collection
- Sets steel and stainless ONLY
- Swivel air inlet

Capacity: 4.8mm (3/16"), 5.6mm (7/32") & 6.4mm (1/4")  
Traction power: 1645 Kg  
Stroke: 15 mm  
Weight: 1.8 Kg

**\$739**

PN: FP6431CVK

**5/16" Heavy Duty Composite Riveter**

- Vacuum mandrel collection
- Suitable rivets of all materials
- Swivel air inlet

Capacity: 3/16", 7/32", 1/4" & 5/16"  
Traction power: 1723 Kg  
Stroke: 22.5 mm  
Weight: 1.8 Kg

Also Sets 1/4" Monobolt® Structural Rivets FP51631CVK ONLY

**\$1,275**

PN: FP51631CVK



**Commercial Sweepers**

1 Year Commercial Warranty

2 Year Domestic Warranty

**Hagga 355**

**Commercial Sweeper**

Performance: 1600 m2/h  
Cleaning Width: 550 mm  
Capacity: 20 Liters  
Weight: 7.2 Kg

**\$829**

PN: HG355

**WHILE STOCKS LAST!**



**Hagga 477**

**Commercial Sweeper**

- Stores vertically in most closets (1550H x 780W x 300 mm)

Performance: 3,000 m2/h  
Cleaning Width: 770 mm  
Capacity: 50 Liters  
Weight: 15 Kg

**\$1,555**

PN: HG477

**FITS IN MOST CLOSETS**



**Hagga 497**

**Commercial Sweeper**

Performance: 3,600 m2/hr  
Cleaning Width: 970 mm  
Capacity 50 litres.  
Weight: 15.7 Kg

**\$1,915**

PN: HG497



**90° Keyless Drill Attachment**

Chuck Capacity: 1.5-10 mm  
Max. speed: 2,100 RPM  
Size: 147 x 100 mm  
Drive: 9 mm Hex  
Weight: 490 g

**\$195**

PN: PORRADACL

**13 MM Keyless Drill Chucks**

Capacity: 1.5-13 mm

3/8" x 24 PN: PORTS13F38R

1/2" x 20 PN: PORTS13F12R

**\$139 ea**



**13 MM Keyed Drill Chucks**

Capacity: 1.5-13 mm  
Body Dia.: 43mm  
Chuck Key: KS2

**\$89 ea**

JT6 PN: PORA13J6

B16 PN: PORA13B16

**16 MM Keyed Drill Chucks**

Capacity: 1-16 mm  
Outer diameter: 56 mm  
Key Type: T7

**\$129 ea**

JT6 PN: PORAP16J6

B16 PN: PORAP16B16

B18 PN: PORAP16B18

**20 MM Keyed Drill Chucks**

Capacity: 5-20 mm  
Outer diameter: 64 mm  
Key Type: PORKS4B

**\$189**

PN: PORAP20J3

**Keyless Drill Chucks**

- Suitable for lathes, drilling & milling machines

Capacity: 1-13 mm  
Mount: JT6

**\$155**

PN: POR37J6

Capacity: 3-16 mm  
Mount: JT6

**\$175**

PN: POR40J6

**Ejecting Drift**

- Hardened and Black Oxide finish.

MT1/MT2 PN: PORDR12 **\$22**

MT2/MT3 PN: PORDR23 **\$22**

MT3/MT4 PN: PORDR34 **\$25**

MT4/MT5 PN: PORDR45 **\$34**





## In-line Components

### 1/4" In-line Water Separator

1/4" NPT Female to Male



**\$35**

PN: GPA1512

### 1/4" In-line Lubricator

1/4" NPT Female to Male  
Capacity: 15 mL



**\$30**

PN: GPA1025

## 1/4" Mini Filter Regulator

Max Press.: 280 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 38.85 CFM  
Drain Capacity: 15 mL  
Filter Element: 5 µm



**\$86**

PN: THBFR212

## 1/4" Mini Filter Regulator & Lubricator

Max Press.: 150 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 38.85 CFM  
Drain Capacity: 15 mL  
Oil Capacity: 30 mL  
Filter Element: 5 µm



**SUPER COMPACT!**  
140W x 135H mm

**\$88**

PN: THBC202

## Filter Regulators

Max Press.: 215 PSI  
Output Press.: 7-150 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Drain Capacity: 80 mL  
Filter Element: 5 µm

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

**PN: THBFR802**

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

**PN: THBFR803**

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

**PN: THBFR804**



**\$73 ea**

## 3/4" Hi-Flow Filter Regulator

Max Press.: 250 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 162.45 CFM  
Drain Capacity: 300 mL

**PN: THBFR926A**

### 1" Hi-Flow Filter Regulator

Max Press.: 250 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 183.64 CFM  
Drain Capacity: 300 mL

**PN: THBFR928A**



**AUTO-DRAIN FUNCTION**

**\$309 ea**

## Filter Regulator + Lubricators

Max Press.: 215 PSI  
Output Press.: 7-150 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Oil Capacity: 125 mL  
Filter Element: 5 µm

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

**PN: THBFLR802**

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

**PN: THBFLR803**

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

**PN: THBFLR804**



**\$135 ea**

## Regulators



### 1/4" Regulator

Max Press.: 150 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 38.85 CFM

**\$52**

PN: THBR202

### 1/2" Regulator

Max Press.: 215 PSI  
Output Press.: 7-150 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 105.94 CFM

**\$62**

PN: THBR804

### 3/4" Regulator

Max Press.: 250 PSI  
Output Press.: 7-225 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 162.45 CFM

**\$169**

PN: THBR906

### 1" Regulator

Max Press.: 250 PSI  
Output Press.: 7-225 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 183.64 CFM

**\$169**

PN: THBR908

## Filters

### 1/2" Filter

Port Size: 1/2" NPT  
Max Press.: 215 PSI  
Max Flow: 105.94 CFM



**\$69**

PN: THBF804

### 1/2" Auto Drain Filter

Port Size: 1/2" NPT  
Max Press.: 225 PSI



**\$98**

PN: THBD704A

## Lubricators

Max Press.: 215 PSI  
Oil Capacity: 125 mL

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

**PN: THBL802**

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

**PN: THBL803**

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

**PN: THBL804**



**\$75 ea**

## Filter / Regulator / Dryers

• Includes desiccant

Max Press.: 250 PSI  
Output Press.: 7-150 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Filter Element: 5µ-0.01µ

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

**PN: THBFR-FLM862**

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

**PN: THBFR-FLM863**

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

**PN: THBFR-FLM864**



**IDEAL FOR SPRAY PAINTING!**

**\$259 ea**



## 20m Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base
- Hose ID: 8 mm
- Hose OD: 12 mm

**\$299**

PN: GPHR1220



## Swivel Connectors

Male thread to Japanese Style Plug  
Range: 22°

1/4" Thread PN: B05

3/8" Thread PN: B07

**\$20 ea**



## In-line Regulators

1/4" Air Flow Regulator

**\$22**  
PN: GPA1010



1/4" Air Flow Regulator with Male plug

**\$22**  
PN: GPA1011



## 20m Wall Mount Hose Reel

- 180° swivel bracket
- 1.5 metre inlet hose
- High quality braided polyurethane hose
- Sheet metal housing
- Adjustable recoil stopper
- Shrouded air line socket
- Hose ID: 6.5 mm

Hose OD: 10 mm

**\$299**

PN: GPHR1020



## In-Line Components

2 Way Cluster Quick Coupler



**\$36**

PN: GPA1513

3 Way Cluster Quick Coupler



**\$44**

PN: GPA1514

2 Way In-line Quick Coupler



**\$36**

PN: GPA1515

3 Way In-line Quick Coupler



**\$44**

PN: GPA1516

4 Way In-line Quick Coupler



**\$49**

PN: GPA1517

## Bare Air line Manifolds

2 Way Bare Cluster Manifold

Inlet: 1/4" female NPT  
1/2" Male NPT  
Outlet: 2 x 1/4" Int. NPT



**\$20**

PN: GPAYA2

3 Way Bare Cluster Manifold

Inlet: 1/4" female NPT  
1/2" Male NPT  
Outlet: 3 x 1/4" Int. NPT



**\$23**

PN: GPAYA3

2 Way In-line Bare Manifold

**\$20**

PN: GPATA2

3 Way In-line Bare Manifold

**\$21**

PN: GPATA3

4 Way In-line Bare Manifold

**\$23**

PN: GPATA4



## One-Touch Connector Kits

- Kit includes Hose Clamps, One-Touch Socket & Plug fittings

10mm Kit  
PN: AHPACK

**\$32**

12mm Kit  
PN: AHPACK12

**\$41**



## Premium Air Tool

Add only a couple of drops daily to prolong the performance of any air operated tool. Formulated to greatly reduce internal wear and maintain the integrity of gaskets and seals.



250 ML

**\$13**

PN: SI250

1 Litre

**\$27**

PN: SI1000

5 Litre

**\$97**

PN: SI5000

20 Litre

**\$299**

PN: SI20LT

## Bare Air Line Hose



10 MM Bare Air Hoses

20m Roll

**\$55**

PN: AH1020

30m Roll

**\$94**

PN: AH1030

100m Roll

**\$275**

PN: AH10100

12 MM Bare Air Hoses

20m Roll

**\$94**

PN: AH1220

30m Roll

**\$135**

PN: AH1230

100m Roll

**\$419**

PN: AH12100

## One-Touch Recoil Air Hoses



10 MM Air Hoses

6.5 mm ID x 10 mm OD

2 Metre

PN: GPH1003LBHL **\$57**

5 Metre

PN: GPH1006LBHL **\$72**

6 Metre

PN: GPH1008LBHL **\$78**

8 Metre

PN: GPH1010LBHL **\$93**

12 MM Air Hoses

8 mm ID x 12 mm OD

5 Metre

PN: GPH1206LBHL **\$78**

6 Metre

PN: GPH1208LBHL **\$93**

8 Metre

PN: GPH1210LBHL **\$97**

10 Metre

PN: GPH1212LBHL **\$110**

- One-Touch couplings
- Made from kink resistant polyurethane

## One-Touch Fitted Air Hoses



Fitted with Japanese compatible One-Touch couplings.

10 MM Fitted Air Hoses

10 mm ID

10 Metre

PN: AH1010F **\$52**

20 Metre

PN: AH1020F **\$83**

30 Metre

PN: AH1030F **\$105**

12 MM Fitted Air Hoses

12 mm ID

20 Metre

PN: AH1220F **\$115**

30 Metre

PN: AH1230F **\$159**



Made in Australia



## Impact Univ. Joints



**3/8" Drive Universal Joint**  
Overall Length 50 mm  
**\$28**  
PN: GX38U

**1/2" Drive Universal Joint**  
Overall Length 63 mm  
**\$29**  
PN: GX12U

**3/4" Drive Universal Joint**  
Overall Length 90 mm  
**\$57**  
PN: GX34U

Molybdenum Steel CR-MO.

## Socket & Extension Bar Sets

### 1/2" Thin Wall Sockets & Torque Extension Bar Set

- Chrome Molybdenum
- Teflon sleeved

Sizes:  
17,19, 21 mm & 3/16"  
Torque Bars sizes:  
65, 80, 100 & 120 Ft/lbs

**\$219**  
PN: GPA1596



### 1/2" Drive Thin Wall 3 Piece Impact Socket Set

- Teflon sleeved sockets for protecting alloy wheels surfaces from scuffing.
- Cast with Chrome molybdenum steel.

Sizes: 17,19 & 21 mm

**\$59**

PN: GPA1594



## 5 Piece Square Drive Adapter Sets

### Standard 5 Piece Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male  
1/2" Female to 3/8" Male  
3/8" Female to 1/4" Male  
1/2" Female to 3/4" Male  
3/8" Female to 1/2" Male

**\$29**  
PN: GX3AS



### 5 Piece Impact Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male  
1/2" Female to 3/8" Male  
3/8" Female to 1/4" Male  
1/2" Female to 3/4" Male  
3/8" Female to 1/2" Male

**\$41**  
PN: GX1AS



## Wobble Impacting Bar Sets



Made from Chrome Molybdenum Steel CR-MO.

### 1/4" Wobble Extension Bar 5 Piece Set

Kit includes:  
3", 6", 10" & 12" bars

**\$57**  
PN: GXWEBS14

### 3/8" Wobble Extension Bar 4 Piece Set

Kit includes:  
3", 6", 10" & 18" bars

**\$82**  
PN: GXWEBS38

## Socket Sets

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

### 3/8" DRIVE SOCKET SETS

#### 3/8" 8 Piece Metric

PN: GX838SSM  
Sizes: 8, 10, 11, 12, 13, 15, 17 & 19 mm

#### 3/8" 8 Piece Imperial

PN: GX838SSI  
Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"



**HOT PRICE!** **\$49 ea**

### 1/2" DRIVE SOCKET SETS

#### 1/2" 13 Piece Metric

PN: GX1312SSM  
Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

#### 1/2" 13 Piece Imperial

PN: GX1312SSI  
Sizes: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"



**HOT PRICE!** **\$119 ea**

### 3/4" DRIVE SOCKET SETS

#### 3/4" 8 Piece Metric

PN: GX834SSM  
Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

#### 3/4" 8 Piece Imperial

PN: GX834SSI  
Sizes: 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"



**HOT PRICE!** **\$189 ea**

## Impact Hex & Torx® Bit Sets

Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.

### 1/2" 8 Piece Metric

PN: GX12HBSM  
Sizes: H5, H6, H8, H10, H12, H14, H17 & H19 MM

### 1/2" 8 Piece Imperial

PN: GX12HBSI  
Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"



**\$99 ea**



### 1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40, T45, T50, T55 & T60 bits

**\$99**  
PN: GX12TX8

## Hex Drive Impact Socket Adapter Sets

Input: 1/4" Hex  
Output: 1/4", 3/8" & 1/2" Sq

Meet or exceed DIN & ANSI standards.

Made from Chrome Molybdenum Steel



### 75 MM Adapter Set

**\$25**  
PN: MP005020

### 150 MM Adapter Set

**\$29**  
PN: MP005021



## Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock Backing Pad

75 MM Quick-Lock Backing Pad

**\$23**

PN: GPA1523K



**\$30**

PN: GPA1524K

## Quick-Lock Ceramic Sanding Discs

Packs of 10



50 MM Quick-Lock Ceramic Sanding Discs

75 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22012S36CP

36 Grit PN: AB22013S36CP

60 Grit PN: AB22012S60CP

60 Grit PN: AB22013S60CP

80 Grit PN: AB22012S80CP

80 Grit PN: AB22013S80CP

120 Grit PN: AB22012S120CP

120 Grit PN: AB22013S120CP

**\$40 ea**

**\$40 ea**

## Quick-Lock Ceramic Flap Discs

Packs of 5



50 MM Quick-Lock Ceramic Mini Flap Discs

75 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22012F40CP

40 Grit PN: AB22013F40CP

60 Grit PN: AB22012F60CP

60 Grit PN: AB22013F60CP

80 Grit PN: AB22012F80CP

80 Grit PN: AB22013F80CP

120 Grit PN: AB22012F120CP

120 Grit PN: AB22013F120CP

**\$32 ea**

**\$36 ea**

## Quick-lock Abrasive Pads

Packs of 10



50 MM Abrasive Fine

75 MM Abrasive Pads

Fine Blue PN: GPA1527X10

Fine Blue PN: GPA1530X10

Maroon Medium PN: GPA1528X10

Maroon Medium PN: GPA1531X10

Brown Coarse PN: GPA1526X10

Brown Coarse PN: GPA1529X10

**\$39 ea**

**\$69 ea**

## Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 2" backing pad, 24 Grit 2" disc, 36 Grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.



**\$38**

PN: GPK2

3" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.



**\$52**

PN: GPK3

Abrasive & Sanding Pads made in USA.

## 8 Piece Flap Wheel Kit

Kit includes:

25 x 12 mm, 120 Grit, x 1  
25 x 25 mm, 40 Grit, x 1  
25 x 25 mm, 80 Grit, x 1  
40 x 25 mm, 80 Grit, x 1  
40 x 25 mm, 60 Grit, x 2



**\$62**

PN: GFWK

## Ceramic Sanding Belts



Pack of 10 Belts.

10 MM Sanding Belts

Size: 10 mm x 330 mm

40 Grit PN: AB2700-40CP

60 Grit PN: AB2700-60CP

80 Grit PN: AB2700-80CP

120 Grit PN: AB2700-120CP

**\$35 ea**

20 MM Sanding Belts

Size: 20 mm x 520 mm

40 Grit PN: AB2800-40CP

60 Grit PN: AB2800-60CP

80 Grit PN: AB2800-80CP

120 Grit PN: AB2800-120CP

**\$40 ea**

## Quick-Lock Polishing Pads



50 MM Quick-Lock Felt Polishing Pad

**\$15**

PN: GPA1525



75 MM Quick-Lock Felt Polishing Pad

**\$19**

PN: GPA1575

## Polishing Mops

1/4" Shank Tapered Spindle

Fits 50 MM Calico Polishing Mops (PN: PMC50).



**\$53**

PN: TS12

50 MM Calico Polish Mop

For use with Taper Spindle (PN: TS12). Width: 20 MM



**\$39**

PN: PMC50

## Velcro Backing Pads

50 MM Velcro Backing Pad

Shank Size: 1/4"



**\$37**

PN: GPA50

75 MM Velcro Backing Pad

Shank Size: 1/4"



**\$48**

PN: GPA75

## Velcro Polishing Pads

60 MM Polishing Pad Suits 50 mm Velcro Backing Pad



**\$14**

PN: OWB-60

80 MM Polishing Pad Suits 75 mm Velcro Backing Pad



**\$24**

PN: 119-102



## 150 MM Velcro Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.  
Max Speed: 12,000 RPM  
Pad Thickness: 10 mm

Velcro Backing Pad

**\$44**

PN: F6505



Dust Free Velcro Backing Pad

**\$48**

PN: F6565



## Rubber Turbo Backing Pads

- Specially designed air veins provide cooling air to sanding surface
- Lock Nut included



## 125 MM Backing Pad

Pad Thickness: 18 mm  
Max Speed: 10,000 RPM

M14 Int. PN: GTP162214

5/8" x 11 Int. PN: GTP162258

**\$37 ea**

## 180 MM Backing Pad

Pad Thickness: 18 mm  
Max Speed: 8,500 RPM

M14 Int. PN: GTP1737

5/8 x 11 Int. PN: GTP1736

**\$72 ea**

## Clean & Strip Discs

- Used for removal of paint and light rust
- Will not damage the original surface

Pack of 2



10 x 50 MM

**\$20**

PN: ABCH902P

10 x 75 MM

**\$32**

PN: ABCH903P

## 2" Cut off Discs

Disc Size: 50 x 1 mm  
Max Speed: 30,000 RPM  
Bore: 1/4"  
Pack of 10



**\$37**

PN: ABPCWHEELS

**flexipads**

WHAT QUALITY FEELS LIKE™

## Velcro Backing Pads



## 150 MM Velcro Pads

• Medium Pad Density  
Thread Size: 5/8" UNC Int.  
Pad Thickness: 12 MM  
Max Speed: 10,200 RPM

**\$63**

PN: FP36160

## 200 MM Velcro Pads

• Medium Pad Density  
Pad Thickness: 12 MM  
Max Speed: 6,500 RPM

**\$75**

PN: FP36185

## 180 MM Velcro Pads

• Medium Pad Density  
Thread Size: M14 x 2 Int.  
Pad Thickness: 12 MM  
Max Speed: 8,500 RPM

**\$75**

PN: FP36170

## Velcro Interface Pads

Used in combination with rigid backing pads, interface pads avoid unwanted flat spots and achieve more consistent results, when working on rounded profiles.

Pad Dia.: 150 MM  
Pad Thickness: 12 MM  
Max Speed: 13,000 RPM



Standard

**\$20**

PN: FP32705

5 Hole Dust-Free

**\$20**

PN: FP32710

## 180 MM Nylon Backing Pads

• Medium Pad Density  
Thread Size: M14 x 2 Int.  
Pad Thickness: 20 MM  
Max Speed: 8,500 RPM



**\$34 EA**

M14 Int. Thread PN: FP20310

5/8" UNC Int. Thread PN: FP20305

## Nylon Backing Pads



## 100 MM Nylon Backing Pad

• Medium Pad Density  
Thread Size: M14 x 2 Int.  
Pad Thickness: 15 MM  
Max Speed: 12,250 RPM

**\$27**

PN: FP20020

## 125 MM Nylon Backing Pad

• Medium Pad Density  
Thread Size: M14 x 2 Int.  
Pad Thickness: 16 MM  
Max Speed: 12,250 RPM

**\$28**

PN: FP20210

## Heavy Duty 125 MM Grinding Pads

Thread Size: M14 x 2 Int.  
Pad Thickness: 18 MM  
Max Speed: 12,250 RPM

**Ultra Tough & Rigid Pads**  
ideal for grinding!



COOLFLOW™ Backing Pads

**\$40**

PN: FP11322

TURBO Backing Pads

**\$30**

PN: FP11723

## Sheep Skin Polishing Bonnets



**100% Merino Sheep Skin Wool!**

Max. speed: 2,500 RPM  
Thickness: 32 MM

7" Bonnet

**\$44**

PN: FP40015

5" Bonnet

**\$34**

PN: FP40005

## 6" Dust Free Multi-Fit Velcro Pad

Thread Size: M8 & 5/16" UNF  
Pad Thickness: 14 MM  
Max Speed: 12,000 RPM

**\$84**

PN: FP17099



**Suits Festool & Makita Sanders!**



## Twin LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable Li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant



**SUPER BRIGHT 880 LUMENS!**

**\$159**

PN: GLED2CIL

## Desktop Magnification Lamp

- Adjustable height & angle
- Interchangeable 100 mm lens (sold separately)

Lens dia.: 100 mm  
Magnification: 3 Diopter  
Max lens height: 300 mm  
Brightness: 560 Lumen  
Power supply: 240V  
Cord length: 1.3m

**560 LUMEN LED LAMP**



**\$99**

PN: ML30

## Workbench Magnification Lamp

- Mountable to most workbenches up to 60 mm thick
- 900 mm Two piece articulated arm
- 60 LED lamp with high & low modes
- High quality metal frame construction.

**900MM REACH!**

**760 LUMENS**

Magnification: 3 Diopter  
Lens dia.: 120 mm  
Lamp: 60 x LED  
Power: 240 V



**\$199**

PN: ML60

## NICRON

### Rechargeable Bicycle Lamp

Brightness: 500 Lm  
Intensity: 160 Cd

**New!**



**HIGH BEAM FUNCTION!**

**\$125**

PN: BK10

Primary Beam:  
LOW (100 Lm)  
MED (300 Lm)  
HIGH (500 Lm)  
Size: 72 x 47 x 45 mm  
Weight: 168 g

- Handlebar mountable thumb controller
- Detachable Lamp Head
- Swivel Mount



## P2 Respirators

**4 LAYER PROTECTION!**



Each respirator comes with 2 additional disposable P2 filters.



Proudly supporting Australian Military Veterans with percentage of all sales.

GREEN PN: MPLR-P2FG  
BLACK PN: MPLR-P2B

**HOT PRICE!**

**\$36 ea**

## morrisflex

### Professional Bolt Removal Kits

The four step extraction kit that enables safe & clean removal of broken studs or screws in confined spaces.

Size	PN	Price
M6	CBSETBRM6	<b>\$105</b>
M8	CBSETBRM8	<b>\$115</b>
M10	CBSETBRM10	<b>\$129</b>
M12	CBSETBRM12	<b>\$139</b>
M14	CBSETBRM14	<b>\$175</b>



## KUANI

Gear up your world™

### Air Tools

#### 4" Heavy Duty Extended Cut Off Tool

- Extended reach and ultra compact 39 mm head is ideal for hard to access spaces



**QUICK RELEASE ADJUSTABLE GUARD!**

Free Speed: 14,000 RPM  
Length: 345 mm  
Weight: 0.45 Kg

**\$479**

PN: KP4413

#### 3/8" Heavy Duty Drill

- Side mounted speed regulator

Free Speed: 2300 RPM  
Spindle: 3/8-24 UNC  
Chuck Cap.: 3/8"

**\$99**

PN: KP5302



**HOT PRICE!**