



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36

**Customer:** KIK By Kalibloom  
**Product identity:** Maui Wowie  
**Client/Metric ID:** Batch # 209531  
**Laboratory ID:** 22-006216-0005

### Summary

#### Potency:

Analyte	Result (%)		
Δ8-THC	85.4	<ul style="list-style-type: none"> <li>● 8-THC</li> <li>● 8-THCV</li> <li>● CBT</li> <li>● CBD</li> <li>● CBG-A</li> </ul>	
Δ8-THCV	0.328		
CBT <sup>†</sup>	0.186		
CBD	0.122		
CBG-A <sup>†</sup>	0.0762		
		CBD-Total	<LOQ
		THC-Total	<LOQ
(Reported in percent of total sample)			

#### Residual Solvents:

All analytes passing and less than LOQ.

#### Pesticides:

All analytes passing and less than LOQ.

#### Terpenes:

Analyte	Percent by weight	Percent of Total	Analyte	Percent by weight	Percent of Total
β-Myrcene <sup>†</sup>	0.819	30.79%	α-pinene <sup>†</sup>	0.590	22.18%
β-Caryophyllene <sup>†</sup>	0.427	16.05%	(-)-β-Pinene <sup>†</sup>	0.280	10.53%
(R)-(+)-Limonene <sup>†</sup>	0.165	6.20%	α-Bisabolol <sup>†</sup>	0.128	4.81%
Humulene <sup>†</sup>	0.110	4.14%	Linalool <sup>†</sup>	0.0966	3.63%
Terpinolene <sup>†</sup>	0.0222	0.83%	p-Cymene <sup>†</sup>	0.0221	0.83%
<b>Total Terpenes<sup>†</sup></b>	<b>2.66</b>	<b>100.00%</b>			

#### Metals:

Less than LOQ for all analytes.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794




**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36

**Customer:** KIK By Kalibloom  
 United States of America (USA)  
**Product identity:** Maui Wowie  
**Client/Metric ID:** Batch # 209531  
**Sample Date:**  
**Laboratory ID:** 22-006216-0005  
**Evidence of Cooling:** No  
**Temp:** 21.4 °C  
**Relinquished by:** FedEx

### Sample Results

Potency	Method J AOAC 2015 V98-6 (mod)		Units %	Batch: 2204739	Analyze: 6/2/22 11:18:00 PM
Analyte	As Received	Dry weight	LOQ	Notes	
CBC	< LOQ		0.0668		
CBC-A <sup>†</sup>	< LOQ		0.0668		
CBC-Total <sup>†</sup>	< LOQ		0.125		
CBD	0.122		0.0668		
CBD-A	< LOQ		0.0668		
CBD-Total	< LOQ		0.125		
CBDV <sup>†</sup>	< LOQ		0.0668		
CBDV-A <sup>†</sup>	< LOQ		0.0668		
CBDV-Total <sup>†</sup>	< LOQ		0.125		
CBE <sup>†</sup>	< LOQ		0.0668		
CBG <sup>†</sup>	< LOQ		0.0668		
CBG-A <sup>†</sup>	0.0762		0.0668		
CBG-Total	< LOQ		0.125		
CBL <sup>†</sup>	< LOQ		0.0668		
CBL-A <sup>†</sup>	< LOQ		0.0668		
CBL-Total <sup>†</sup>	< LOQ		0.125		
CBN	< LOQ		0.0668		
CBT <sup>†</sup>	0.186		0.0668		
Δ8-THC	85.4		0.668		
Δ8-THCV	0.328		0.0668		
Δ9-THC	< LOQ		0.0668		
exo-THC	< LOQ		0.0668		
THC-A	< LOQ		0.0668		
THC-Total	< LOQ		0.125		
THCV <sup>†</sup>	< LOQ		0.0668		
THCV-A <sup>†</sup>	< LOQ		0.0668		
THCV-Total <sup>†</sup>	< LOQ		0.125		
<b>Total Cannabinoids<sup>†</sup></b>	<b>86.1</b>				





12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36

Solvents						Residual Solvents by GC/MS					Units	µg/g	Batch	Analyze 06/06/22 10:09 AM					
Analyte	Method	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes							
1,4-Dioxane		< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass								
2-Ethoxyethanol		< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200									
2-Methylpentane		< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass								
2,2-Dimethylbutane		< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200									
2,3-Dimethylbutane		< LOQ		30.0			3-Methylpentane	< LOQ		30.0									
Acetone		< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass								
Benzene		< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass								
Cyclohexane		< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass								
Ethyl benzene		< LOQ		200			Ethyl ether	< LOQ	5000	200	pass								
Ethylene glycol		< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass								
Hexanes (sum)		< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass								
Isopropylbenzene (Cumene)		< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200									
Methanol		< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass								
Methylpropane (Isobutane)		< LOQ		200			n-Butane	< LOQ		200									
n-Heptane		< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0									
n-Pentane		< LOQ		200			o-Xylene	< LOQ		200									
Pentanes (sum)		< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass								
Tetrahydrofuran		< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass								
Total Xylenes		< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass								



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794




**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36

Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2204729 Analyze 06/03/22 12:26 PM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclotrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							



Terpenes				Method J AOAC 2015 V98-6	Units %	Batch 2204642	Analyze 06/01/22 10:26 AM		
Analyte	Result	LOQ	% of Total	Notes	Analyte	Result	LOQ	% of Total	Notes
β-Myrcene†	0.819	0.018	30.789%		a-pinene†	0.590	0.018	22.180%	
β-Caryophyllene†	0.427	0.018	16.053%		(-)-β-Pinene†	0.280	0.018	10.526%	
(R)-(+)-Limonene†	0.165	0.018	6.203%		a-Bisabolol†	0.128	0.018	4.812%	
Humulene†	0.110	0.018	4.135%		Linalool†	0.0966	0.018	3.6316%	
Terpinolene†	0.0222	0.018	0.8346%		p-Cymene†	0.0221	0.018	0.8308%	
(-)-a-Terpineol†	< LOQ	0.018	0.00%		(+)-fenchol†	< LOQ	0.018	0.00%	
(±)-trans-Nerolidol†	< LOQ	0.018	0.00%		Camphene†	< LOQ	0.018	0.00%	
Geraniol†	< LOQ	0.018	0.00%		(-)-caryophyllene oxide†	< LOQ	0.018	0.00%	
farnesene†	< LOQ	0.018	0.00%		trans-β-Ocimene†	< LOQ	0.012	0.00%	
Geranyl acetate†	< LOQ	0.018	0.00%		(±)-Camphor†	< LOQ	0.018	0.00%	
nerol†	< LOQ	0.018	0.00%		(-)-Isopulegol†	< LOQ	0.018	0.00%	
d-3-Carene†	< LOQ	0.018	0.00%		gamma-Terpinene†	< LOQ	0.018	0.00%	
(+)-Borneol†	< LOQ	0.018	0.00%		Menthol†	< LOQ	0.018	0.00%	
(+)-Pulegone†	< LOQ	0.018	0.00%		(-)-Guaiol†	< LOQ	0.018	0.00%	
(+)-Cedrol†	< LOQ	0.018	0.00%		(±)-cis-Nerolidol†	< LOQ	0.018	0.00%	
(±)-fenchone†	< LOQ	0.018	0.00%		a-cedrene†	< LOQ	0.018	0.00%	
a-phellandrene†	< LOQ	0.018	0.00%		a-Terpinene†	< LOQ	0.018	0.00%	
cis-β-Ocimene†	< LOQ	0.006	0.00%		Eucalyptol†	< LOQ	0.018	0.00%	
Isoborneol†	< LOQ	0.018	0.00%		Sabinene†	< LOQ	0.018	0.00%	
Sabinene hydrate†	< LOQ	0.018	0.00%		valencene†	< LOQ	0.018	0.00%	
<b>Total Terpenes</b>	<b>2.66</b>								



Metals									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Arsenic	< LOQ	0.200	mg/kg	0.0818	2204705	06/02/22	AOAC 2013.06 (mod.)	pass	
Cadmium	< LOQ	0.200	mg/kg	0.0818	2204705	06/02/22	AOAC 2013.06 (mod.)	pass	
Lead	< LOQ	0.500	mg/kg	0.0818	2204705	06/02/22	AOAC 2013.06 (mod.)	pass	
Mercury	< LOQ	0.100	mg/kg	0.0409	2204705	06/02/22	AOAC 2013.06 (mod.)	pass	



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36

These test results are representative of the individual sample selected and submitted by the client.

**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

**Units of Measure**

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



Report Number: 22-006216/D002.R000  
Report Date: 06/06/2022  
ORELAP#: OR100028  
Purchase Order: Delta 8  
Received: 05/27/22 15:36



### Hemp / Cannabis Usable / Extract Chain of Custody Record

Revision: 3.01 Control#: CFO23 Rev 02/26/2020 Eff: 02/27/2020  
ORELAP ID: OR100028

Company: Kik by Kalibloom  
 Contact: Taylor  
 Street: 3315 E Kessel Rd STE # 346  
 City: Las Vegas State: NV Zip: 89120  
 Email Results: kalibloomworldwide@gmail  
 Ph: ( ) Fx Results: ( )  
 Billing (if different):

Lab ID	Client Sample Identification	Date	Time	Analysis Requested					Sample Type †	Weight (Units)	Comments/Metric ID
				Potency	Metals	Solvents	Pesticides	Terpene			
	<u>Biscotti</u>			X	X	X	X	X			<u>Batch # 210010</u>
	<u>Runtz</u>			X	X	X	X	X			<u>Batch # 209531</u>
	<u>Gorilla Glue</u>			X	X	X	X	X			<u>Batch # 210010</u>
	<u>Gushers</u>			X	X	X	X	X			<u>Batch # 210010</u>
	<u>Mavi Wowie</u>			X	X	X	X	X			<u>Batch # 209531</u>

PO Number: Delta 8  
 Project Number:  
 Project Name:  
 Custom Reporting:  
 Report to State -  METRC or  Other:  
 Turnaround time:  Standard  Rush \*  Priority Rush \*  
 \*Ask for availability  
 Sampled by:

Relinquished By:	Date	Time	Received By:	Date	Time	Lab Use Only:
			<u>DS</u>	<u>5/27/22</u>	<u>15:36</u>	Shipped Via: <input checked="" type="checkbox"/> <u>Fedex</u> or <input type="checkbox"/> Client drop Evidence of cooling: <input type="checkbox"/> Yes   <input checked="" type="checkbox"/> No - Temp (°C): <u>21.1°C</u> Sample in good condition: <input checked="" type="checkbox"/> Yes   <input type="checkbox"/> No <input type="checkbox"/> Cash   <input type="checkbox"/> Check   <input type="checkbox"/> CC   <input type="checkbox"/> Net: Prelog storage:

† - Sample Type Codes: Vegetation (V) ; Isolates (S) ; Extract/Concentrate (C)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms  
 12423 NE Whitaker Way  
Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1452  
 info@columbialaboratories.com

Page \_\_\_\_\_ of \_\_\_\_\_  
 www.columbialaboratories.com



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36



Document ID: 3177 Revision: 3  
Effective: 04/26/2022  
Page 1 of 1

**PACKAGE RECEIVING FORM**

Delivery Date:  5/27/22     Same as Opened By Date     Unsure

How was the package delivered?

UPS     FEDEX    USPS    DHL    OTHER: \_\_\_\_\_

Tracking Number: 2735 5622 4099

		<small>CIRCLE ONE</small>	
1) Was package sealed with no evidence of holes/tampering?		<input checked="" type="radio"/> YES	<input type="radio"/> NO
Further custody seal/tampering notes: _____			
2) Was packing material used?		YES	<input checked="" type="radio"/> NO
If YES: <input type="checkbox"/> PEANUTS <input type="checkbox"/> BUBBLE <input type="checkbox"/> WRAP <input type="checkbox"/> FOAM PAPER			
3) Was a Complete Chain of Custody (COC) received?		<input checked="" type="radio"/> YES	<input checked="" type="radio"/> NO
Comment (PT?, Email?): <u>not reling.</u> <u>DS 5/27/22</u>			
4) Sample temperature upon arrival?		<u>21.1</u>	°C
5) Evidence of cooling?		YES	<input checked="" type="radio"/> NO
If YES, What kind? <input type="checkbox"/> ICE <input type="checkbox"/> FREEZER PACK <input type="checkbox"/> DRY ICE			
Insulation? <input type="checkbox"/> PLASTIC COOLER <input type="checkbox"/> STYROFOAM <input type="checkbox"/> OTHER:			
6) Were sample containers sealed in separate plastic bags/secondary containment?		YES	<input checked="" type="radio"/> NO
7) Did sample containers arrive in good condition?		<input checked="" type="radio"/> YES	<input type="radio"/> NO
If NO: <input type="checkbox"/> LEAKED <input type="checkbox"/> BROKEN <input type="checkbox"/> OTHER:			
If NO:    Suspect contamination of other samples? <input type="checkbox"/> YES <input type="checkbox"/> NO			
8) Sample labels present?		<input checked="" type="radio"/> YES	<input type="radio"/> NO
9) Do sample labels agree with COC?		<input checked="" type="radio"/> YES	<input type="radio"/> NO
If NO, number of sample containers received: _____			

**Sample pre-log location:**

R39    R44    F44    R99     CANNA SHELF    FOOD SHELF    Other: \_\_\_\_\_

**Other Notes:**

Received By (initials): DS    Date: 5/27/22    Time: 15:36





12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36

Revision: 3 Document ID: 3120  
LegacyID: CFLC21WorksheetValidated 10/30/2020

Laboratory Pesticide Quality Control Results

AOAC2007.1 &EN 15662		Units: mg/Kg			Batch ID 2204729			
Method Blank	Laboratory Control Sample							
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spk	LCS % Re	Limits	Notes
Abamectin	0.00	< 0.250		1.076	1.000	107.6	50.0	150
Acaphate	0.00	< 0.250		0.933	1.000	93.3	60.0	120
Acetamiprid	0.00	< 1.000		4.169	4.000	104.2	40.0	160
Acetamiprid	0.00	< 0.100		0.376	0.400	93.9	60.0	120
Aldicarb	0.00	< 0.200		0.751	0.800	93.9	60.0	120
Azoxystrobin	0.00	< 0.100		0.382	0.400	95.4	60.0	120
Bifenazate	0.00	< 0.100		0.376	0.400	93.9	60.0	120
Bifenthrin	0.00	< 0.100		0.411	0.400	102.7	50.0	150
Boscalid	0.00	< 0.200		0.731	0.800	91.4	60.0	120
Carbaryl	0.00	< 0.100		0.368	0.400	91.9	60.0	120
Carbendazim	0.00	< 0.100		0.370	0.400	92.4	60.0	120
Chlorantraniliprole	0.00	< 0.100		0.364	0.400	90.9	60.0	120
Chlorfenapyr	0.00	< 0.500		1.944	2.000	97.2	60.0	120
Chlorpyrifos	0.00	< 0.100		0.343	0.400	85.7	60.0	120
Clofentezine	0.00	< 0.100		0.379	0.400	94.7	60.0	120
Cyfluthrin	0.00	< 0.500		1.988	2.000	98.4	50.0	150
Cypermethrin	0.00	< 0.500		1.994	2.000	99.7	50.0	150
Daminozide	0.00	< 0.500		2.060	2.000	103.0	60.0	120
Diazinon	0.00	< 0.100		0.370	0.400	92.6	60.0	120
Dichlorvos	0.00	< 0.500		1.800	2.000	90.0	60.0	120
Dimethoate	0.00	< 0.100		0.368	0.400	92.0	60.0	120
Ethiofoprofos	0.00	< 0.100		0.369	0.400	92.2	60.0	120
Etofenprox	0.00	< 0.200		0.824	0.800	103.0	50.0	150
Etoxazole	0.00	< 0.100		0.407	0.400	101.8	60.0	120
Fenoxycarb	0.00	< 0.100		0.382	0.400	95.5	60.0	120
Fenpyroximate	0.00	< 0.200		0.782	0.800	97.7	60.0	120
Fipronil	0.00	< 0.200		0.783	0.800	97.9	60.0	120
Fonicamid	0.00	< 0.250		0.971	1.000	97.1	60.0	120
Fludioxonil	0.00	< 0.200		0.742	0.800	92.8	50.0	150
Hexythiazox	0.00	< 0.250		1.011	1.000	101.1	60.0	120
Imazalil	0.00	< 0.100		0.412	0.400	103.0	60.0	120
Imidacloprid	0.00	< 0.200		0.750	0.800	93.8	60.0	120
Kiesoxim-methyl	0.00	< 0.200		0.760	0.800	95.0	60.0	120
Malathion	0.00	< 0.100		0.381	0.400	95.3	60.0	120
Metaxyl	0.00	< 0.100		0.374	0.400	93.5	60.0	120
Methiocarb	0.00	< 0.100		0.374	0.400	93.6	60.0	120
Methomyl	0.00	< 0.200		0.844	0.800	105.5	60.0	120
MCK-264	0.00	< 0.100		0.332	0.400	88.1	50.0	150
Mydobutani	0.00	< 0.100		0.384	0.400	95.9	60.0	120
Naled	0.00	< 0.250		0.938	1.000	93.8	50.0	150
Oxamyl	0.00	< 0.500		2.092	2.000	104.6	60.0	120
Padobutrazole	0.00	< 0.200		0.774	0.800	96.7	60.0	120
Parathion-Methyl	0.00	< 0.200		0.632	0.800	79.0	50.0	150
Permethrin	0.00	< 0.100		0.394	0.400	98.5	50.0	150
Phosmet	0.00	< 0.100		0.377	0.400	94.2	50.0	150
Piperonyl butoxide	0.00	< 0.500		1.954	2.000	97.7	60.0	120
Prallethrin	0.00	< 0.100		0.374	0.400	93.6	60.0	120
Propiconazole	0.00	< 0.200		0.785	0.800	98.1	60.0	120
Propoxur	0.00	< 0.100		0.382	0.400	90.6	60.0	120
Pyrethrin (Summe)	0.00	< 0.100		0.411	0.413	99.4	60.0	120
Pyridaben	0.00	< 0.100		0.406	0.400	101.5	50.0	150
Spinosad	0.00	< 0.100		0.409	0.388	105.3	50.0	150
Spiromesfen	0.00	< 0.100		0.415	0.400	103.6	60.0	120
Spirotetramat	0.00	< 0.100		0.391	0.400	97.7	60.0	120
Spiroxamine	0.00	< 0.200		0.761	0.800	95.1	60.0	120
Tebuconazole	0.00	< 0.200		0.768	0.800	96.1	60.0	120
Thiadoprid	0.00	< 0.100		0.370	0.400	92.4	60.0	120
Thiamethoxam	0.00	< 0.100		0.421	0.400	105.2	60.0	120
Trifloxystrobin	0.00	< 0.100		0.386	0.400	96.6	60.0	120



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



Report Number: 22-006216/D002.R000  
 Report Date: 06/06/2022  
 ORELAP#: OR100028  
 Purchase Order: Delta 8  
 Received: 05/27/22 15:36

Revision: 3 Document ID: 3120  
 LegacyID: CFLC21WorksheetValidated 10/30/2020

Laboratory Pesticide Quality Control Results

AOAC2007.1 & EN 15662											Units: mg/Kg			Batch ID 2204729	
Matrix Spke/Matrix Spke Duplicate Recoveries											Sample ID: 220061380001				
Analyte	Result	MS Res	MSD Res	Spike	RFD%	Limit	MS% Re	MSD% Re	Limits	Notes					
Abamectin	0.00	0.929	1.011	1.00	8.4%	< 30	92.9%	101.1%	50 - 150						
Acaphate	0.00	0.913	0.929	1.00	1.7%	< 30	91.3%	92.9%	50 - 150						
Acetaminophen	0.00	5.935	15.333	4.00	88.4%	< 30	148.4%	383.3%	50 - 150	R, Q					
Acetamiprid	0.00	0.387	0.388	0.40	0.2%	< 30	96.8%	97.0%	50 - 150						
Aldicarb	0.00	0.771	0.788	0.80	2.1%	< 30	96.4%	98.5%	50 - 150						
Azoxystrobin	0.00	0.297	0.303	0.40	1.9%	< 30	74.3%	75.7%	50 - 150						
Bifenazate	0.00	0.309	0.322	0.40	4.1%	< 30	77.2%	80.4%	50 - 150						
Bifenthrin	0.00	0.504	0.566	0.40	11.9%	< 30	126.0%	141.4%	50 - 150						
Boscalid	0.00	0.702	0.708	0.80	0.9%	< 30	87.7%	88.5%	50 - 150						
Carbaryl	0.00	0.365	0.374	0.40	2.5%	< 30	91.2%	93.5%	50 - 150						
Carbendazim	0.00	0.384	0.394	0.40	2.5%	< 30	96.1%	98.5%	50 - 150						
Chlorantraniliprole	0.00	0.404	0.418	0.40	3.4%	< 30	101.0%	104.5%	50 - 150						
Chlorfenapyr	0.00	2.039	1.799	2.00	12.5%	< 30	102.0%	89.9%	50 - 150						
Chlorpyrifos	0.00	0.353	0.370	0.40	4.6%	< 30	88.4%	92.6%	50 - 150						
Clofentezine	0.00	0.308	0.314	0.40	2.0%	< 30	77.1%	78.8%	50 - 150						
Cyfluthrin	0.00	1.791	1.990	2.00	10.5%	< 30	89.8%	99.3%	30 - 150						
Cypermethrin	0.00	1.810	1.911	2.00	5.4%	< 30	90.5%	95.6%	50 - 150						
Daminozide	0.00	3.143	3.234	2.00	2.9%	< 30	157.1%	161.7%	30 - 150	Q					
Diazinon	0.00	0.310	0.311	0.40	0.4%	< 30	77.4%	77.7%	50 - 150						
Dichlorvos	0.00	1.884	1.819	2.00	3.5%	< 30	94.2%	90.9%	50 - 150						
Dimethoate	0.00	0.386	0.402	0.40	4.2%	< 30	96.4%	100.6%	50 - 150						
Ethioniazole	0.00	0.302	0.315	0.40	4.1%	< 30	75.5%	78.7%	50 - 150						
Etofenprox	0.00	1.019	1.095	0.80	7.3%	< 30	127.4%	137.0%	50 - 150						
Etoxazole	0.00	0.397	0.395	0.40	0.5%	< 30	99.3%	98.8%	50 - 150						
Fenoxycarb	0.00	0.313	0.315	0.40	0.5%	< 30	78.3%	78.7%	50 - 150						
Fenpyroximate	0.00	0.853	0.864	0.80	1.2%	< 30	106.7%	108.0%	50 - 150						
Fipronil	0.00	0.729	0.730	0.80	0.0%	< 30	91.2%	91.2%	50 - 150						
Fonicamid	0.00	0.951	1.022	1.00	7.2%	< 30	95.1%	102.2%	50 - 150						
Fludioxonil	0.00	0.725	0.744	0.80	2.6%	< 30	90.6%	93.0%	50 - 150						
Hexythiazox	0.00	0.879	0.924	1.00	5.0%	< 30	87.9%	92.4%	50 - 150						
Imazalil	0.00	0.386	0.402	0.40	4.0%	< 30	96.9%	100.4%	50 - 150						
Imidacloprid	0.00	0.815	0.834	0.80	2.3%	< 30	101.8%	104.2%	50 - 150						
Kiesoxim-methyl	0.00	0.577	0.615	0.80	6.3%	< 30	72.1%	76.8%	50 - 150						
Malathion	0.00	0.243	0.268	0.40	9.8%	< 30	60.8%	67.1%	50 - 150						
Metolaxyl	0.00	0.338	0.336	0.40	0.6%	< 30	84.8%	84.0%	50 - 150						
Methiocarb	0.00	0.317	0.321	0.40	1.2%	< 30	79.4%	80.3%	50 - 150						
Methomyl	0.00	0.860	0.906	0.80	5.2%	< 30	107.5%	113.2%	50 - 150						
MCK-264	0.00	0.348	0.345	0.40	0.8%	< 30	87.0%	86.3%	50 - 150						
Mydobutani	0.00	0.442	0.435	0.40	1.6%	< 30	110.5%	108.7%	50 - 150						
Naled	0.00	0.907	0.919	1.00	1.2%	< 30	90.7%	91.9%	50 - 150						
Oxaryl	0.00	2.024	2.310	2.00	13.2%	< 30	101.2%	115.5%	50 - 150						
Padobutrazole	0.00	0.780	0.789	0.80	1.1%	< 30	97.6%	98.6%	50 - 150						
Parathion-Methyl	0.00	0.487	0.457	0.80	6.3%	< 30	60.9%	57.2%	30 - 150						
Permethrin	0.00	0.420	0.439	0.40	4.6%	< 30	104.9%	109.9%	50 - 150						
Phosmet	0.00	0.311	0.312	0.40	0.5%	< 30	77.7%	78.0%	50 - 150						
Piperonyl butoxide	0.00	1.794	1.895	2.00	5.5%	< 30	89.7%	94.8%	50 - 150						
Prallethrin	0.00	0.336	0.346	0.40	3.1%	< 30	84.0%	86.6%	50 - 150						
Propiconazole	0.00	0.598	0.613	0.80	2.4%	< 30	74.8%	76.6%	50 - 150						
Propoxur	0.00	0.379	0.385	0.40	1.5%	< 30	94.7%	96.2%	50 - 150						
Pyrethrin (Summe)	0.00	0.408	0.417	0.413	3.5%	< 30	96.7%	100.2%	50 - 150						
Pyridaben	0.00	0.413	0.438	0.40	5.7%	< 30	103.4%	109.5%	50 - 150						
Spirosad	0.00	0.401	0.445	0.388	10.5%	< 30	103.3%	114.8%	50 - 150						
Spiromesfen	0.00	0.408	0.435	0.40	6.3%	< 30	102.0%	108.6%	50 - 150						
Spirotetramat	0.00	0.330	0.333	0.40	1.0%	< 30	82.4%	83.2%	50 - 150						
Spiroxamine	0.00	0.585	0.600	0.80	0.9%	< 30	74.4%	75.0%	50 - 150						
Tebuconazole	0.00	0.616	0.644	0.80	4.4%	< 30	77.0%	80.5%	50 - 150						
Thiadoprid	0.00	0.382	0.392	0.40	2.6%	< 30	95.9%	98.0%	50 - 150						
Thiamethoxam	0.00	0.415	0.433	0.40	4.2%	< 30	103.8%	108.2%	50 - 150						
Trifloxystrobin	0.00	0.373	0.381	0.40	2.0%	< 30	93.3%	95.1%	50 - 150						



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36



Revision: Document ID:  
 Legacy ID: Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2204738					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		477	572	µg/g	83.4	60 - 120	
Isobutane	ND	< 200		704	731	µg/g	96.3	60 - 120	
Butane	ND	< 200		691	731	µg/g	94.5	60 - 120	
2,2-Dimethylpropane	ND	< 200		821	938	µg/g	87.7	60 - 120	
Methanol	ND	< 200		1700	1620	µg/g	104.9	60 - 120	
Ethylene Oxide	ND	< 30		58.8	56.2	µg/g	104.6	60 - 120	
2-Methylbutane	ND	< 200		1800	1620	µg/g	111.1	60 - 120	
Pentane	ND	< 200		1770	1610	µg/g	109.9	60 - 120	
Ethanol	ND	< 200		1750	1630	µg/g	107.4	70 - 130	
Ethyl Ether	ND	< 200		1740	1620	µg/g	107.4	60 - 120	
2,2-Dimethylbutane	ND	< 30		182	174	µg/g	104.6	60 - 120	
Acetone	ND	< 200		1730	1650	µg/g	104.8	60 - 120	
2-Propanol	ND	< 200		1610	1610	µg/g	100.0	60 - 120	
Ethyl Formate	ND	< 500		1510	1600	µg/g	94.4	70 - 130	
Acetonitrile	ND	< 100		518	498	µg/g	104.0	60 - 120	
Methyl Acetate	ND	< 500		1550	1610	µg/g	96.3	70 - 130	
2,3-Dimethylbutane	ND	< 30		167	176	µg/g	94.9	60 - 120	
Dichloromethane	ND	< 60		556	510	µg/g	109.0	60 - 120	
2-Methylpentane	ND	< 30		173	176	µg/g	98.3	60 - 120	
MTBE	ND	< 500		1570	1600	µg/g	98.1	70 - 130	
3-Methylpentane	ND	< 30		179	175	µg/g	102.3	60 - 120	
Hexane	ND	< 30		183	177	µg/g	103.4	60 - 120	
1-Propanol	ND	< 500		1510	1610	µg/g	93.8	70 - 130	
Methyl ethyl ketone	ND	< 500		1550	1600	µg/g	96.9	70 - 130	
Ethyl acetate	ND	< 200		1650	1630	µg/g	101.2	60 - 120	
2-Butanol	ND	< 200		1530	1620	µg/g	94.4	60 - 120	
Tetrahydrofuran	ND	< 100		492	500	µg/g	98.4	60 - 120	
Cyclohexane	ND	< 200		1610	1620	µg/g	99.4	60 - 120	
2-methyl-1-propanol	ND	< 500		1450	1620	µg/g	89.5	70 - 130	
Benzene	ND	< 1		4.91	5.32	µg/g	92.3	60 - 120	
Isopropyl Acetate	ND	< 200		1600	1620	µg/g	98.8	60 - 120	
Heptane	ND	< 200		1640	1770	µg/g	92.7	60 - 120	
1-Butanol	ND	< 500		1510	1600	µg/g	94.4	70 - 130	
Propyl Acetate	ND	< 500		1540	1600	µg/g	96.3	70 - 130	
1,4-Dioxane	ND	< 100		457	504	µg/g	90.7	60 - 120	
2-Ethoxyethanol	ND	< 30		137	181	µg/g	75.7	60 - 120	
Methylisobutylketone	ND	< 500		1390	1610	µg/g	86.3	70 - 130	
3-Methyl-1-butanol	ND	< 500		1390	1610	µg/g	86.3	70 - 130	
Ethylene Glycol	ND	< 200		337	494	µg/g	68.2	60 - 120	
Toluene	ND	< 100		425	491	µg/g	86.6	60 - 120	
Isobutyl Acetate	ND	< 500		1480	1600	µg/g	92.5	70 - 130	
1-Pentanol	ND	< 500		1340	1610	µg/g	83.2	70 - 130	
Butyl Acetate	ND	< 500		1280	1610	µg/g	78.3	70 - 130	
Ethylbenzene	ND	< 200		748	973	µg/g	76.9	60 - 120	
m,p-Xylene	ND	< 200		754	996	µg/g	75.7	60 - 120	
o-Xylene	ND	< 200		720	973	µg/g	74.0	60 - 120	
Cumene	ND	< 30		121	170	µg/g	71.2	60 - 120	
Anisole	ND	< 500		1230	1610	µg/g	76.4	70 - 130	
DMSO	ND	< 500		1080	1630	µg/g	66.3	70 - 130	Q6
1,2-dimethoxyethane	ND	< 50		156	164	µg/g	95.1	70 - 130	
Triethylamine	ND	< 500		1220	1600	µg/g	76.3	70 - 130	
N,N-dimethylformamide	ND	< 150		388	497	µg/g	78.1	70 - 130	
N,N-dimethylacetamide	ND	< 150		354	498	µg/g	71.1	70 - 130	
Pyridine	ND	< 50		151	180	µg/g	83.9	70 - 130	
1,2-Dichloroethane	ND	< 1		0.848	1	µg/g	84.8	70 - 130	
Chloroform	ND	< 1		0.863	1	µg/g	86.3	70 - 130	
Trichloroethylene	ND	< 1		0.812	1	µg/g	81.2	70 - 130	



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36

Revision: Document ID:  
 Legacy ID: Effective:

QC- Sample Duplicate		Sample ID: 22-006204-0002					
Analyte	Result	Org. Result	LOQ Units	RPD	Limits	Accept/ Fail	Notes
Propane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30 µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Pentane	313	317	200 µg/g	1.3	< 20	Acceptable	
Ethanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60 µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500 µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1 µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100 µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500 µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500 µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50 µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500 µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150 µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150 µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50 µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1 µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1 µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1 µg/g	0.0	< 20	Acceptable	

**Abbreviations**

ND - None Detected at or above MRL  
 RPD- Relative Percent Difference  
 LOQ- Limit of Quantitation  
 Q6- Quality control outside QC limits. Data acceptable based on remaining QC.

**Units of Measure:**

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36



Revision: 1 Document ID: 7148  
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986									
Batch ID: 2204739									
Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDA	1	0.104	0.100	%	104	80.0	- 120	Acceptable	
CBDV	1	0.117	0.100	%	117	80.0	- 120	Acceptable	
CBE	1	0.0813	0.100	%	81.3	80.0	- 120	Acceptable	
CBDA	1	0.0911	0.100	%	91.1	90.0	- 110	Acceptable	
CBGA	1	0.0957	0.100	%	95.7	80.0	- 120	Acceptable	
CBG	1	0.0917	0.100	%	91.7	80.0	- 120	Acceptable	
CB	1	0.1000	0.100	%	100	90.0	- 110	Acceptable	
THCV	1	0.0953	0.100	%	95.3	80.0	- 120	Acceptable	
d8THCV	1	0.0947	0.100	%	94.7	80.0	- 120	Acceptable	
THCA	1	0.101	0.100	%	101	80.0	- 120	Acceptable	
CBN	1	0.0971	0.100	%	97.1	90.0	- 110	Acceptable	
exo-THC	1	0.0918	0.100	%	91.8	80.0	- 120	Acceptable	
d9THC	1	0.0914	0.100	%	91.4	90.0	- 110	Acceptable	
d8THC	1	0.0887	0.100	%	88.7	80.0	- 120	Acceptable	
CB	1	0.0907	0.100	%	90.7	80.0	- 120	Acceptable	
CB	1	0.0972	0.100	%	97.2	80.0	- 120	Acceptable	
THCA	1	0.0958	0.100	%	95.8	90.0	- 110	Acceptable	
CBGA	1	0.105	0.100	%	105	80.0	- 120	Acceptable	
CBLA	1	0.105	0.100	%	105	80.0	- 120	Acceptable	
CB	1	0.0810	0.100	%	81.0	80.0	- 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDA	<LOQ	0.077	%	< 0.077	Acceptable	
CBDV	<LOQ	0.077	%	< 0.077	Acceptable	
CBE	<LOQ	0.077	%	< 0.077	Acceptable	
CBDA	<LOQ	0.077	%	< 0.077	Acceptable	
CBGA	<LOQ	0.077	%	< 0.077	Acceptable	
CBG	<LOQ	0.077	%	< 0.077	Acceptable	
CB	<LOQ	0.077	%	< 0.077	Acceptable	
THCV	<LOQ	0.077	%	< 0.077	Acceptable	
d8THCV	<LOQ	0.077	%	< 0.077	Acceptable	
THCA	<LOQ	0.077	%	< 0.077	Acceptable	
CBN	<LOQ	0.077	%	< 0.077	Acceptable	
exo-THC	<LOQ	0.077	%	< 0.077	Acceptable	
d9THC	<LOQ	0.077	%	< 0.077	Acceptable	
d8THC	<LOQ	0.077	%	< 0.077	Acceptable	
CB	<LOQ	0.077	%	< 0.077	Acceptable	
CB	<LOQ	0.077	%	< 0.077	Acceptable	
THCA	<LOQ	0.077	%	< 0.077	Acceptable	
CBGA	<LOQ	0.077	%	< 0.077	Acceptable	
CBLA	<LOQ	0.077	%	< 0.077	Acceptable	
CB	<LOQ	0.077	%	< 0.077	Acceptable	

Abbreviations

ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36

Revision: 1 Document ID: 7148  
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986		Batch ID: 2204739						
Sample Duplicate		Sample ID: 22-006187-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDA	0.0892	0.127	0.077	%	35.0	< 20	Outlier	R
CBGA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CB	0.380	0.459	0.077	%	18.8	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THCV	0.289	0.240	0.077	%	18.6	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THC	63.6	54.5	0.077	%	15.4	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CB	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBF	0.0974	<LOQ	0.077	%	NA	< 20	Acceptable	R2

**Abbreviations**

ND - None Detected at or above MRL  
RPD - Relative Percent Difference  
LOQ - Limit of Quantitation

**Units of Measure:**



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-006216/D002.R000  
**Report Date:** 06/06/2022  
**ORELAP#:** OR100028  
**Purchase Order:** Delta 8  
**Received:** 05/27/22 15:36





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.