

Manual Instruction for Far Infrared Sauna

Please read all instructions carefully before using the products.

KM-902BLH



PRECAUTIONS AND INSTRUCTIONS	1
INSTALLATION GUIDE	2
CONTROL PANEL INSTRUCTIONS.....	5
SPECIFICATION.....	5

Precautions and instructions

ATTENTION

Please read all instructions carefully before use.

Serious injury may result if you disregard the following warnings and instructions.

Basic precautions should always be followed when using this electrical appliance.

ATTENTION

To avoid the risk of burns, fire, electric shock or other injury:

- Connect the mains cable to a properly earthed socket.
- Use only for the intended use described in this manual
- Do not use accessories that are not recommended by the manufacturer.
- Please disconnect the power supply after use.
- Please keep the mains cable away from hot surfaces.
- If the sauna is defective, the mains cable or the plug is damaged, please stop using it immediately.

WARNINGS

- Do not stay longer than one hour.
- Do not place the sauna in a humid environment.
- Do not touch the heater directly with your hands or body for a long time.
- Do not use sharp tools on or near the heaters (serious damage may result)
- Set up the sauna on a level surface.
- Unauthorized disassembly of the sauna is prohibited
- People with health problems should consult a doctor before using the sauna. (acute illness, malignant tumour, high blood pressure, heart disease, allergic dermatitis, pregnancy, etc.).
- This product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of sufficient experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- For safety reasons. children should not use the sauna.
- Using a sauna after taking alcohol, drugs or medication can lead to heat therapy and
- increase the risk of death.
- If you feel unwell, leave the sauna immediately and consult a doctor
- Children should be supervised to ensure that they do not play with the appliance.


HYPERTHERMY

Prolonged stay in the sauna can lead to hyperthermia. Hyperthermia occurs when the core temperature of the body rises above 98.6 F. Symptoms of hyperthermia includes increase in body temperature, dizziness, lethargy, drowsiness and fainting. The effects of hyperthermia may include:

- a) Non-perception of heat / non-perception of impending heat
- b) Failure to recognize the need to leave the sauna
- c) Damage to the foetus in pregnant women
- d) Physical inability to leave the sauna
- e) Unconsciousness

Installation Guide

- Each plate is heavy, especially the top plate. When installing, be careful to avoid injury....
- At least 2 adults are required to set up this sauna
- There is a (+) button and a (-) button on the sides of each panel. The panels should be installed accordingly one (+) to one (-) as follows: The panel with the (+) button should be raised about 10 cm higher than the panel with the (-) button (Fig. 1); place the panel with the (+) button against the panel with the (-) button (Fig. 2) and then slide the panel with the (+) button down until the two panels are flat and level (Fig. 3). If they are not the same height or there is an obvious gap between the two plates, which means they are not properly fixed, you should try again.



The panels should be install in the following order:

Floor Panel → Back Panel → Left Panel → Right Panel → Bench Support Panel →
Bench Surface Panel → Front Panel → Top Pane


Installation of the Sauna Room Body

1. Place the floor panel **on a flat surface** (**Note:** Before installing wall and ceiling panels, make sure the floor is flat. If the surface is not flat, you may need shims to achieve a flat surface.) (Picture1)
2. Place **back panel** in the slot of floor panel.(Picture2)
3. Place the **left side panel** in the slot of floor panel.(Picture3)

4. Place the **right side panel** in the slot of floor panel.(Picture4)



5. Place the Bench Support panel and connect the wires behind. (Picture5) .



6. Place the bench surface plate. (Fig. 6)

7. Place the front panel in the slot of the bottom panel. (Fig. 7)

8. Make sure that all side walls are in the slots of the top cover, make sure that all wires from the side walls are not pressed into the slot. (Fig. 8)



Picture6





Picture7



Picture8


- Make sure all wires in the top plate are connected.



9. Plug in and turn on to operate the sauna cabin.

WARNING: Be aware of the risk of electric shock. Do not connect the power supply until all wires are properly connected.

Control panel instruction



Specification

Product name	Infrared Sauna Room
Model No.	KM-902BLH
Voltage	110-120VAC
Power	1760w
Raw Material	Hemlock Spruce