

# Delock HDMI UHD Splitter 1 x HDMI in > 2 x HDMI out 4K

#### Description

This splitter by Delock receives an HDMI signal from a PC or laptop and splits it to two connected displays. Thereby one HDMI connection can be used to operate two HDMI monitors.



#### Item no. 18682

EAN: 4043619186822 Country of origin: China Package: Retail Box

#### **Specification**

Connectors:

Input:

1 x HDMI-A 19 pin female

1 x DC 5 V power connector

Output:

2 x HDMI-A 19 pin female

- High Speed HDMI specification
- Supports 3D displays
- Supports HDCP 1.4 and 2.2
- Supports HDR
- Reset button
- LED indicator
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Video bandwidth up to 600 MHz / 6 Gbps per channel, max. 18 Gbps
- Power consumption: max. 2.4 W
- Metal housing
- · Colour: black
- Dimensions (LxWxH): ca. 80 x 51 x 20 mm



# Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.3 A
- Output: 5 V / 1 A
- Ground outside, plus inside
- Dimensions:

inside: ø ca. 2.1 mm outside: ø ca. 5.5 mm length: ca. 9 mm

# **System requirements**

- One free HDMI female
- HDMI cable

### **Package content**

- HDMI Splitter
- USB power cable, length: ca. 0.5 m
- External power supply
- User manual

#### **Images**











#### General

Specification: High Speed HDMI **HDCP 1.4 HDCP 2.2** 

#### **Interface**

Output: 2 x HDMI-A 19 pin female Input: 1 x HDMI-A 19 pin female 1 x 5 V DC female 5,5 mm x 2,1 mm

#### **Technical characteristics**

Maximum screen resolution: 3840 x 2160 @ 60 Hz Video bandwidth: 600 MHz / 6 Gbps

## **Physical characteristics**

Housing colour: black Housing material: metal Length: 80 mm Width: 51 mm Height: 20 mm

# **Power supply**

Type:	Euro wall power supply
Input:	AC 100 - 240 V / 50 - 60 Hz / 0.5 A
Output:	5 V / 2 A
Connector:	DC male 5.5 mm x 2.1 mm
Cable length:	1 m