



Heat shrink tube Box, with inside adhesive, shrinkage ratio 3:1, 5 m x 12.7 mm black

Description

This heat shrink tube by Delock is used to protect and to insulate cables, electrical tubes or wires. Under the effect of heat, the sleeve completely encloses the cable and shrinks. This protects the cable from the effects of the influence of weather and mechanical damage. The adhesive on the inner wall glues the shrink tube to the shrinked wire or cable.

Practical dispenser box

The handy dispenser box is ideal for transport and enables a clear and orderly storage. The heat shrink tube remains free of dirt and dust. In addition, easy unrolling and individual cutting is possible.

Multifunctional application

The heat shrink tube can be used e.g. in a workshop or in the industry.

Specification

- Length: ca. 5 m
- Diameter: ca. 12.7 mm
- Shrinkage ratio 3:1
- Shrinking temperature: 70 °C ~ 125 °C
- Material: polyolefin
- Colour: black

Package content

· Heat shrink tube box

Images



ltem no. 19985

EAN: 4043619199853 Country of origin: China Package: Box





| Technical characteristics | |
|---------------------------|-----------------------|
| Shrinking temperature: | 70 °C ~ 125 °C |
| Shrinkage ratio: | 3:1 |
| Physical characteristics | |
| | |
| Material: | polyolefin |
| Material: Diameter: | polyolefin 12,7 mm |
| | |