

Delock Riser Card M.2 Key B+M > PCI Express x16 with 30 cm USB cable

Description

The PCI Express riser card by Delock can be plugged into an M.2 key B or key M slot. Then the x16 PCI Express slot then can be mounted in a different position in the case. This allows a graphics card to be operated in an M.2. By using several riser cards, several graphics cards can be operated simultaneously on one motherboard, e.g. for mining crypto currencies such as Bitcoin, Ethereum or Zcash.

Note

The package content includes a USB 3.0 riser cable with a length of 30 cm. No USB signals are transmitted through this cable, therefore it is not possible to exchange it with a different or longer cable.



Item no. 41428

EAN: 4043619414284

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - Motherboard side:
 - 1 x 59 pin M.2 key B+M male
 - 1 x USB 3.0 Type-A female
 - Riser side:
 - 1 x PCI Express x16
 - 1 x USB 3.0 Type-A female
 - 1 x Molex 4 pin power plug
- Interface: PCIe
- Form factor: M.2 2260
- Suitable for M.2 slot with key M or B based on PCIe
- 3 x capacitors, ensures secure power supply of the graphics card
- 4 x mounting holes on the riser card
- Cable data:
 - 1 x riser cable USB 3.0 Type-A male to male ca. 30 cm (incl. connectors)
 - 1 x power cable 4 pin to SATA ca. 20 cm (incl. connectors)
- Dimensions of the riser card (LxWxH): ca. 125 x 49 x 16 mm
- OS independent, no driver installation necessary

System requirements

- One free M.2 key M or key B slot
- Power supply with a free SATA power connector

Package content

- M.2 to USB riser card
- USB to PCIe riser card
- USB 3.0 cable
- Power cable
- 4 x spacer

Images



General

Form factor:	M.2 2260
Supported operating system:	OS independent, no driver installation necessary
Slot:	PCIe

Physical characteristics

Length:	125 mm
Width:	49 mm
Height:	16 mm