



Delock 3 Port Hub and 2 Slot Card Reader for MacBook with PD 3.0 and retractable USB Type-C[™] Connection

Description

The USB hub by Delock is the mobile companion for MacBook with USB Type-CTM connection. Up to **3 USB devices** can be connected to the hub. Due to its size and the specially arranged USB-CTM connector, the hub connects perfectly to the MacBook.

Integrated Card Reader

In addition, the hub with integrated card reader expands a PC or laptop by an **SD** and a **Micro SD slot** via the USB Type- C^{TM} connection.

USB Power Delivery (USB PD 3.0) support up to 100 watt

The hub has a USB Type-C[™] Power Delivery port to connect the laptop or tablet to charge it. In addition it also supplies the USB Type-A females with power. The hub can also be used without a power supply.

Small sturdy helper

Due to its small dimensions and its **sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed. If the USB-CTM plug is inserted during transport, it cannot be polluted or damaged.



ltem no. 64078

EAN: 4043619640782

Country of origin: China

Package:
Retail Box



Specification

- · Connectors:
- 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C[™] male >
- 2 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
- 1 x SD slot
- 1 x Micro SD slot
- 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C[™] Power Delivery female
- Chipset: VIA VL817, Norelsys NS1081C
- Slide switch for USB-C[™] male
- Data transfer rate up to: SuperSpeed USB 5 Gbps, Hi-Speed 480 Mbps, Full-Speed 12 Mbps, Low-Speed 1.5 Mbps
- It can only be used one memory card, not both at the same time
- The Card Reader supports following memory cards:
- 1. Slot Secure Digital SD, SD3.0 UHS-I, SD High Capacity (SDHC), SD Ultra, SDHC Ultra, SDXC, MMC-I, MMC-II, MMC 4.0, Mini SD, Mini SDHC, MMCmobile, RS-MMC, RS-MMC 4.0 2. Slot Micro Secure Digital Micro SD, Micro SDHC, Micro SDHC Ultra, T-Flash, MMCmicro
- USB Power Delivery (PD) 3.0
- Metal housing
- Dimensions (LxWxH): ca. 113 x 35 x 10 mm
- Plug & Play

System requirements

- Mac OS 10.14.5 or above
- Laptop or tablet with a free USB Type-C[™] or Thunderbolt[™] 3 port

Package content

USB hub + card reader





• User manual

Images





General	
Supported operating system:	Mac OS 10.14.5 or above
Interface	
Connector 1:	1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male
Connector 2:	2 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
connector 3:	1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ Power Delivery female
connector 4:	1 x Micro SD slot
connector 5:	1 x SD slot
Technical characteristics	
Chipset:	VIA VL817
	Norelsys NS1081C
Data transfer rate:	5 Gbps