

# Delock 3 Port USB Hub and 4K HDMI output with USB Type-C™ connection and PD 85 Watt

## Description

The USB hub by Delock is the mobile companion for laptops, smart phones or tablets with USB Type-C™ connection. Up to **3 USB Type-A devices** can be connected to the hub. One monitor can be operated at the **HDMI output** with a maximum resolution up to **4K 30 Hz**.

### USB Power Delivery (USB PD 3.0) support up to 85 watt

The hub has a USB Type-C™ Power Delivery port to connect the laptop or tablet to charge it. The hub can also be used without a power supply.

### Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



## Specification

- Connectors:
  - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) USB Type-C™ male
  - 3 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
  - 1 x USB Type-C™ Power Delivery female
  - 1 x HDMI-A female
- Resolution up to 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports HDCP 1.4
- Data transfer rate up to:
  - SuperSpeed USB 5 Gbps,
  - Hi-Speed 480 Mbps,
  - Full-Speed 12 Mbps,
  - Low-Speed 1.5 Mbps
- Plug & Play
- 1 x LED indicator
- Colour: grey
- Cable length without connectors: ca. 15 cm
- Dimensions (LxWxH): ca. 118 x 35 x 13 mm

## System requirements

- Android 10.0 or above
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Chrome OS
- Linux Kernel 5.8 or above
- Mac OS 11.2.3 or above
- Surface Pro 7
- Windows 8.1/8.1-64/10/10-64/11
- Device with a free USB Type-C™ port and DisplayPort alternate mode or with a free Thunderbolt™ 3 port

## Package content

- USB hub
- User manual

## Item no. 64171

EAN: 4043619641710

Country of origin: China

Package: Retail Box

Images



General	
Function:	Plug & Play
Supported operating system:	Android 10.0 or above Chrome OS Linux Kernel 5.8.0 or above Surface Pro 7 Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Mac OS 11.2.3 or above Windows 11
LED indicator:	1 x
Interface	
Connector 1:	1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male
Connector 2:	3 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
connector 3:	1 x HDMI-A female
connector 4:	1 x USB Type-C™ Power Delivery female
Physical characteristics	
Length:	118 mm
Width:	35 mm
Height:	13 mm
Colour:	grey
Cable length without connectors:	15 cm