



Delock Active Optical USB-CTM Video + Data + PD Cable 8 m

Description

This USB cable by Delock enables the connection between a device with a USB Type-CTM connector and a PC or a laptop equipped with a free USB Type-CTM port.

Active Optical Cable

This active optical cable uses optical fiber to transmit highspeed signals. Compared to traditional copper cable, it is softer, thinner, lighter, and can transmit signals over longer distances without loss.

DisplayPort 1.4 with 2 lanes

The cable is suitable for connecting a USB-CTM monitor with resolution up to 4K Ultra HD (3840 x 2160 @ 144 Hz) to a computer with USB-CTM interface and DisplayPort Alternate Mode support.

USB 3.2 Gen 2 with 10 Gbps

The active optical cable enables data transfer rates of up to 10 Gbps when connecting USB 3.2 Gen 2 compatible devices. Of course, USB 2.0 devices can also be connected.

USB Power Delivery support up to 60 watt

Supporting the USB Power Delivery standard, connected devices can be powered up to 60 W (20 V / 3 A).



This cable is only compatible with DisplayPort (DP alt mode) devices and it will not work with ThunderboltTM devices.

Specification

- Connectors:
- 2 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ male
- Active optical cable: fiber / copper hybrid cable
- Supports 2 lanes DisplayPort 1.4
- Supports Display Stream Compression 1.2 (DSC)
- Supports DP Alt Mode
- · Transmission of audio and video signals
- Maximum resolution (depending on the system and the connected hardware):

DisplayPort 1.4 with DSC: up to 3840 x 2160 @ 144 Hz

DisplayPort 1.4 without DSC: up to 3840 x 2160 @ 60 Hz

DisplayPort 1.2 without DSC: up to 3840 x 2160 @ 30 Hz

- Supports HDR (High Dynamic Range)
- Supports HDCP 1.4 and 2.2
- Fixed signal direction for video (Source / Display)
- Non-directional for data
- Data transfer rate up to SuperSpeed USB 10 Gbps
- · Downwards compatible to USB 2.0
- Output current: up to 3 A
- Cable diameter: ca. 6.5 mm
- · Colour: black
- Length incl. connectors: ca. 8 m

System requirements

- PC or laptop with a free USB Type-CTM port and DisplayPort alternate mode
- Monitor with a free USB Type-C™ (DP Alt Mode) interface

Package content



Item no. 84147

EAN: 4043619841479

Country of origin: China

Package: Box





• SuperSpeed USB 10 Gbps cable





Specification: USB Type-C™ Interface Interface Connector 1: 1 x USB 3.2 Gen 2 Type-C™ male Connector 2: 1 x USB 3.2 Gen 2 Type-C™ male Technical characteristics Data transfer rate: USB 3.2 Gen 2 bis zu 10 Gb/s Operating temperature: -10 °C ~ 50 °C Maximum screen resolution: 3840 x 2160 @ 144Hz Maximum current: 3 A Physical characteristics Cable colour: black Cable diameter: 6.5 mm	General	
Connector 1: 1 x USB 3.2 Gen 2 Type-C™ male Connector 2: 1 x USB 3.2 Gen 2 Type-C™ male Technical characteristics Data transfer rate: USB 3.2 Gen 2 bis zu 10 Gb/s Operating temperature: -10 ° C ~ 50 ° C Maximum screen resolution: 3840 x 2160 @ 144Hz Maximum current: 3 A Physical characteristics Cable colour: black	Specification:	USB Type-C™
Connector 2: 1 x USB 3.2 Gen 2 Type-C™ male Technical characteristics Data transfer rate: USB 3.2 Gen 2 bis zu 10 Gb/s Operating temperature: -10 °C ~ 50 °C Maximum screen resolution: 3840 x 2160 @ 144Hz Maximum current: 3 A Physical characteristics Cable colour: black	Interface	
Technical characteristics Data transfer rate: USB 3.2 Gen 2 bis zu 10 Gb/s Operating temperature: -10 °C ~ 50 °C Maximum screen resolution: 3840 x 2160 @ 144Hz Maximum current: 3 A Physical characteristics Cable colour: black	Connector 1:	1 x USB 3.2 Gen 2 Type-C™ male
Data transfer rate: USB 3.2 Gen 2 bis zu 10 Gb/s Operating temperature: -10 °C ~ 50 °C Maximum screen resolution: 3840 x 2160 @ 144Hz Maximum current: 3 A Physical characteristics Cable colour: black	Connector 2:	1 x USB 3.2 Gen 2 Type-C™ male
Operating temperature: -10 °C ~ 50 °C Maximum screen resolution: 3840 x 2160 @ 144Hz Maximum current: 3 A Physical characteristics Cable colour: black	Technical characteristics	
Maximum screen resolution: 3840 x 2160 @ 144Hz Maximum current: 3 A Physical characteristics Cable colour: black	Data transfer rate:	USB 3.2 Gen 2 bis zu 10 Gb/s
Maximum current: 3 A Physical characteristics Cable colour: black	Operating temperature:	-10 °C ~ 50 °C
Physical characteristics Cable colour: black	Maximum screen resolution:	3840 x 2160 @ 144Hz
Cable colour: black	Maximum current:	3 A
	Physical characteristics	
Cable diameter: 6.5 mm	Cable colour:	black
	Cable diameter:	6.5 mm
Cable length incl. connector: 8 m	Cable length incl. connector:	8 m
Smallest bending radius: 60 mm	Smallest bending radius:	60 mm