



# Coaxial DisplayPort cable 8K 60 Hz 4 m

#### Description

This coaxial DisplayPort cable by Delock is used to connect devices with a DisplayPort interface, such as monitors, projectors or televisions, to a PC or laptop. By supporting a maximum bandwidth of 32.4 Gbps, content up to 8K Ultra HD (7680 x 4320 @ 60 Hz) resolution can be displayed.

#### Perfect sound

The high-quality, triple-shielded cable also significantly improves the quality of audio transmissions with a sampling rate of up to 1536 kHz.

### Versatile due to highly flexible cable material

The cable is particularly characterised by its small diameter and the highly flexible cable material, making it particularly easy to install.



#### **Specification**

- · Connectors:
- 1 x DisplayPort male >
- 1 x DisplayPort male
- DisplayPort 1.4 specification
- Downwards compatible to DisplayPort 1.3, 1.2 and 1.1
- Pin 20 not connected
- · Cable type: coaxial silver-plated
- Cable diameter: ca. 4.8 mm
- · Triple shielded cable
- · Contacts gold-plated
- · Transmission of audio and video signals
- Data transfer rate up to 32.4 Gbps
- Resolution up to:

Display with DSC support:

7680 x 4320 @ 60 Hz

5120 x 2880 @ 120 Hz

3840 x 2160 @ 240 Hz

Display without DSC support:

7680 x 4320 @ 30 Hz

5120 x 2880 @ 60 Hz

3840 x 2160 @ 120 Hz

(depending on the system and the connected hardware)

- Supports Display Stream Compression 1.2 (DSC)
- Supports HDR
- Supports HDCP 1.4 and 2.2
- Supports HBR3 (8.1 Gbps) data rate
- Up to 32 audio channels for speakers
- Up to 1536 kHz audio sampling rate
- · Supports colour sampling in 4:4:4, 4:2:2 and 4:2:0 format
- Colour: black
- Length incl. connectors: ca. 4 m

## System requirements

A free DisplayPort interface

#### Package content

DisplayPort cable

#### Item no. 85303

EAN: 4043619853038

Country of origin: China

Package: Zip poly bag





# Images







| General                    |                       |
|----------------------------|-----------------------|
| Specification:             | HDCP 1.4              |
|                            | HDCP 2.2              |
|                            | DisplayPort 1.4       |
|                            | HDR10                 |
| Interface                  |                       |
| Connector 1:               | 1 x DisplayPort male  |
| Connector 2:               | 1 x DisplayPort male  |
| Technical characteristics  |                       |
| Data transfer rate:        | 32.4 Gb/s             |
| Maximum screen resolution: | 7680 x 4320 @ 60 Hz   |
| Physical characteristics   |                       |
| Cable category:            | coaxial               |
| Cable diameter:            | 4.8 mm                |
| Pin finishing:             | gold-plated           |
| Conductors:                | coaxial silver-plated |
| Shielding:                 | triple                |
| Length:                    | 4 m                   |
| Colour:                    | black                 |