

Delock Media Converter 10GBase-R SFP+ to 10GBase-T RJ45

Description

This 10 Gigabit Ethernet Media converter by Delock can be used to connect different media. In the SFP slot, various optional SFP+ modules up to 10 Gbps can be used.

NBASE-T for higher speed

The RJ45 port is equipped with NBASE-T for higher speeds. This allows for up to 10 Gbps data transfer rate with traditional networking cables. The best possible transfer rate is set automatically.



Item no. 86861

EAN: 4043619868612

Country of origin: China

Package: White Box

Specification

- Connectors:
 - 1 x SFP slot for 10GBase-R SFP+ module
 - 1 x 10 Gigabit LAN RJ45 jack
- Data transfer rate:
 - Gigabit Ethernet up to 1 Gbps
 - NBASE-T with up to 2.5 Gbps and 5 Gbps
 - 10 Gigabit Ethernet up to 10 Gbps
- SFP module not included
- 6 LEDs for status monitoring
- Power consumption: max. 5 W
- Operating temperature: 0 °C ~ 55 °C
- Metal housing
- Fanless
- Dimensions (LxWxH): ca. 94 x 71 x 26 mm

Power supply specification

- Wall power supply
 - Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.4 A
 - Output: 12 V / 1 A
 - Ground outside, plus inside
 - Dimensions:
 - inside: \varnothing ca. 2.1 mm
 - outside: \varnothing ca. 5.5 mm
 - length: ca. 9.5 mm
-

System requirements

- 10GBase-R SFP+ module
-

Package content

- Media converter
 - Power supply
 - User manual
-

Images



Interface

Output:	1 x RJ45 jack
Input:	1 x SFP jack 1 x DC 5.5 x 2.1 mm female

Technical characteristics

Data transfer rate:	Gigabit Ethernet up to 1 Gbps Gigabit Ethernet up to 10 Gbps Gigabit Ethernet up to 2.5 Gbps Gigabit Ethernet up to 5 Gbps
Operating temperature:	0 °C ~ 55 °C

Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	94 mm
Width:	71 mm
Height:	26 mm

Power supply

Type:	Euro wall power supply
Input:	AC 100 - 240 V / 50 - 60 Hz / 0.2 A
Output:	12.0 V / 1.0 A / 12.0 W