

Delock D-Type Module USB 3.2 Gen 1 Type-A female to USB 3.2 Gen 1 Type-A female with protective cap IP67 dust and waterproof

Description

This module by Delock can be mounted e.g. in panels or cases with D-type openings for XLR jacks. This makes it ideal for integrating digital equipment into professional audio systems.

IP67 dust and waterproof

The coupler offers increased protection from dirt and moisture for the connection of the cables.



Item no. 86971

EAN: 4043619869718

Country of origin: China

Package: Zip poly bag

Specification

- Connectors:
 - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
 - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
- For D-type ports with 31 x 25 mm
- Panel cut-out (diameter): ca. 24 mm
- Data transfer rate up to 5 Gbps
- Protection class: IP67
- With protective cap
- Two mounting holes for screw fastening
- Material: plastic
- Colour: black
- Dimensions (LxWxH): ca. 32.4 x 31.0 x 26.0 mm

Package content

- D-Type module

Images



Interface

Connector 1:	1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
Connector 2:	1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female

Technical characteristics

Data transfer rate:	5 Gbps
Protection class:	IP67

Physical characteristics

Material:	plastic
Length:	32.4 mm
Width:	31.0 mm
Height:	26.0 mm
Colour:	black