



Delock USB Type-CTM Splitter (DP Alt Mode) > 1 x HDMI + 1 x DisplayPort out 4K 30 Hz

Description

This splitter by Delock is suitable for the connection of a DisplayPort monitor and an HDMI monitor to a computer with USB-CTM interface and DisplayPort alternate mode support. Two monitors can be operated simultaneously at the outputs. The DisplayPort output is dual-mode capable (DP++), so that HDMI or DVI monitors can be connected with a suitable adapter.



Note

The product is a Multi-Stream-Transport (MST) hub and supports the extended desktop configuration of Displayport 1.2. When Mac OS is used, the same image is displayed on both ports (mirrored), it is not possible to use both ports independently of each other.

Specification

· Connectors:

Input: 1 x USB Type-C™ male

Output:

- 1 x HDMI-A 19 pin female
- 1 x DisplayPort 20 pin female
- Chipset: STDP4320
- · DisplayPort 1.2 specification
- Resolution up to 2560 x 1440 @ 60 Hz / 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
- Active converter, Single / Multi Stream Transport Hub (SST / MST)
- Functions: Mirrored or Extended (Windows only)
- DisplayPort output supports Dual Mode DP++
- Transmission of audio and video signals
- USB bus powered
- · Metal housing
- · Colour: silver
- Cable length incl. connectors: ca. 10 cm
- Dimensions (LxWxH): ca. 73 x 60 x 15 mm

System requirements

- Windows 8.1/8.1-64/10/10-64, Mac ex OS 10.9
- PC or laptop with a free USB Type-CTM port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- USB-CTM Splitter (DP Alt Mode)
- User manual

Item no. 87716

EAN: 4043619877164

Country of origin: Taiwan, Republic of

China

Package: Retail Box







Images









General	
Specification:	DisplayPort 1.2
Supported operating system:	Mac OS 10.9 or above
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
Interface	
Output:	1 x DisplayPort 20 pin female
	1 x HDMI-A 19 pin female
Input:	1 x USB Type-C™ male
Technical characteristics	
Chipset:	STDP4320
Maximum screen resolution:	3840 x 2160 @ 30 Hz
Physical characteristics	
Housing colour:	silver
Housing material:	metal
Cable length incl. connector:	10 cm
Length:	73 mm
Width:	60 mm
Height:	15 mm