



# Delock Fiber Optic Distribution Box for indoor and outdoor IP65 waterproof lockable 2 port white

### Description

This lockable distribution box by Delock can be used for wall mounting and serves as a protective housing for optical cables and couplings. The distribution box can accommodate up to two SC Simplex or LC Duplex couplings.

#### With splice tray

The integrated splice tray enables clean routing of the individual fibers for optimal transmission of lightwave signals.

#### IP65 dust and waterproof

The distribution box has one cable entry and two cable outlets which are protected by a rubber seal. The seal provides increased protection against dirt and moisture for the connection of fiber optic cables indoor and outdoor.

#### Specification

- Fiber optic distribution box for FTTH applications
- 2 slots for SC Simplex or LC Duplex couplings
- Wall mounting
- Lockable
- With splice tray
- Cable entry with rubber seal
- Cable diameter: ca. 10 mm
- · Suitable for indoor and outdoor use
- Protection class: IP65
- Environmental temperature: -40 °C ~ 75 °C
- Housing colour: white
- · Housing material: ABS
- Dimensions (LxWxH): ca. 168 x 102 x 32 mm

#### Package content

- Fiber optic distribution box
- 1 x key
- Mounting material
- · 2 x heat shrink splice protection

ltem no. 87899

Package: Box

EAN: 4043619878994 Country of origin: China





## Images















Technical characteristics	
Storage temperature:	-40 °C ~ 75 °C
Protection class:	IP65
Physical characteristics	
Material:	ABS
Length:	168 mm
Width:	102 mm
Height:	32 mm
Colour:	white
Cable diameter:	10 mm