

Delock Fiber Optic Distribution Box for indoor and outdoor IP65 waterproof lockable 24 port grey

Description

This lockable distribution box by Delock can be used for wall mounting and serves as a protective housing for optical cables and couplings. The distribution box can accommodate up to 24 SC Simplex or LC Duplex couplings.

With splice cassette

The integrated splice tray enables clean routing of the individual fibers for optimal transmission of lightwave signals. In addition, the cassette is perfect for mechanical splicing and fusion splicing.

IP65 dust and waterproof

The distribution box has two cable entries and 25 cable outlets that are protected with a rubber seal. The seals provide a watertight seal to the housing for the feed-through of fiber optic cables indoor and outdoor. A gland can also be inserted on the front side of the housing to feed through another cable.



Specification

- Fiber optic distribution box for FTTH applications
- 24 slots for SC Simplex or LC Duplex couplings
- Wall mounting
- Lockable
- With splice cassette
- Cable entries and outlets
- Suitable for indoor and outdoor use
- Protection class: IP65
- Environmental temperature: -40 °C ~ 75 °C
- Housing colour: grey
- Housing material: ABS
- Dimensions (LxWxH): ca. 330 x 270 x 100 mm

Package content

- Fiber optic distribution box
- 1 x key
- Mounting material
- Plastic tube
- 24 x heat shrink splice protection


Item no. 87903

EAN: 4043619879038

Country of origin: China

Package: White Box

Images



Technical characteristics

Storage temperature: -40 °C ~ 75 °C

Protection class: IP65

Physical characteristics

Material: ABS

Length: 330 mm

Width: 270 mm

Height: 100 mm

Colour: grey

Cable diameter: 12 mm