

10111 E. 21<sup>st</sup> St. Suite 305 Wichita, KS 67206 316-777-6393

## <u>Pre-Microlaser Peel (MLP)/Profractional/Deep Resurfacing</u>

- AVOID sun exposure for 4 weeks before and 2 weeks after treatment.
- AVOID dermal Fillers and Botox 2 weeks before and 2 weeks after treatment
- Stop all skin resurfacing products 3 days before treatment unless otherwise instructed by your provider (Retin-A, retinol, differin, tazorac, glycolic acid, hydroquinone, harsh scrubs or exfoliating products, bleaching products)
- Inform provider if have a history of cold sores, we can prescribe an anti-viral prior to treatment
- Avoid anti-inflammatory and blood thinning medications 1 week prior if possible. Anti-inflammatory medications include Motrin, Ibuprofen and Aleve. Blood thinning medications prescribed by a physician should NOT be stopped unless you discuss with your physician. Over the counter medications include Aspirin, Fish oil, Ginko, St. John's wart, Garlic, Vitamin E and Omega's
- Inform provider if you have an auto-immune disease, connective tissue disease, history
  of PIH (Post inflammatory Hyperpigmentation) or if you have any metal plates, rods, or
  screws near the areas to be treated
- You are not a candidate if you are pregnant, breastfeeding, or have active acne, rash, or infection within areas to be treated
- You are not a candidate if you have used Accutane within the past year
- Discussed "planned" downtime with provider
- Provider may want to pre-treat your skin

## **Day of Treatment:**

Arrive with a clean face, please do not wear make-up, lotion, or SPF Wear comfortable clothes for body treatments