


**Ford Transit Connect 01/2014-
Ford Tourneo Connect 01/2014-**

Partnr.: FR-066-D1U





- Fitting instructions electric wiring kit tow bar with 13-P socket up to DIN/ISO Norm 11446.
- We would expressly point out that assembly not carried out properly by a competent installer will result in cancellation of any right to damage compensation, in particular those arising by virtue of the product liability act.
- Contents of these kits and their fitting manuals are subject to alteration without notice, please ensure that these instructions are read and fully understood before commencing installation.
- Do not overload circuits; the maximum loads per connection are detailed in this manual.
- Attention! Before Installation, please read this manual carefully and inform your customer to consult the vehicle owners manual to check for any vehicle modifications required before towing.
- In the event of functional problems, troubleshooting must be limited to about 0.5 hours, contact the technical support:
t.skinner@ecs-electronics.com / 07440 202 052.

TECHNICAL SUPPORT







**CALL
07440
202
052**

ECS ELECTRONICS
 MONDAY TO FRIDAY
 08.00 - 11.00 am
 12.00 - 05.00 pm
 t.skinner@ecs-electronics.com
 www.ecs-electronicsuk.co.uk













Part list




TOOLS






ROUTING







1



2




3




A


Option 1



Option 2



Option 3





INFO

SOCKET CONNECTION

Pag. 12

B


Option 1




C

Option 2


1




2



3




4




D

Option 3


1




2



3




4




4


1





2







3








4





5



6




INFO






5pole Green

or




4pole Black




5pole Green

or






4pole Black




7A


OPTION 1



1




2




3

4pole Black



or

5pole Green



4



L2 Brown → Grey/Orange


L2 Green → Purple/Orange



OPTION 2

L3





X




5pole Green

or



4pole Black









CAN H



CAN L











INFO







8A

OPTION 1



OPTION 2




1



2



3



Brown/White




U2

Orange




4




UU2

5





6



9



10



C2




11

! TEST ALL THE CIRCUITS WITH A TEST DEVICE WITH THE CORRECT POWER LOAD FOR EACH FUNCTION. A TEST DEVICE WITH LED'S CANNOT BE USED FOR THIS PURPOSE.

INFO

REINSTALL TRIM.

12



INFO

SOCKET CONNECTION

DIN/ISO 11446													
	1/L	2	3/31	4/R	5/58-R	6/54	7/58-L	8	9	10	11	12	13
Pmax	21W	21W		21W	42W	3x21W	42W	21W	180W/15Amp	180W/15Amp			
Colour	Yellow	Blue	White	Green	Brown	Red 1,00 mm ²	Black	Black/ Red	Brown/ White	Red 2,50 mm ²	White	-	White