


## RENAULT

**Clio IV** 11/2012 >> 08/2019  
**Clio IV Grandtour** 04/2013 >>  
**Captur** 05/2013 >> 11/2019

**Part No: RN-144-13MU**

# Electric wiring kit for towbars / 13-pin / 12 Volt / ISO 11446 Fitting instructions



## IMPORTANT!

This electric kit has to be installed by a professional workshop or a suitable qualified person. The installation instructions must have been read and fully understood before the start of any installation. Please contact your wiring kit provider or the hotline shown in the footer should you need assistance!

Make sure the vehicle is approved/homologated by the manufacturer to tow a trailer!

Also please check that there is a definite compatibility between this vehicle and the electric kit!

Following the installation of the electric kit, the fitting instructions should be kept together with the vehicle service document and vehicle handbook. The fitting instructions contain important information relating to the use and function of the towing kit as well as for any diagnostic or activation process, that might have to be repeated in the future (e.g. after the performance of a vehicle software update).

All warranty claims will be forfeited if the electric kit or components contained therein are used incorrectly or modified. If a towing socket adaptor has been used to connect to the trailer or bike rack, this must be removed from the trailer socket once the trailer or bike rack has been disconnected.

If the trailer or bike rack is not equipped with a rear fog lamp, depending on the towing vehicle type, the correct function of the towing kit cannot be guaranteed. In such cases, a rear fog lamp should be retro fitted.

This towing electric kit will not be covered under warranty if any technical or electrical modifications or software updates have been performed by the vehicle manufacturer after the initial commissioning of the kit. That applies especially to modifications or updates which may cause malfunctions in the trailer socket or any other part of the trailer electrical equipment!

Depending on the type of trailer module used in this electric kit, diagnostic interrogation with the vehicle's electrical system may be limited or will not function. The error memory inside the trailer module may not be able to be accessed by vehicle manufacturers diagnostic system.

Error logs relating to the trailer electrical equipment, that may be generated in the vehicle manufacturers diagnostic system as a result of a test procedure, may be due to the incorrect installation of the towing electric kit or the false activation of the trailer module.



















**We always recommend whenever possible, the following troubleshooting process:**

- An analysis of the vehicle's error memory and possibly clearing of all faults before the start of the installation!
- Try disconnecting the trailer module from the towing harness and re-start the fault clearing process!
- If in doubt, limit the time for troubleshooting to a max of 0,5 hours and call our Technical Support Team!

Please follow our instructions carefully and always test the towing electrics using a true lighting board or a specifically designed bulb tester. If an LED tester is used, ensure it is equipped with correct load resistors or malfunctions will occur!

This instruction is subject to changes and we reserve the right to make changes to design, colour etc.

All of the data and illustrations may not be an exact representation but the text contained in this instruction must be observed!





## SYMBOL EXPLANATION


|                |   |
|----------------|---|
|                | Left (58-L) respectively<br>Right (58-R) tail light             |
| 54             | Stop light (54) /<br>high mounted, third stop light (54)        |
|                | Turn signal indicator left                                      |
|                | Turn signal indicator right                                     |
|                | Rear fog light(s)   |
|                | Reversing light(s)  |
|                | Permanent power supply /<br>13pin socket, chamber 9             |
|                | Charging wire for trailer battery /<br>13pin socket, chamber 10 |
|                | Trailer / trailer recognition                                   |
| <b>B+ / 30</b> | Permanent current power supply                                  |
|                | Ground or Earth (31)  |
|                | Ground connection battery terminal lug                          |
|                | Positive connection battery terminal lug                        |

|  |   |
|--|---|
|  | Cigarette lighter /<br>accessory socket |
|  | Loudspeaker / buzzer                    |
|  | Park Distance Control                   |
|  | Switch / source of function             |
|  | Connect together                        |
|  | Disconnect                              |
|  | Look at / See further information       |
|  | Look carefully at selected area         |
|  | Present / Occupied / OK                 |
|  | Not present / Not occupied / Not OK     |
|  | Acoustic indication                     |
|  | Attention / important advice            |
|  | Fuse / fuse capacity 20 Ampere          |

## TOOLS



**ATTENTION!** The vehicle's cooling capacity may have to be increased when retrofitting a trailer coupling!  
You must observe the manufacturer's instructions!!




**ATTENTION!** In order to avoid mal-functions and damage to the vehicle's electrical system the earth terminal **must be disconnected** from the vehicle's battery **before starting work!**


Both the trailer module and the vehicle's control unit for the electrical system can be damaged during work on the data bus connections if the battery is not disconnected!

**1** Please pay attention to the manufacturer's instructions when disconnecting and reconnecting the vehicle's battery!


# Clio IV



# Captur




# Clio IV Grandtour




4





# Clio IV Grandtour



# Clio IV





# Clio IV Grandtour



- 1  $\varnothing 25\text{mm}$
- 2
- 3


7

# Captur




- 1  $\varnothing 25\text{mm}$
- 2
- 3

8



9




10

### SOCKET CONNECTION


| DIN/ISO 11446 | ← L    | ⊕    | ⊖ →        | ⊕ 1-8 | R →   | ☀      | STOP  | ☀      | Reverse | 30+    | 15+  | ⊕ 10        | —  | ⊕ 9       |
|---------------|--------|------|------------|-------|-------|--------|-------|--------|---------|--------|------|-------------|----|-----------|
|               | 1/L    | 2    | 2a         | 3/31  | 4/R   | 5/58-R | 6/54  | 7/58-L | 8       | 9      | 10   | 11          | 12 | 13        |
| Pmax          | 21W    | 21W  |            |       | 21W   | 42W    | 3x21W | 42W    | 21W     | 240W   | 180W |             |    |           |
| Colour        | Yellow | Blue | Blue/Black | White | Green | Brown  | Red   | Black  | Pink    | Orange | Grey | White/Black | -  | White/Red |

11




12

1




2




13


3






4






5









### Clio IV Grandtour/ Clio IV







17

### Captur






18

### Clio IV Grandtour/ Clio IV




19

### Captur




20





21

### Clio IV Grandtour/ Clio IV




22

### Captur




23


Clio IV Grandtour/ Clio IV




Clio IV Grandtour/ Clio IV




Clio IV Grandtour/ Clio IV





Clio IV Grandtour/ Clio IV



(Some models) chamber 2  
or  
(Some models) chamber 50




1





27

Clio IV Grandtour/ Clio IV






Chamber 24



28





## Captur




29


## Captur




Chamber 25




1





30







Chamber 24




31




CAN-Data Wire



Option 1




Option 2




32

Option 1






33

Option 1



**!** Important!  
Please note informations  
in picture 1!


**NOTE!**  
CAN-Data wire colours may vary  
from those shown below.



34




Captur

Option 1




**!** Important!  
Please note informations  
in picture 1!

**NOTE!**  
CAN-Data wire colours may vary  
from those shown below.



35


**Option 2**



36

**Clio IV Grandtour/ Clio IV**


**Option 2**



37



**Captur**

**Option 2**



38


**Option 2**



**!** Important!  
Please note informations  
in picture 1!


**Black  
40-pin**

**NOTE!**  
CAN-Data wire colours may vary  
from those shown below.



Beige or Orange  
Pin 24

Brown or Violet  
Pin 23



**3**

Yellow

Black

L3


**CAN-Data Wire**

- Brown or Violet
- Beige or Orange

39

**Clio IV Grandtour/ Clio IV**

**Option A**



20 Amp.  
minifuse






~~20 Amp.  
minifuse~~

40



Clio IV Grandtour/ Clio IV



**Option B**



41

Captur




**Option A**



42


Captur

**Option B**




43

**Optional**




**Extension kit  
UV-005-ZZU**



**Consult your supplier.**



44



45



**Option 1  
Factory fitted PDC-System !**

➔ 47 + 49



**Option 2  
Factory fitted PDC-System !**

➔ 48 + 49



**Option 3  
Vehicles without any  
PDC-System !**

➔ 49






**Option 4  
Vehicles with After Market  
PDC-System !**

➔ 50



46

**Option 1**



47


**Option 2**



48


**Option 3**

**Vehicles without any PDC-System !**  
**Vehicles with factory fitted PDC-System !**



49



**Option 4**



Socket with fog cut off and micro switch




**Consult your supplier.**







50

2







3





51



52

Optional



Consult your supplier.




Trailer Simulator for 7- and 13-pin Sockets


53

Optional


Adapter socket





13-pin




7-pin



54



55



56