



Certificate of Analysis

Sample:KN40227003-002
Harvest/Lot ID: TFRE20-0983
Batch#: TFRE20-0983
Sample Size Received: 22 gram
Retail Product Size: 4.2 gram
Ordered : 02/21/24
Sampled : 02/21/24
Completed: 03/01/24

PASSED

Page 1 of 5

Mar 01, 2024 | Snoozy

PO Box 499
Glen Head, NY, 11545, US




PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED




Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.

Potency **PASSED**



Analyzed by: 2657 Weight: 0.2036g Extraction date: 02/27/24 12:20:37 Extracted by: 2657

Analysis Method : SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100, THCA: ± 0.124, TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distribution.

Analytical Batch : KN004571POT Reviewed On : 02/28/24 13:13:53
Instrument Used : E-SHI-008 Batch Date : 02/26/24 08:20:58
Running on : N/A

Dilution : N/A
Reagent : 121823.01; 100422.02; 010824.04; 021524.R03; 022624.R02; 020624.01; 042723.01; 111723.04
Consumables : 302110210; 22/04/01; 3254282; 251760; 201123-058; 260148; 230415059D; 1008702218; 947.100; GD220016; 0000257576; 6121219; n/a; IV250.100
Pipette : E-EPP-081; E-VWR-119; E-VWR-120; E-VWR-121

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

03/01/24

Signed On



Certificate of Analysis

PASSED

Snoozy

Sample : KN40227003-002
Harvest/Lot ID: TFRE20-0983
Batch# : TFRE20-0983
Sampled : 02/21/24
Ordered : 02/21/24

Sample Size Received : 22 gram
Completed : 03/01/24 Expires: 03/01/25

PO Box 499
Glen Head, NY, 11545, US
Telephone: (516) 402-7530
Email: admin@getsnoozy.com

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.3	PASS	ND	PIPERONYL BUTOXIDE	0.006	ppm	3	PASS	ND
ACEPHATE	0.008	ppm	3	PASS	ND	PRALLETHRIN	0.008	ppm	0.4	PASS	ND
ACEQUINOCYL	0.038	ppm	2	PASS	ND	PROPICONAZOLE	0.007	ppm	1	PASS	ND
ACETAMIPRID	0.009	ppm	3	PASS	ND	PROPOXUR	0.008	ppm	0.1	PASS	ND
ALDICARB	0.009	ppm	0.1	PASS	ND	PYRETHRINS	0.002	ppm	1	PASS	ND
AZOXYSTROBIN	0.013	ppm	3	PASS	ND	PYRIDABEN	0.007	ppm	3	PASS	ND
BIFENAZATE	0.028	ppm	3	PASS	ND	SPINETORAM	0.004	ppm	3	PASS	ND
BIFENTHRIN	0.047	ppm	0.5	PASS	ND	SPIROMESIFEN	0.009	ppm	3	PASS	ND
BOSCALID	0.007	ppm	3	PASS	ND	SPIROTETRAMAT	0.009	ppm	3	PASS	ND
CARBARYL	0.015	ppm	0.5	PASS	ND	SPIROXAMINE	0.006	ppm	0.1	PASS	ND
CARBOFURAN	0.008	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.009	ppm	1	PASS	ND
CHLORANTRANILIPROLE	0.012	ppm	1	PASS	ND	THIACLOPRID	0.008	ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.008	ppm	3	PASS	ND	THIAMETHOXAM	0.009	ppm	1	PASS	ND
CHLORPYRIFOS	0.014	ppm	0.1	PASS	ND	TOTAL SPINOSAD	0.009	ppm	3	PASS	ND
CLOFENTEZINE	0.006	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.009	ppm	3	PASS	ND
COUMAPHOS	0.009	ppm	0.1	PASS	ND						
CYPERMETHRIN	0.01	ppm	1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DAMINOZIDE	0.006	ppm	0.1	PASS	ND	2803	1.0137g	02/28/24 11:23:01	2803		
DIAZANON	0.006	ppm	0.2	PASS	ND	Analysis Method :	SOP.T.30.101.TN, SOP.T.40.101.TN				
DICHLORVOS	0.014	ppm	0.1	PASS	ND	Analytical Batch :	KN004584PES	Reviewed On :	02/28/24 12:00:30		
DIMETHOATE	0.009	ppm	0.1	PASS	ND	Instrument Used :	E-SHI-125	Batch Date :	02/28/24 11:17:12		
DIMETHOMORPH	0.009	ppm	3	PASS	ND	Running on :	N/A				
ETHOPROPHOS	0.007	ppm	0.1	PASS	ND	Dilution :	N/A				
ETOFENPROX	0.009	ppm	0.1	PASS	ND	Reagent :	013024.R03; 021324.R01; 013024.R02; 013024.R01; 011224.R15; 021624.R20; 021624.R21; 102323.R25				
ETOXAZOLE	0.007	ppm	1.5	PASS	ND	Consumables :	301011028; 264830; 22/04/01; 3254282; B9291.100; 01422036; 251760; 260148; 230713634D; 1008702218; 947.100; GD220016; 0000257576; 1350331; H110738-34; 230315				
FENHEXAMID	0.005	ppm	3	PASS	ND	Pipette :	E-EPP-080; E-EPP-081; E-EPP-082; E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119				
FENOXYCARB	0.007	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry.					
FENPYROXIMATE	0.006	ppm	2	PASS	ND	*Based on FL action limits.					
FIPRONIL	0.008	ppm	0.1	PASS	ND						
FLONICAMID	0.014	ppm	2	PASS	ND						
FLUDIOXONIL	0.011	ppm	3	PASS	ND						
HEXYTHIAZOX	0.009	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.005	ppm	3	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.009	ppm	2	PASS	ND						
METALAXYL	0.008	ppm	3	PASS	ND						
METHIOCARB	0.008	ppm	0.1	PASS	ND						
METHOMYL	0.009	ppm	0.1	PASS	ND						
MEVINPHOS	0.001	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.006	ppm	3	PASS	ND						
NALED	0.023	ppm	0.5	PASS	ND						
OXAMYL	0.009	ppm	0.5	PASS	ND						
PACLOBUTRAZOL	0.007	ppm	0.1	PASS	ND						
PERMETHRINS	0.008	ppm	1	PASS	ND						
PHOSMET	0.009	ppm	0.2	PASS	ND						

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

03/01/24

Signed On



Certificate of Analysis

PASSED

Snoozy

PO Box 499
Glen Head, NY, 11545, US
Telephone: (516) 402-7530
Email: admin@getsnoozy.com

Sample : KN40227003-002
Harvest/Lot ID: TFRE20-0983
Batch# : TFRE20-0983
Sampled : 02/21/24
Ordered : 02/21/24

Sample Size Received : 22 gram
Completed : 03/01/24 Expires: 03/01/25

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	100	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	100	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
ETHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm	5000	PASS	<380
ETHYL ETHER	10	ppm	500	PASS	ND
1,1-DICHLOROETHENE	0.6	ppm	8	PASS	ND
ACETONE	40	ppm	750	PASS	ND
2-PROPANOL	25	ppm	500	PASS	ND
ACETONITRILE	20	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	10	ppm	250	PASS	ND
ETHYL ACETATE	11	ppm	400	PASS	<40
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	5	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZENE	15	ppm	150	PASS	ND

Analyzed by: 3050	Weight: 0.0218g	Extraction date: 02/27/24 13:21:36	Extracted by: 3050
----------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.041.TN	Reviewed On : 02/28/24 17:32:50
Analytical Batch : KN004580SOL	Batch Date : 02/27/24 11:20:07
Instrument Used : E-SHI-106	
Running on : N/A	

Dilution : N/A
Reagent : N/A
Consumables : R2017.099; G201.100
Pipette : N/A

Residual solvents analysis is performed using Gas Chromatography / Mass Spectrometry. *Based on FL action limits.



Certificate of Analysis

PASSED

Snoozy

PO Box 499
Glen Head, NY, 11545, US
Telephone: (516) 402-7530
Email: admin@getsnoozy.com

Sample : KN40227003-002
Harvest/Lot ID: TFRE20-0983
Batch# : TFRE20-0983
Sampled : 02/21/24
Ordered : 02/21/24

Sample Size Received : 22 gram
Completed : 03/01/24 Expires: 03/01/25

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU	ND	PASS	100000

Analyzed by: 2837 Weight: 1.0249g Extraction date: 02/27/24 09:30:52 Extracted by: 2837
Analysis Method : SOP.T.40.056C, SOP.T.40.041 LOD is 1 CFU
Analytical Batch : KN004574MIC Reviewed On : 02/28/24 10:27:21
Instrument Used : E-HEW-069 Batch Date : 02/26/24 13:38:08
Running on : N/A

Dilution : N/A
Reagent : 010924.02; 111523.04; 042723.04
Consumables : 264830; GD220016; 1350331; 22/04/01; 20221223; 10RWL0415W15; 264041; 251760; 242429; 230612634D; P7528255; 41218-146C4-146C; 93825; n/a; 247040; 280670432
Pipette : E-THE-045; E-THE-046; E-THE-047; E-THE-048; E-THE-049; E-THE-050; E-THE-051; E-THE-052; E-THE-053; E-THE-054

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. With an LOD of 1cfu, if a pathogenic E Coli, Salmonella, A fumigatus, A flavus, A niger, or A terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	ND	PASS	3
LEAD-PB	0.02	ppm	<0.04	PASS	0.5

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques. *Based on FL action limits.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN G2	0.0016	ppm	ND	PASS	0.02
AFLATOXIN G1	0.0012	ppm	ND	PASS	0.02
AFLATOXIN B2	0.0012	ppm	ND	PASS	0.02
AFLATOXIN B1	0.0012	ppm	ND	PASS	0.02
OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02

Analyzed by: 2803 Weight: 1.0137g Extraction date: 02/28/24 11:23:01 Extracted by: 2803
Analysis Method : SOP.T.30.101.TN, SOP.T.40.101.TN
Analytical Batch : KN004585MYC Reviewed On : 02/28/24 12:08:57
Instrument Used : E-SHI-125 Batch Date : 02/28/24 11:23:57
Running on : N/A

Dilution : N/A
Reagent : 013024.R03; 021324.R01; 013024.R02; 013024.R01; 011224.R15; 021624.R20; 021624.R21; 102323.R25
Consumables : 301011028; 264830; 22/04/01; 3254282; B9291.100; 01422036; 251760; 260148; 230713634D; 1008702218; 947.100; GD220016; 0000257576; 1350331; H110738-34; 230315
Pipette : E-EPP-080; E-EPP-081; E-EPP-082; E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119

Aflatoxins B1, B2, G1, G2, and Ochratoxins Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry. *Based on FL action limits.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	ND	PASS	3
LEAD-PB	0.02	ppm	<0.04	PASS	0.5

Analyzed by: 2837, 3050 Weight: 0.2575g Extraction date: 02/28/24 16:07:10 Extracted by: 2837
Analysis Method : SOP.T.30.082, SOP.T.40.082.TN
Analytical Batch : KN004573HEA Reviewed On : 02/28/24 16:58:02
Instrument Used : E-AGI-084 Batch Date : 02/26/24 13:31:50
Running on : N/A

Dilution : N/A
Reagent : 121823.01; 100422.02; 021424.R01; 020824.R01; 110323.06; 020624.R04; 010424.R01; 011224.R16; 011724.R04; 011724.R05; 011724.R06; 031623.R02; 010224.R05; 011824.R06
Consumables : 264830; 1008702218; GD220016; 1350331; 6121219; n/a; 221200; A260422A; A30701833
Pipette : E-EPP-081; E-EPP-082

Heavy Metals analysis is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to single digit ppb concentrations. LOQ is 0.04 ppm for all metals. *Based on FL action limits.



Certificate of Analysis

PASSED

Snoozy

PO Box 499
Glen Head, NY, 11545, US
Telephone: (516) 402-7530
Email: admin@getsnoozy.com

Sample : KN40227003-002
Harvest/Lot ID: TFRE20-0983
Batch# : TFRE20-0983
Sampled : 02/21/24
Ordered : 02/21/24

Sample Size Received : 22 gram
Completed : 03/01/24 Expires: 03/01/25

Page 5 of 5

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	1	%	ND	PASS	5

Analyzed by: 2837	Weight: 0.5074g	Extraction date: 02/27/24 09:43:23	Extracted by: 2837
-----------------------------	---------------------------	--	------------------------------

Analysis Method : SOP.T.40.090	Reviewed On : 02/27/24 09:44:02
Analytical Batch : KN004575FIL	Batch Date : 02/26/24 13:41:57
Instrument Used : E-AMS-138	
Running on : N/A	

Dilution : N/A
Reagent : N/A
Consumables : 6850215; GD220016; 1350331
Pipette : N/A

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. A SW-2T13 Stereo Microscope is use for inspection.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

03/01/24

Signed On