

DegC	DegF	Resistance
-50	-58.0	667828.0
-40	-40.0	335671.0
-30	-22.0	176683.0
-20	-4.0	97006.9
-19	-2.2	91553.3
-18	-0.4	86439.2
-17	1.4	81641.4
-16	3.2	77138.6
-15	5.0	72911.1
-14	6.8	68940.4
-13	8.6	65209.7
-12	10.4	61702.9
-11	12.2	58405.5
-10	14.0	55303.9
-9	15.8	52385.2
-8	17.6	49637.8
-7	19.4	47050.6
-6	21.2	44613.4
-5	23.0	42316.7
-4	24.8	40151.6
-3	26.6	38110.0
-2	28.4	36184.0
-1	30.2	34366.6
0	32.0	32650.9
1	33.8	31030.8
2	35.6	29500.5
3	37.4	28054.4
4	39.2	26687.5
5	41.0	25395.0
6	42.8	24172.5
7	44.6	23015.9
8	46.4	21921.2
9	48.2	20884.7
10	50.0	19903.2
11	51.8	18973.3
12	53.6	18092.2
13	55.4	17256.9
14	57.2	16464.9
15	59.0	15713.7
16	60.8	15000.9
17	62.6	14324.5
18	64.4	13682.3
19	66.2	13072.6
20	68.0	12493.3
21	69.8	11943.0
22	71.6	11419.9
23	73.4	10922.7
24	75.2	10449.8
25	77.0	10000.0

26	78.8	9572.0
27	80.6	9164.7
28	82.4	8777.0
29	84.2	8407.7
30	86.0	8056.1
31	87.8	7721.0
32	89.6	7401.7
33	91.4	7097.3
34	93.2	6807.1
35	95.0	6530.3
36	96.8	6266.2
37	98.6	6014.3
38	100.4	5773.8
39	102.2	5544.2
40	104.0	5325.0
41	105.8	5115.6
42	107.6	4915.6
43	109.4	4724.4
44	111.2	4541.7
45	113.0	4367.0
46	114.8	4200.0
47	116.6	4040.2
48	118.4	3887.4
49	120.2	3741.1
50	122.0	3601.1
51	123.8	3467.0
52	125.6	3338.7
53	127.4	3215.8
54	129.2	3098.0
55	131.0	2985.2
56	132.8	2877.0
57	134.6	2773.3
58	136.4	2673.9
59	138.2	2578.6
60	140.0	2487.1
61	141.8	2399.4
62	143.6	2315.2
63	145.4	2234.4
64	147.2	2156.8
65	149.0	2082.3
66	150.8	2010.8
67	152.6	1942.1
68	154.4	1876.0
69	156.2	1812.6
70	158.0	1751.6
71	159.8	1693.0
72	161.6	1636.6
73	163.4	1582.4
74	165.2	1530.2
75	167.0	1480.1
76	168.8	1431.8

77	170.6	1385.3
78	172.4	1340.6
79	174.2	1297.5
80	176.0	1256.1
81	177.8	1216.1
82	179.6	1177.7
83	181.4	1140.6
84	183.2	1104.9
85	185.0	1070.5
90	194.0	916.0
100	212.0	679.0
110	230.0	510.0
120	248.0	389.0
130	266.0	300.0
140	284.0	234.0
150	302.0	185.0