# anony

Toronto, Ontario M6H 4A1 +1 416 994 9617 sales@anony.ca



Photo: HWR-MBK-01

#### **Highwire. Pendant**

Highwire is a gravitational balancing act, created by tension between two points and a weighted centre.

By weighting the cables with the luminaires, the cables lightly trace shapes in three-dimensional space, allowing the fixture to frame to any setting. These shapes are further accentuated by the light emanating from both sides of each disk, which illuminates the surrounding area and also the fixture itself. Up to five luminaires can be added to a single power drop.

### Item Code

HWR		01			
Model	Finish	Pendant	Temperature	т.	Canopy

Model		Pendant Dimension	Canopy Dimension	Dimming	Input Voltage
HWR	Highwire	Ø8in X D1.38in	Ø4.5in X H0.25in	ELV	120V 50/60Hz
	G	Ø200mm X D35mm	Ø115mm X H6mm		
Finish				Driver	Output Voltage
MBK	Matte Black	Material	Weight	Integral in J-Box	24V
BAL	Brushed Aluminum	Aluminum	4.5lbs		
		Polycarbonate	2.0kg	Lamping	Certification
Canopy	Finish	Plexiglas <b>s</b>		90CRI	CE Compliant
SBK	Sandtex Black		Temperature	12W	Damp Rated
BNI	Brushed Nickel	Mounting	2200K	600lm	c us
		J-Box, Deep	2700K		Intertek
Type		min. H2.125in	3000K	Lamp Life	
01	Pendant		3500K	50K hours	

# anony

186 St Helens Ave Toronto, Ontario M6H 4A1 +1 416 994 9617 sales@anony.ca



Photo: HWR-MBK-03

#### Highwire. Chandelier

Highwire is a gravitational balancing act, created by tension between two points and a weighted centre.

By weighting the cables with the luminaires, the cables lightly trace shapes in three-dimensional space, allowing the fixture to frame to any setting. These shapes are further accentuated by the light emanating from both sides of each disk, which illuminates the surrounding area and also the fixture itself. Up to five luminaires can be added to a single power drop.

HWR		03			
Model	Finish	Chandelier	Temperature	т.	Canopy

Model		Pendant Dimension	Canopy Dimension	Dimming	Input Voltage
HWR	Highwire	Ø8in X D1.38in	Ø4.5in X H0.25in	ELV	120V 50/60Hz
		Ø200mm X D35mm	Ø115mm X H6mm		
Finish				Driver	Output Voltage
MBK	Matte Black	Material	Weight	Integral in J-Box	24V
BAL	Brushed Aluminum	Aluminum	13.5lbs	-	
		Polycarbonate	6.12kg	Lamping	Certification
Canopy F	inish	Plexiglass	_	90CRI	CE Compliant
SBK	Sandtex Black		Temperature	36W	Damp Rated
BNI	Brushed Nickel	Mounting	2200K	1800lm	
		J-Box, Deep	2700K		. <b>.</b>
Type		min. H2.125in	3000K	Lamp Life	Intertek
03	Trio Chandelier		3500K	50K hours	

# anony

Toronto, Ontario M6H 4A1 +1 416 994 9617 sales@anony.ca




Photo: HWR-MBK-05

#### Highwire. Chandelier

Highwire is a gravitational balancing act, created by tension between two points and a weighted centre.

By weighting the cables with the luminaires, the cables lightly trace shapes in three-dimensional space, allowing the fixture to frame to any setting. These shapes are further accentuated by the light emanating from both sides of each disk, which illuminates the surrounding area and also the fixture itself. Up to five luminaires can be added to a single power drop.

ltem (	Code
--------	------

HWR		05			
Model	Finish	Chandelier	Temperature	т.	Canopy

Model		Pendant Dimension	Canopy Dimension	Dimming	Input Voltage
HWR	Highwire	Ø8in X D1.38in	Ø4.5in X H0.25in	ELV, Triac, 0-10V	120V 50/60Hz
		Ø200mm X D35mm	Ø115mm X H6mm		
Finish				Driver	Output Voltage
MBK	Matte Black	Material	Weight	Remote	24V
BAL	Brushed Aluminum	Aluminum	22.5lbs		
		Polycarbonate	10.2kg	Lamping	Certification
Canopy F	inish	Plexiglass		90CRI	CE Compliant
SBK	Sandtex Black		Temperature	36W	Damp Rated
BNI	Brushed Nickel	Mounting	2200K	3000lm	
		J-Box	2700K		<b>a</b>
Type			3000K	Lamp Life	e o o o o o o o o o o o o o o o o o o o
05	Quintet Chandelier		3500K	50K hours	