

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 416 994 9617
sales@anony.ca




Photo: OHM-PBR-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		03	
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 7lbs 3.2kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 5.4W 660lm	Certification CE Compliant Damp Rated 
Chandelier 03	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 416 994 9617
sales@anony.ca




Photo: OHM-PCU-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		03	
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 7lbs 3.2kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 5.4W 660lm	Certification CE Compliant Damp Rated 
Chandelier 03	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-PCR-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM			03
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 7lbs 3.2kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 5.4W 660lm	Certification CE Compliant Damp Rated 
Chandelier 03	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-SWH-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM			03
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 7lbs 3.2kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 5.4W 660lm	Certification CE Compliant Damp Rated 
Chandelier 03	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-SBK-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		03	
Model	Finish	Chandelier	Temperature

Model OHM Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	Material Aluminum Steel Glass	Weight 7lbs 3.2kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 5.4W 660lm	Certification CE Compliant Damp Rated 
Chandelier 03 Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-BBZ-03

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		03	
Model	Finish	Chandelier	Temperature

Model OHM Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø8in X H1.25in Ø200mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	Material Aluminum Steel Glass	Weight 7lbs 3.2kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 5.4W 660lm	Certification CE Compliant Damp Rated 
Chandelier 03 Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 416 994 9617
sales@anony.ca




Photo: OHM-PBR-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 10lbs 4.5kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 9W 1100lm	Certification CE Compliant Damp Rated 
Chandelier 05	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-PCU-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature

Model OHM Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	Material Aluminum Steel Glass	Weight 10lbs 4.5kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 9W 1100lm	Certification CE Compliant Damp Rated 
Chandelier 05 Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-PCR-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature

Model OHM Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	Material Aluminum Steel Glass	Weight 10lbs 4.5kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 9W 1100lm	Certification CE Compliant Damp Rated 
Chandelier 05 Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-SWH-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 10lbs 4.5kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 9W 1100lm	Certification CE Compliant Damp Rated 
Chandelier 05	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 416 994 9617
sales@anony.ca




Photo: OHM-SBK-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature

Model OHM Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black Canopy Finish MWH Matte White Chandelier 05 Chandelier	Pendant Dimension Ø5in Ø130mm Material Aluminum Steel Glass Mounting J-Box	Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm Weight 10lbs 4.5kg Temperature 2200K 2700K 3000K 3500K	Dimming A. ELV B. 0-10V Extra Driver Integral in Canopy Lamping 90CRI 9W 1100lm Lamp Life 15K hours	Input Voltage 120V 50/60Hz Output Voltage 12V Certification CE Compliant Damp Rated  Standard cable length 10' additional extra
---	---	---	---	---

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-SBK-05

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		05	
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø10in X H1.25in Ø250mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 10lbs 4.5kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 9W 1100lm	Certification CE Compliant Damp Rated 
Chandelier 05	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 416 994 9617
sales@anony.ca




Photo: OHM-PBR-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07	
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 15lbs 6.8kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 12.6W 1540lm	Certification CE Compliant Damp Rated 
Chandelier 07	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 416 994 9617
sales@anony.ca




Photo: OHM-PCU-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07	
Model	Finish	Chandelier	Temperature

Model OHM Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black Canopy Finish MWH Matte White Chandelier 07 Chandelier	Pendant Dimension Ø5in Ø130mm Material Aluminum Steel Glass Mounting J-Box	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm Weight 15lbs 6.8kg Temperature 2200K 2700K 3000K 3500K	Dimming A. ELV B. 0-10V Extra Driver Integral in Canopy Lamping 90CRI 12.6W 1540lm Lamp Life 15K hours	Input Voltage 120V 50/60Hz Output Voltage 12V Certification CE Compliant Damp Rated  Standard cable length 10' additional extra
---	---	---	--	--

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 416 994 9617
sales@anony.ca




Photo: OHM-PCR-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07	
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 15lbs 6.8kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 12.6W 1540lm	Certification CE Compliant Damp Rated 
Chandelier 07	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 416 994 9617
sales@anony.ca




Photo: OHM-SWH-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07	
Model	Finish	Chandelier	Temperature

Model OHM Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	Material Aluminum Steel Glass	Weight 15lbs 6.8kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 12.6W 1540lm	Certification CE Compliant Damp Rated 
Chandelier 07 Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-SBK-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07
Model	Finish	Chandelier Temperature

Model OHM Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	Material Aluminum Steel Glass	Weight 15lbs 6.8kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 12.6W 1540lm	Certification CE Compliant Damp Rated 
Chandelier 07 Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 416 994 9617
sales@anony.ca




Photo: OHM-BBZ-07

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		07
Model	Finish	Chandelier Temperature

Model OHM Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø12in X H1.25in Ø300mm X H32mm	Dimming A. ELV B. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	Material Aluminum Steel Glass	Weight 15lbs 6.8kg	Driver Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 12.6W 1540lm	Certification CE Compliant Damp Rated 
Chandelier 07 Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-PBR-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM	13		
Model	Finish	Chandelier	Temperature

Model OHM Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 23.4W 2860lm	Certification CE Compliant Damp Rated 
Chandelier 13 Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-PCU-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 23.4W 2860lm	Certification CE Compliant Damp Rated 
Chandelier 13	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-PCR-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 23.4W 2860lm	Certification CE Compliant Damp Rated 
Chandelier 13	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-SWH-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature

Model OHM Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 23.4W 2860lm	Certification CE Compliant Damp Rated 
Chandelier 13 Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-SBK-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature

Model OHM	Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH	Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 23.4W 2860lm	Certification CE Compliant Damp Rated 
Chandelier 13	Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-BBZ-13

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM		13	
Model	Finish	Chandelier	Temperature

Model OHM Ohm	Pendant Dimension Ø5in Ø130mm	Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm	Dimming A. MLV B. ELV C. 0-10V Extra	Input Voltage 120V 50/60Hz
Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	Material Aluminum Steel Glass	Weight 35lbs 15.8kg	Driver A. Remote B. Integral in Canopy C. Integral in Canopy	Output Voltage 12V
Canopy Finish MWH Matte White	Mounting J-Box	Temperature 2200K 2700K 3000K 3500K	Lamping 90CRI 23.4W 2860lm	Certification CE Compliant Damp Rated 
Chandelier 13 Chandelier			Lamp Life 15K hours	Standard cable length 10' additional extra

anony

186 St Helens Ave
Toronto, Ontario
M6H 4A1
+1 416 994 9617
sales@anony.ca




Photo: OHM-PBR-19

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM			
Model	Finish	Chandelier	Temperature

<p>Model OHM</p> <p>Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black</p> <p>Canopy Finish MWH Matte White</p> <p>Chandelier 13 Chandelier</p>	<p>Pendant Dimension Ø5in Ø130mm</p> <p>Material Aluminum Steel Glass</p> <p>Mounting J-Box</p>	<p>Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm</p> <p>Weight 35lbs 15.8kg</p> <p>Temperature 2200K 2700K 3000K 3500K</p>	<p>Dimming A. MLV B. ELV C. 0-10V Extra</p> <p>Driver A. Remote B. Integral in Canopy C. Integral in Canopy</p> <p>Lamping 90CRI 23.4W 2860lm</p> <p>Lamp Life 15K hours</p>	<p>Input Voltage 120V 50/60Hz</p> <p>Output Voltage 12V</p> <p>Certification CE Compliant Damp Rated</p> <p></p> <p>Standard cable length 10' additional extra</p>
---	--	---	--	--

anony

186 St Helens Ave
 Toronto, Ontario
 M6H 4A1
 +1 416 994 9617
 sales@anony.ca




Photo: OHM-BBZ-19

Ohm. Chandelier

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

Item Code

OHM			
Model	Finish	Chandelier	Temperature

<p>Model OHM</p> <p>Finish PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black</p> <p>Canopy Finish MWH Matte White</p> <p>Chandelier 13 Chandelier</p>	<p>Pendant Dimension Ø5in Ø130mm</p> <p>Material Aluminum Steel Glass</p> <p>Mounting J-Box</p>	<p>Canopy Dimension Ø22in X H1.25in Ø555mm X H32mm</p> <p>Weight 35lbs 15.8kg</p> <p>Temperature 2200K 2700K 3000K 3500K</p>	<p>Dimming A. MLV B. ELV C. 0-10V Extra</p> <p>Driver A. Remote B. Integral in Canopy C. Integral in Canopy</p> <p>Lamping 90CRI 23.4W 2860lm</p> <p>Lamp Life 15K hours</p>	<p>Input Voltage 120V 50/60Hz</p> <p>Output Voltage 12V</p> <p>Certification CE Compliant Damp Rated</p>  <p>Standard cable length 10' additional extra</p>
---	--	---	--	---