

# anony

186 St Helens Ave  
Toronto, Ontario  
M6H 4A1  
+1 416 994 9617  
sales@anony.ca



Photo: OHM-PBR-01

## Ohm. Pendant

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

### Item Code

OHM		01	
Model	Finish	Pendant	Temperature

<b>Model</b> OHM	Ohm	<b>Pendant Dimension</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø4.5in X H0.25in Ø115mm X H6mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	<b>Material</b> Aluminum Steel Glass	<b>Weight</b> 1.5lbs 0.68kg	<b>Driver</b> Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 01	Pendant	<b>Mounting</b> J-Box, Deep min. H2.125in	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 1.8W 220lm	<b>Output Voltage</b> 12V
					<b>Certification</b> CE Compliant Damp Rated

Standard cable length 10'  
additional extra



# anony

186 St Helens Ave  
Toronto, Ontario  
M6H 4A1  
+1 416 994 9617  
sales@anony.ca



Photo: OHM-PCU-01

## Ohm. Pendant

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

### Item Code

OHM		01	
Model	Finish	Pendant	Temperature

<b>Model</b> OHM	Ohm	<b>Pendant Dimension</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø4.5in X H0.25in Ø115mm X H6mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	<b>Material</b> Aluminum Steel Glass	<b>Weight</b> 1.5lbs 0.68kg	<b>Driver</b> Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 01	Pendant	<b>Mounting</b> J-Box, Deep min. H2.125in	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 1.8W 220lm	<b>Output Voltage</b> 12V
					<b>Certification</b> CE Compliant Damp Rated

Standard cable length 10'  
additional extra



# anony

186 St Helens Ave  
Toronto, Ontario  
M6H 4A1  
+1 416 994 9617  
sales@anony.ca




Photo: OHM-PCR-01

## Ohm. Pendant

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

### Item Code

OHM		01	
Model	Finish	Pendant	Temperature

<b>Model</b> OHM	Ohm	<b>Pendant Dimension</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø4.5in X H0.25in Ø115mm X H6mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	<b>Material</b> Aluminum Steel Glass	<b>Weight</b> 1.5lbs 0.68kg	<b>Driver</b> Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 01	Pendant	<b>Mounting</b> J-Box, Deep min. H2.125in	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 1.8W 220lm	<b>Output Voltage</b> 12V
					<b>Certification</b> CE Compliant Damp Rated 

Standard cable length 10'  
additional extra

# anony

186 St Helens Ave  
Toronto, Ontario  
M6H 4A1  
+1 416 994 9617  
sales@anony.ca




Photo: OHM-SWH-01

## Ohm. Pendant

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

### Item Code

OHM		01	
Model	Finish	Pendant	Temperature

<b>Model</b> OHM	Ohm	<b>Pendant Dimension</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø4.5in X H0.25in Ø115mm X H6mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	<b>Material</b> Aluminum Steel Glass	<b>Weight</b> 1.5lbs 0.68kg	<b>Driver</b> Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 01	Pendant	<b>Mounting</b> J-Box, Deep min. H2.125in	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 1.8W 220lm	<b>Output Voltage</b> 12V
					<b>Certification</b> CE Compliant Damp Rated 

Standard cable length 10'  
additional extra

# anony

186 St Helens Ave  
Toronto, Ontario  
M6H 4A1  
+1 416 994 9617  
sales@anony.ca




Photo: OHM-SBK-01

## Ohm. Pendant

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

### Item Code

OHM		01	
Model	Finish	Pendant	Temperature

<b>Model</b> OHM	Ohm	<b>Pendant Dimension</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø4.5in X H0.25in Ø115mm X H6mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR PCU PCR BBZ SWH SBK	Polished Brass Polished Copper Polished Chrome Brushed Bronze Sandtex White Sandtex Black	<b>Material</b> Aluminum Steel Glass	<b>Weight</b> 1.5lbs 0.68kg	<b>Driver</b> Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 01	Pendant	<b>Mounting</b> J-Box, Deep min. H2.125in	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 1.8W 220lm	<b>Output Voltage</b> 12V
Standard cable length 10' additional extra					<b>Certification</b> CE Compliant Damp Rated 

# anony

186 St Helens Ave  
 Toronto, Ontario  
 M6H 4A1  
 +1 416 994 9617  
 sales@anony.ca




Photo: OHM-BBZ-01

## Ohm. Pendant

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

### Item Code

OHM		01	
Model	Finish	Pendant	Temperature

<b>Model</b> OHM Ohm	<b>Pendant Dimension</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø4.5in X H0.25in Ø115mm X H6mm	<b>Dimming</b> A. ELV B. 0-10V Extra	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR Polished Brass PCU Polished Copper PCR Polished Chrome BBZ Brushed Bronze SWH Sandtex White SBK Sandtex Black	<b>Material</b> Aluminum Steel Glass	<b>Weight</b> 1.5lbs 0.68kg	<b>Driver</b> Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 01 Pendant	<b>Mounting</b> J-Box, Deep min. H2.125in	<b>Temperature</b> 2200K 2700K 3000K 3500K	<b>Lamping</b> 90CRI 1.8W 220lm	<b>Output Voltage</b> 12V
				<b>Certification</b> CE Compliant Damp Rated 

Standard cable length 10'  
 additional extra