



MEON
DELIVERING GREAT SURFACES

**COMPREHENSIVE ROAD
REINSTATEMENT**

BECAUSE ROADS MATTER™



THIS IS MAGMA


The comprehensive MAGMA range of reinstatement products was born out of a genuine vision for great road surfaces. Infrastructure is the canvas of any country and has a significant impact on safety, productivity, efficiency and the general wellbeing of society.

MAGMA proposes that whilst intervention and maintenance are inevitable, high quality and instantly available solutions are to hand. *Our mission is to eliminate the burden of defects on contractors.* Furthermore, that there is an ongoing programme of training, innovation, live testing and certification that guarantees a great surface.



CONTENTS:

SOLUTION FINDER	3	OVERBANDING & CRACK REPAIR	35
MARKER PAINTS	5	• ThermaBand R171	37
• TempoTP	7	• ThermaBand R172	38
• ProMarker	8	• UltraCrack L270	39
BEDDING MORTARS & CONCRETE	9	• UltraCrack L275	40
• HardMaster W660	11	PREFORMED LINES	41
• HardMaster W690	12	• MagmaLine R110	42
• HardMaster W620	13	SPECIALIST SURFACING REPAIR	43
• HardMaster W621	14	• UltraNuvo	45
• HardMaster W610	15	• ScratchCote L280	46
• HardMaster W615	16	• SkidGrip X348	47
• HardMaster W611	17	• SkidGrip L246	48
• HardMaster W616	18	• SkidGrip R140	49
• HardMaster W675	19	• PatchBound	51
• HardMaster W612	20	• Pre-Coated Chippings	53
ASPHALT SURFACING REPAIR	21	TOOLS & ANCILLARIES	55
• PatchMaster H570	23	• Hand Moulds	57
• PatchMaster H575	24	• ColloMix	58
• PatchMaster H576	25	• Hornet	59
• PatchMaster H572	26	• Gas Torches	60
• PermaFyx L271	27	• TarBusta H990	61
• PermaFyx L272	28	• TarBusta W995	62
SURFACE & EDGE SEALANTS	29	TRAINING	63
• K140 Emulsion	31	TRAINING ACADEMY	65
• BituSeal	32	VIRTUAL EXPO	67
• EdgeFast W550	33	OUR BRANDS	69



11. SURFACE REPAIR

5. FOOTPATH REPAIR

4. TRENCH REPAIR

9. LINE REPAIR

10. CRACK REPAIR

3. ASPHALT REPAIR

8. POST REPAIR

1. MANHOLE REPAIR

6. CONCRETE REPAIR

12. AEROSOL MARKINGS

50 ←

5. FOOTPATH REPAIR

2. POTHOLE REPAIR



9. LINE REPAIR

7. KERB REPAIR


8. POST REPAIR

1. MANHOLE REPAIR		5. FOOTPATH REPAIR	
HardMaster W660 - 60 MINUTE BEDDING MORTAR	11	PatchMaster H575 - FOOTWAY ASPHALT REPAIR	24
HardMaster W690 - 90 MINUTE BEDDING MORTAR	12	PermaFyx L272 - THIN LAY MMA SURFACE REPAIR	28
HardMaster W620 - HA104 MORTAR	13	BituSeal - AEROSOL EDGE SEALER	32
HardMaster W621 - HA104 FLOWABLE MORTAR	14	ThermaBand R171 - PREMIUM GRADE OVERBANDING	37
HardMaster W610 - TROWELABLE BACKFILL CONCRETE	15	ThermaBand R172 - HAPAS THERMOPLASTIC OVERBANDING	38
HardMaster W615 - FLOWABLE BACKFILL CONCRETE	16	6. CONCRETE REPAIR	
PermaFyx L271 - MMA SURFACE REPAIR	27	HardMaster W610 - TROWELABLE BACKFILL CONCRETE	15
UltraCrack L275 - MMA FLEXIBLE JOINT & CRACK REPAIR KIT	40	HardMaster W615 - FLOWABLE BACKFILL CONCRETE	16
ThermaBand R171 - PREMIUM GRADE OVERBANDING	37	HardMaster W616 - HIGH PERFORMANCE FLOWABLE MORTAR	18
ThermaBand R172 - HAPAS THERMOPLASTIC OVERBANDING	38	7. KERB REPAIR	
2. POTHOLE REPAIR		HardMaster W675 - SMOOTH REPAIR MORTAR	19
PatchMaster H570 - HAPAS ASPHALT REPAIR	23	8. POST REPAIR	
PatchMaster H576 - PERMANENT ASPHALT REPAIR	25	HardMaster W611 - HIGH IMPACT QUICK SET POST CONCRETE	17
PatchMaster H572 - TEMPORARY ASPHALT REPAIR	26	HardMaster W612 - RAPID SET POST FIX CONCRETE	20
BituSeal - AEROSOL EDGE SEALER	32	9. LINE REPAIR	
EdgeFast W550 - STANDARD GRADE COLD JOINT PAINT	33	MagmaLine R110 - PREMIUM THERMOPLASTIC ROLLS	42
ThermaBand R171 - PREMIUM GRADE OVERBANDING	37	Hornet - PREMIUM GAS TORCH	59
ThermaBand R172 - HAPAS THERMOPLASTIC OVERBANDING	38	Gas Torches - SINGLE HEAD AND TWIN HEAD	60
3. ASPHALT REPAIR		10. CRACK REPAIR	
PatchMaster H570 - HAPAS ASPHALT REPAIR	23	UltraCrack L270 - MMA OVERBANDING & CRACK REPAIR KIT	39
PatchMaster H576 - PERMANENT ASPHALT REPAIR	25	UltraCrack L275 - MMA FLEXIBLE JOINT & CRACK REPAIR KIT	40
PatchMaster H572 - TEMPORARY ASPHALT REPAIR	26	11. SURFACE REPAIR	
PermaFyx L271 - MMA SURFACE REPAIR	27	SkidGrip X348 - PU ANTI-SKID REINSTATEMENT KIT	47
PermaFyx L272 - THIN LAY MMA SURFACE REPAIR	28	SkidGrip L246 - MMA ANTI-SKID REINSTATEMENT KIT	48
BituSeal - AEROSOL EDGE SEALER	32	SkidGrip R140 - THERMOPLASTIC ANTI-SKID REINSTATEMENT	49
EdgeFast W550 - STANDARD GRADE COLD JOINT PAINT	33	12. AEROSOL MARKERS	
ThermaBand R171 - PREMIUM GRADE OVERBANDING	37	TempoTP - SHORT-TERM HI-VIS AEROSOL MARKER	7
ThermaBand R172 - HAPAS THERMOPLASTIC OVERBANDING	38	ProMarker - AEROSOL SPOT MARKER	8
4. TRENCH REPAIR			
PermaFyx L271 - MMA SURFACE REPAIR	27		
PermaFyx L272 - THIN LAY MMA SURFACE REPAIR	28		

MARKER PAINTS

High quality aerosol spot markers that are perfect for temporary or long-term markings.

Tempo TP bright colours ensure maximum visibility during its life span, whilst its composition allows for slow breakdown by UV light. Promarker is a premium quality non-fluorescent aerosol site marker for universal marking.



TEMPO^{TP} - SHORT-TERM HI-VIS AEROSOL MARKER

A high-quality fluorescent site marker, ideal for short term spot marking purposes. Bright colours ensure maximum visibility during its life span, whilst its composition allows for slow breakdown by UV light. Typical uses include utilities tracing and marking, landscaping, surveying, groundworks. TempoTP is fitted with a safety cap with clog-free nozzle. 500ml (12 in each box). Life span of 2 months.




BENEFITS:

- Precise operation from safety cap
- High visibility fluorescent markings
- Environmentally friendly toluene and xylene-free formulation
- Temporary surface marking where natural fading out is required

PROMARKER - AEROSOL SPOT MARKER

Promarker is a premium quality non-fluorescent aerosol site marker for universal marking. Available in a variety of colours, Promarker is ideal for all spot marking and marking-out purposes and has a safety cap with clog-free nozzle, which makes it ideal for use by surveyors and office-based staff. Extremely clean to use, no excess over-spray and almost impossible to accidentally activate. 500ml (12 in each box), 750ml (6 in each box). Life span of 12 months.




BENEFITS:

- **Environmentally friendly formulation**
- **Wide range of colours, ideal for utility markings**
- **Environmentally friendly toluene and xylene-free formulation**
- **Both sizes have safety cap which protects the user and prevents accidental discharge**

BEDDING MORTARS & CONCRETE

Product	Local urban road	Strategic network opt 1	Strategic network opt 2
1. PatchMaster H570	✓	✓	✓
2. PatchMaster H576	✓	✓	✓
3. HardMaster W610	✓	✓	✓
4. HardMaster W615	✓	✓	✓
5. HardMaster W660	✓		
6. HardMaster W690	✓		
7. HardMaster W620		✓	
8. HardMaster W621			✓





HARDMASTER W660 - HIGH STRENGTH BEDDING MORTAR

HardMaster W660 is a high-performance rapid set and rapid strength bedding mortar which can be opened to traffic in 60 minutes after being mixed and placed. It is perfect for any application that requires high early strength and a quick return to service time. Typical applications include the bedding of inspection chamber frames/covers, gully grates, stanchion posts, kerb stones, setts and other street furniture installations.



BENEFITS:

- Smooth trowelable consistency
- Excellent bond strength
- Shrinkage compensated
- High final strength in 60 minutes

HARDMASTER W690 - HIGH STRENGTH BEDDING MORTAR

HardMaster W690 is a general-purpose rapid set and rapid strength bedding mortar, which can be opened to traffic in 90 minutes after being mixed and placed. It's rapid set and early strength reduces construction and road closure times, making it ideal for both planned and emergency repairs. Typical applications include the bedding of inspection chamber frames/covers, gully grates, stanchion posts, kerb stones, setts and other street furniture installations.



BENEFITS:

- Smooth trowelable consistency
- Excellent bond strength
- Shrinkage compensated
- High final strength in 90 minutes

HARDMASTER W620 - HA104 MORTAR

HardMaster W620 is a high-strength bedding mortar, which has exceptional performance in wet conditions. It has a guaranteed cure, as it is a two-component product and achieves strengths of 40N/mm² in 3 hours. It is designed for bedding of inspection chamber frames/covers, stanchion posts, kerb stones, setts and other street furniture installations. It is compatible for use with concrete, brick and stone substrates.



BENEFITS:

- **Controlled quick setting**
- **Fibre reinforced**
- **High final strength**
- **Exceptional performance in wet conditions**

HARDMASTER W621 - HA104 FLOWABLE MORTAR

HardMaster W621 HA104 flowable mortar is a two-component high performance mortar. It contains the benefits of resin-based materials with the ease of use of cementitious materials. It is designed for the rapid installation and reinstatement of highway furniture and provides exceptional performance in wet weather conditions. It is compatible for use with concrete, brick and stone substrates.



BENEFITS:

- **Controlled quick setting**
- **High final strength**
- **Easy to use**
- **Self-levelling**



HARDMASTER W610 - TROWELABLE BACKFILL CONCRETE

HardMaster W610 is a high-performance rapid set and rapid strength trowelable backfill concrete designed to complement the HardMaster range of bedding mortars. HardMaster W610 can be opened to traffic in 90 minutes after being mixed and placed. Its rapid set and early strength reduce construction and road closure times, making it ideal for both planned and emergency repairs.



BENEFITS:

- **Early strength gain, ready to receive traffic after 90 minutes**
- **Smooth trowelable consistency**
- **Excellent bond strength**
- **Shrinkage compensated**

HARDMASTER W615 - FLOWABLE BACKFILL CONCRETE

HardMaster W615 is a high-performance rapid set and rapid strength flowable backfill concrete which is designed to complement the HardMaster range of bedding mortars, it can be opened to traffic in 90 minutes after being mixed and placed. It is perfect for any application that requires high early strength gain and a quick return to service time.



BENEFITS:

- **Flowable and self-compacting**
- **High final strength**
- **Excellent bond strength**
- **Shrinkage compensated**



HARDMASTER W611 - HIGH STRENGTH RAPID SET CONCRETE

HardMaster W611 is a high-performance quick setting concrete for multiple applications including surface reinstatement, backfill, post setting and barrier erections, reaching 40N/mm² final strength. Its rapid setting and early strength reduce construction and road/footway closure times, making it ideal for both planned and emergency repairs.



BENEFITS:

- **Fast Setting**
- **40N final strength**
- **Shrinkage compensated**
- **Easy to use, pre-blended, one component product - just add water and mix**

HARDMASTER W616 - HIGH PERFORMANCE FLOWABLE CONCRETE

HardMaster W616 is used where site access is limited, and bulk concrete cannot be delivered. Typical applications include the backfill of carriageway ironworks, posts and barrier erections. HardMaster W616 complies with Department of Transport HD 27/04 Design Manual for Roads and Bridges Vol 7 Sec 2 Clause 3.11. It takes 8 hours to set and is easy to apply.



BENEFITS:

- **Flowable**
- **High final strength**
- **Working time of 60 minutes**
- **Easy to use, pre-blended, one component product - just add water and mix**



HARDMASTER W675 - SMOOTH REPAIR MORTAR

HardMaster W675 is a high-performance, fast-setting, multipurpose concrete repair material and non-shrink grout that is ideal where rapid strength, durability and low shrinkage are desired. It can be used indoors and outdoors, as well in wet areas. Its applied using similar methods to cement based materials. Use HardMaster W675 for general and structural concrete repair, doweling and anchoring, industrial grouting, formed work and vertical and horizontal trowel applications.



BENEFITS:

- **High-strength - 3 times stronger than most concrete**
- **Fast - sets in 15 minutes, structural strength in 1 hour**
- **Durable - formulated for long life in critical applications**
- **High resistance against many chemicals**



HARDMASTER W612 - RAPID SET POST FIX CONCRETE

HardMaster W612 is specially designed and formulated to produce a high-quality concrete for securing any type of post. HardMaster W612 is the ideal solution for all post erecting applications. It is specifically designed for securing all types of fence posts, gates, signposts, bollards, and light columns.



BENEFITS:

- **Fast setting**
- **Easy to mix - just add water**
- **Economic and convenient**
- **Easy to handle 20kg bags**

ASPHALT SURFACING REPAIR

PermaFyx and PatchMaster are cold-lay repair materials that have been specially formulated to enable first time surface restoration. They are both ideal for many reinstatements such as, utility cuts, roads, footpaths as well as filling patch works such as potholes.

Both sets of products are ideal where a rapid response is required for reactive maintenance works, or to enable re-opening of reinstatements to traffic without having to wait for hot-works operations. PermaFyx and PatchMaster can be used throughout the year even in damp or wet conditions for short-term reactive work.



PATCHMASTER H570 - HAPAS ASPHALT REPAIR

PatchMaster H570 enables permanent fast highway repairs. Designed specifically for small-scale repairs, the modern binder technology enables quick, effective repair of carriageways all year round. Faster completion times improve productivity and avoid disruption to road users.



BENEFITS:

- BBA HAPAS approved
- Easy work 6mm formulation
- For depths of 15-100mm
- Instantly trafficable



PATCHMASTER H575 - FOOTWAY ASPHALT REPAIR

PatchMaster H575 is designed specifically for small-scale reinstatements. The modern binder technology enables for quick and effective reinstatement of footways all year round. This material includes smaller aggregate particles compared to a standard repair material, which means there is a much stronger bond when compacted providing a long-lasting and durable reinstatement.



BENEFITS:

- For depths of 15-100mm
- Instantly trafficable 6mm and fines formulation
- Resealable bucket
- For planned and reactive reinstatement

PATCHMASTER H576 - ALL WEATHER ASPHALT REPAIR

PatchMaster H576 is a high-performance cold patch asphalt mixture. Used for permanent and quick fix utility reinstatements, repairing potholes/damaged surfaces on roadways, car parks, pathways and other asphalt surfaces. It has been proven to outlast the surrounding substrate and can be used all year round in all-weather applications. PatchMaster H576 is supplied using 6mm blend of aggregates, ready-to-use and requires no primer for quick fix applications.



BENEFITS:

- Minimal preparation required
- Remains flexible throughout lifespan
- No primer required for quick fix applications
- Permanent repairs in wet or dry conditions - all weather application



PATCHMASTER H572 - TEMPORARY ASPHALT REPAIR

PatchMaster H572 is a cold-lay repair material, specially formulated to enable first time surface restoration. The product is ideal where a rapid response is required for reactive maintenance works, or to enable re-opening of re-instatements to traffic without having to wait for hot-works operations. It is suitable for year-round use and is efficient in damp conditions for short-term reactive works.



BENEFITS:

- Remains workable all year round for easy laying
- Available in 6mm & 10mm
- Increases in strength over time
- Excellent for temporary surfacing works around raised ironworks and kerbs

PERMAFYX L271 - MMA SURFACE REPAIR

PermaFyx L271 is an MMA based product for repairing potholes, scarred pavements, and other defected asphalt surfaces. The methyl methacrylate formulation of the product gives it very good adhesion to the the substrate, allows for flexibility within the product, and cures fast for quick return to service. PermaFyx L271 has exceptional durability, holds up in heavy traffic with no settling and does not lose surface texture, maintaining the slip resistance over its lifetime. PermaFyx L271 has a very versatile application, and is available with 2.5mm, 6mm or 10mm aggregate - more designed for use in roads or deeper repairs.



BENEFITS:

- **Maintains slip resistance improving road safety**
- **Cold applied - no large equipment or hot works**
- **Available with 2.5mm, 6mm or 10mm aggregate and resistant to compaction**
- **Permanent/Exceptional durability - extends life of the surface and costs**

PERMAFYX L272 - THIN LAY MMA SURFACE REPAIR

PermaFyx L272 is an MMA based product for preventative repairs on asphalt and concrete surfaces such as crazing, scarring and inlays where there has been line removal. It can also be used for crack and joint filling. The Methyl Methacrylate formulation of the product gives it very good adhesion to the the substrate, allows for flexibility within the product, and cures fast for quick return to service. PermaFyx L272 has exceptional durability and flexibiliity, as well as excellent resistance to weathering and de-icing salt. You can adjust colour to match the adjacent tarmac surface. More designed for use on footpaths and thin lay applications.



BENEFITS:

- **Flexible - will not crack as the road moves over time**
- **Resistant to weathering and de-icing salt**
- **No hot works or large machinery - reduces environmental impact**
- **Versatile product - use for repairing crazing, scarring and joint filling**

SURFACE & EDGE SEALANTS

Sealants for adhesive bonding to edges and surfaces, when laid it gives an adhesive bond between an existing surface and any bituminous overlay.

K140 is a rapid setting cationic Bitumen Emulsion for large applications. BituSeal is a premium performance aerosol and EdgeFast is a liquid emulsion designed to improve bond performance of new materials ideal for reinstatement and small patching works



K140 EMULSION - CATIONIC BITUMEN EMULSION

K140 is a rapid setting cationic Bitumen Emulsion complying with BS EN: 13808:2013. K140 is cold applied and when laid it gives an adhesive bond between an existing surface and any bituminous overlay. Quick setting K140 will speed up the operation and give exceptional adherence even in damp conditions. K140 can be supplied in 25kg plastic containers for pouring or in 200kg drums for spraying operations.



BENEFITS:

- **Fast setting time**
- **Excellent bonding strength**
- **Ease of application**



BITUSEAL - AEROSOL EDGE SEALER

BituSeal is a premium performance aerosol edge sealant; the formulation includes a high concentration of flexible bitumens for ultimate long-lasting results. The product has been engineered to bond vertical connections between tarmac, concrete and ironworks. The primary area of use is for bonding utilities reinstatement cuts. Comes in 750ml can



BENEFITS:

- Fast curing
- Spray application for ease of use
- Specially formulated
- 12 cans in every box



EDGEFAST W550 - STANDARD GRADE COLD JOINT PAINT

EdgeFast is a general purpose cold applied emulsion designed to improve bond performance of new material with existing bituminous substrates. EdgeFast W550 is a standard brushing grade formulation. The cationic formulation provides a fast break, and hence earlier weather resistance than anionic products.



BENEFITS:

- **Cationic formulation provides a fast break**
- **Complies with current highway specifications**
- **Provides faster dry times than anionic products**
- **High viscosity for superior performance on vertical applications**





OVERBANDING & CRACK REPAIR

Overbanding or crack repair is the process of sealing cracks or joints in a tarmacadam surface. It is very important to seal any cracks or joints in any asphalt surface as these can be potential weak points that allow the ingress of water into the surface.

ThermaBand is an overbanding product made from thermoplastic, which is used to seal joints in asphalt surfaces, preventing water ingress and associated frost damage.

UltraCrack is a methyl-methacrylate (MMA) cold plastic product designed for crack infill and high durability overbanding.



THERMABAND R171 - PREMIUM GRADE OVERBANDING TAPE

ThermaBand R171 is an overbanding product made from thermoplastic, which is used to seal joints in asphalt surfaces, preventing water ingress and associated frost damage. It has an advanced formulation, which retains flexibility even in cooler conditions and has an anti-skid treatment impregnated into the surface. It is easily laid, durable, and exceeds Highway standards, without the need for boilers and associated hot-work risks. 9 rolls in each box supplied.



BENEFITS:

- Prevents frost damage due to water ingress through joints
- Advanced plus formula retains flexibility in cooler conditions
- No specialist boilers or complicated equipment required
- Incorporates anti-skid technology - exceeds 65 SRV



THERMABAND R172 - HAPAS THERMOPLASTIC OVERBANDING

ThermaBand R172 is a premium grade HAPAS approved thermoplastic overbanding tape, used to seal joints in asphalt surfaces, preventing water ingress and associated frost damage. The formulation in ThermaBand overcomes major drawbacks with other brands and enables work to continue through colder months. 9 rolls in each box supplied.



BENEFITS:

- Prevents frost damage due to water ingress through joints
- Retains flexibility in cooler conditions
- No specialist boilers or complicated equipment required
- Incorporates anti-skid technology



ULTRACRACK L270 - MMA OVERBANDING & CRACK REPAIR KIT

UltraCrack L270 is a methyl-methacrylate (MMA) cold plastic product designed for crack infill & overbanding. It is a cold-lay system requiring no hot works or specialised equipment and is very simply to apply. This is perfect for all cracks that move in a variety of angles on the road.



BENEFITS:

- Skid resistant
- Strong and durable - resistant to wear
- Fast curing - allows traffic within minute
- Cost effective - reduces defect costs and obviates specialist call out charges

ULTRACRACK L275 - MMA FLEXIBLE JOINT & CRACK REPAIR KIT

Magma UltraCrack L275 is a methyl-methacrylate (MMA) cold plastic product designed for crack infill & flexible joint repair. High levels of adhesion and bonding to most substrates, as well as remaining flexible once cured. This is perfect for all expansion joint repairs in concrete and sets fast leaving a professional clean look.



BENEFITS:

- **Fast curing within in minutes**
- **Strong and durable - resistant to wear**
- **Flexible - will move with the substrate**
- **Impact resistant**



PREFORMED LINES

Preformed line markings are used primarily because of their durability and cost-effective service life. Since the plastics are melted into the surface, they are not easily damaged by vehicles. The surface will need to be pre-heated to allow for sufficient bond.

MagmaLine is a road marking product made from preformed thermoplastic, which is used to lay and reinstate permanent lines onto asphalt surfaces.

MAGMALINE R110 - PREMIUM THERMOPLASTIC ROLLS

MagmaLine R110 is a preformed thermoplastic material, which has high visibility during the day or night and has excellent skid resistance. Used for utility reinstatement, for new road markings, pavements, rail platforms, car parks and step edgings. Comes in 50mm, 75mm, 100mm, 150mm & 200mm.



White



Yellow



Primrose



Deep Cream



Red



Black




- **Instant reflectivity**
- **Consistent quality through all 6 colours**
- **Low application costs**
- **No backing, rolled on wide core**

SPECIALIST SURFACING REPAIR

Surface repair can span across a number of fulfilments, such as skid resistance, primers, rejuvenators, and chippings.

UltraNuvo is a clear primer designed for priming asphalt surfaces before application of MMA and PU-based anti-skid and slip-resistant coatings. PatchBound is an encapsulated natural aggregate resin repair kit, which has a very smart and professional finish. SkidGrip is a repair system for anti-skid surfaces, which are perfect for any anti-skid reinstatement. Pre-coated chippings are intended for use in hot rolled asphalt surfaces, increasing the skid resistance and durability of the road surface. Tarmac rejuvenator is an emulsion for asphalt surfaces.



ULTRANUVO - MMA ASPHALT PRIMER KIT

UltraNuvo is a clear primer designed for priming asphalt surfaces before application of MMA and PU-based anti-skid and slip-resistant coatings. It has a very short cure time, reaching full strength by the end of the cure time. This enables it to be used as a primer for new laid surfaces as any bitumen “bleed” is caught within the primer and prevented from migrating to the finishing treatment.



BENEFITS:

- Solvent-free for a more environmentally friendly solution
- Clear product, to avoid affecting colour of final surface treatment
- Supplied in kit form with application tools
- Very fast cure, immediate application of final surface treatment



SCRATCHCOTE L280 - MMA VOID FILLER AND PRIMER

ScratchCote L280 is a high build MMA, used as a void filler on open graded tarmac such as SMA, it also acts as a primer on newly laid surfaces as any bitumen “bleed” is caught within the primer and prevented from migrating to the finishing treatment. Provides a flat and even surface for the application of other high friction or paint systems. Prepares surfaces with a significant negative texture or uneven finish. Other typical surfaces are tamped concrete, surface dressings.



BENEFITS:

- **Increases coverage rates of final finish, providing cost savings**
- **Allows continuous application with no down time, due to fast cure time**
- **Provides an even surface, leading to a consistent finish with consistent performance**

SKIDGRIP X348 - PU ANTI-SKID REINSTATEMENT KIT

SkidGrip X348 is a repair system for anti-skid surfaces. It comes as a self-contained kit, which includes enough polyurethane resin system and aggregate. Also comes with protective gloves, mixing and application tools. Ideal for reinstating anti-skid and High Friction Surfaces (HFS) after utilities works.



Buff



Grey



Black



Blue

Bold
RedEmerald
GreenVenitian
Red


BENEFITS:

- Supplied as complete “all-in-one-tub” solution for simplicity
- No specialist equipment required
- Proven durability, which will match or exceed the existing surface



SKIDGRIP L246 - MMA ANTI-SKID REINSTATEMENT KIT

SkidGrip L246 is a repair system for anti-skid surfaces. Self-contained kit that includes enough methyl methacrylate resin and aggregate, along with protective gloves, mixing and application tools. The system is ideal for reinstating anti-skid and High Friction Surfaces (HFS) after utilities works.



BENEFITS:

- **Catalyst controlled, rapid curing - open to traffic in 1 hour**
- **Non-toxic binder system**
- **Tough and durable with a long service life**
- **Supplied as complete 'all in one tub' solution for simplicity**



SKIDGRIP R140 - THERMOPLASTIC ANTI-SKID REPAIR

SkidGrip R140 is a thermoplastic repair system for anti-skid surfaces. It has an advanced formulation, which retains flexibility even in cooler conditions, includes anti-skid aggregates impregnated into the surface and has excellent aggregate retention. This product is a burn-on material and saves wastage.



Buff



Grey



Black



Blue

Bold
RedEmerald
GreenVenitian
Red

BENEFITS:

- Easy to apply
- Advanced plus formula retains flexibility in cooler conditions
- Can be trafficked very quickly, minimising road closure times
- Excellent aggregate retention





PATCHBOUND - RESIN BOUND PATCH REPAIR KIT

An encapsulated natural aggregate resin repair kit. Perfectly meets current demands for sustainable drainage (SUDS) whilst ensuring a stunning surface.



Barley Beach



Barley Rose



Cornfield



Frosted Dawn



Roasted Red



More blends available



BENEFITS:

- Fast installation
- Easy and simple to use
- Permeable surface - (SUDS) compliant
- Convenience - everything you need all in one kit





PRE-COATED CHIPPINGS - ROAD CHIPPINGS

Pre-coated chippings are intended for use in hot rolled asphalt surfaces, increasing the skid resistance and durability of the road surface. These chippings have a 20mm aggregate size and 65+ PSV (polished stone value). Pre-coated Chippings should be spread evenly over the surface either by hand or machine at the prescribed kg per square metre and rolled into hot asphalt at the time of laying.



Black



Red



Silver



CE0129



BENEFITS:

- **Increases skid resistance and durability in road surfaces**
- **65+ polished stone value**
- **20mm aggregate size**
- **Available in 25kg bags**



TOOLS & ANCILLARIES

Specialist tools and ancillaries for your required job.

Hand moulds are for applying materials for cracks and joints. Collomix is for fast and effective whisking of materials. The Gas torch is used to molten Thermoplastic products and pre heat surfaces. The TarBusta kit is an eco-friendly release agent and tool cleaner, which is specifically formulated to breakdown bituminous/tar materials.



HAND MOULDS - HAND MOULD APPLICATION

Hand moulds are solid formed 3mm steel applicators for the applying of poured materials to horizontal surfaces and is simply applied by dragging over surface. Different sizes for final width of product used for the crack infill, overbanding and line marking.



BENEFITS:

- Made from durable 3mm solid formed steel
- Quality easy use design
- Can be used for different application methods
- Durable polyester powder coated finish



COLLOMIX - HEAVY DUTY MIXING WHISK

A quality, durable twin handled mixing whisk/paddle - ideal for mixing many of the Magma systems, including HardMaster, PatchBound and SkidGrip.



BENEFITS:

- **Reduced fatigue - no need to bend whilst mixing**
- **Creates a very consistent smooth mix**
- **Reduces noise and vibration**

GAS TORCHES - HORNET

Quick release hose connector for maximum ease of use

Two stage, self-ignition trigger for different power levels

Clip on burner system with unlock, lock and live modes

Support to allow for burner to rest safely on the ground

Available with a straight or cranked burner

BENEFITS:

- **Lightweight and no wasted gas - only fires up when trigger is actuated**
- **Controllable rate of gas flow**
- **Adjustable regulator**
- **Cranked or straight burner available (Hornet)**

GAS TORCHES - SINGLE HEAD AND TWIN HEAD

Screw regulator into the gas bottle, ensuring it is tightened with a spanner to stop gas leaking. Attach the other end of the hose to the gas torch, also ensuring it is tightened with a spanner. Set the regulator and torch at the desired flow and open the gas valve on the bottle. Using a lighter, ignite the gas from the end of the torch. Squeeze handle to create an intense flame for drying, or applying preformed thermoplastic materials such as Meon MagmaLine or Meon ThermaBand.



BENEFITS:

- Easy to use
- Controllable rate of gas flow
- Adjustable regulator



TARBUSTA H990 - BITUMEN RELEASE AGENT

TarBusta H990 is an eco-friendly release agent and tool cleaner specifically formulated to breakdown bituminous/tar materials. TarBusta is manufactured from recycled materials and provides a more environmentally friendly alternative to traditional use of diesel, for quick and effective cleaning of equipment, or as a release agent for truck beds, wheelbarrows and other tools.

Sizes available: Supplied in 10L drum, 25L drums, 200L barrels, 1000L IBCs options.



BENEFITS:

- **Manufactured from recycled materials**
- **Non-hazardous**
- **Available in a variety of sizes**
- **Acts as a protective agent**



TARBUSTA W995 - BITUMEN STAIN REMOVER

TarBusta W995 Bitumen Stain Remover is the professional's choice for the cleaning and removal of bituminous/tar materials effectively from kerb stones, white lines, walls, vehicles, plant equipment and tools. Furthermore, it doesn't leave any staining once rinsed with water. Ideal for use as a heavy-duty water-based cleaner for removing mineral oil-based problems such as bitumen, tar, asphalt, grease and carbons. Comes in a 1 litre spray bottle and is very effective at removing tar stains off vehicles.



BENEFITS:

- **Bio-degradable**
- **Water soluble**
- **Fast acting**
- **Pleasant odour - non-carcinogenic**



MAGMA - MORE THAN A RANGE OF PRODUCTS

TRAINING:

Ensuring correct product application greatly reduces any recurring issues and with this in mind, Meon are committed to training either at our dedicated Advance Academy or on-site with your team for toolbox talks. We recognise the skills shortage facing the industry and have specially constructed courses available, with formal qualifications.

CUSTOMER SERVICE & INVENTORY MANAGEMENT:

MAGMA is probably the best stocked and complete range of road reinstatement ranges available overnight. We recognise that carrying too much stock often means wastage as well as tying up vital funds. With punitive defects often applied, our fast delivery service is designed to minimise fines

KNOWLEDGE & BESPOKE SOLUTIONS:

Not every challenge or situation has a ready-made, out-of-the-box product just waiting to be applied. Our on-line inquiry and telephone support team have years of experience and access to global best practice solutions.

INNOVATION:

Technology and open mind thinking are exponentially increasing, and the road infrastructure industry is catching up. At Meon we have a standalone team and facility that focuses on tomorrows products.

TRAINING



SUPPORT



KNOWLEDGE



INNOVATION



SERVICE

TRAINING ACADEMY COURSES

Finding trained users in the market is getting harder, Meon have now opened a brand-new training academy for training up new staff or even refresher courses to ensure best practice is being used.

A wide selection of training modules for each machine and application, each can be tailored to your needs. With over 25 years of experience we love to share our knowledge and skillset to ensure your team is fully trained

Modules not only covering use of the machine but also important regular maintenance and handy tricks that leaves users in the knowledge, confident and ready to go.

COURSE:

1. Graco LineLazer ES Series:

2. Graco LineLazer HS Series:

3. Zirocco Surface Dryers:

4. Zirocco Hammer Jet:

5. PermaFyx Surface Repair:

6. Auto Series:

7. Reflective Series:

8. GrindLazers Series:

9. Magma PatchMaster:

10. Magma HardMaster:

11. Graco LineLazer V series:



JOIN FOR FREE AT ACADEMY.MEONUK.COM

TRAINING ACADEMY

LineLazer ES Series

Surface Dryers M50/100

LineLazer HS Series

Zirocco Hammer Jet

PermaFyx L271/272

VIRTUAL | EXPO

VIRTUAL EXPO | LINE MARKING & SURFACE REPAIR

Welcome to the Virtual EXPO. A showcase of some of our exciting new-to-market innovations, enabling the industry to embrace new practices and technology as soon as possible.

VIRTUAL EXPO | LINEMARKING APPLICATIONS

Line Marking application demonstrations. In these videos we cover a range of situations such as; electric parking bays through to Eco-friendly line marking.



VIRTUAL | EXPO

EXPLORE MORE AT

MEONUK.COM/VIRTUAL-EXPO

VIRTUAL EXPO | SURFACE REPAIR APPLICATIONS

Surface Repair application demonstrations. In these videos we cover a range of situations such as; Manhole reinstatement through to Sunken Trench repairs.





DYNAMIC SOLUTIONS TO DELIVER PRODUCTIVE RESULTS. SPECTRUM IS THE ALL-ENCOMPASSING WORLD CLASS SOLUTION FOR SURFACE MARKING APPLICATIONS. SPECTRUM SURFACE SOLUTIONS ARE IDEAL FOR ALL INFRASTRUCTURE AND ASSET DELINEATION AND MARKING PROJECTS.



DOWNLOAD OR REQUEST BROCHURE NOW...

PERFORMANCE MACHINES

THE UK'S MOST ADVANCED RANGE OF SURFACE MACHINE PRODUCTS...
ALL UNDER ONE ROOF, AND AVAILABLE FOR
PURCHASE OR HIRE.



DOWNLOAD OR REQUEST BROCHURE NOW...



**THE UK'S MOST COMPREHENSIVE RANGE OF
SURFACE REPAIR PRODUCTS... ALL UNDER ONE
ROOF, ONE BRAND, AND AVAILABLE FOR
IMMEDIATE DESPATCH.**

**ORDER ONLINE TODAY AT
MEONUK.COM**



MEON UK

RAILSIDE | NORTHARBOUR SPUR
PORTSMOUTH | PO6 3TU

T: +44 (0)23 9220 0606
E: MAIL@MEONUK.COM
W: MEONUK.COM

MEON IRELAND

CARRICK HOUSE | 48 BRIDGE ROAD
BURREN | WARRENPOINT | BT34 3QT

T: +353 (0)1 840 7647
E: MAIL@MEONIRELAND.COM
W: MEON.IE