Owner's Manual

FMBTIS

- Input 12**-**24V · Please read this manual carefully before using
- 1.77 inch TFT color display Keep these instructions • FM transmitter : 88.1-107.9 MHz range
- Do not disassemble
 - Stream music from smartphone to car audio
- system via FM transmission · Pay attention to the road and do not operate USB charge ports: this product while driving

• 5V/2.4A: Max 2.4A/5V smart charging

USB flash drive

Car battery monitor

Bluetooth hands-free calls

Supports SD card streaming

Supports 3.5mm AUX-in and AUX-output



simply push the myltifunction control button (12) to

turn on.





- ② LED screen will illuminate when power is on.

- FMBTIS to match the frequency on your car radio.
- Bluetooth icon keep
- blinking when in pairing mode.

- and select FMBTIS to connect. Once your device is paired, you will hear the prompt "Bluetooth connected successfully." frequency on your car radio.



Play music from SD cards




____Volume

speakers using your car's radio.



Insert the SD card into the card port, FMBTIS will



Menu Settings Turn 🔌 multifunctional control button to adjust Under SD card / USB playing status,

Sequence _____

name .mp3	disconnected.	2. Language :	For different language options (if there	
	Song name		are preset languages)	AUX IN
	Spectrum	3. Cycle mode :	4 Playing modes	FM107.6
	Playing	4. EQ setting :	4 EQ optional	
01:38	time point	5. Contrast :	Screen contrat	
06 🚾 I2.6 V	Voltage display	6. Card folder :	Sim card (USB flash drive) folder selection	

Long press "📞 " to power on the screen, and long

Press **I**◀ / **>>** to navigate subdirectory, select by

press again to turn off screen

enter into the directory.

Repeat play



answer calls, hands-free! audio will now play through your car's speakers.

	rejectalicorning
	To end a call
PF AUXIN	Recall last incoming/
Б FM107.6	Switch to phone c
· ·	

adjust your car radio to AUX setting. Your phone's

FMBTIS to your car's AUX input port. Make sure you

Reject a incoming call

Press ▶▶ to switch e call mode to phone mode when receiving a call

radio, you can use a 3.5mm AUX cable to connect

(AUX cable not included).

5V/2.4A smart charging port: provides allowed ma mangement

input current to your devices.

FM transmission distance : >2M

Bluetooth : V5.0

USB capacity support : <64GB

Working temperature range : -20°C to 40°C Storage temperature range : -40°C to 85°C

- different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV

Part 15 of the FCC Rules. Operation is subject to the following two conditions:

frequency energy and, if not installed and used in accordance with the instructions, may cause harmful is no guarantee that interference will not occur

equipment generates uses and can radiate radio

in a particular installation. If this equipment does cause harmful interference to radio or television

following measures : - Reorient or relocate the receiving antenna.

comply with the limits for a Class B digital device.

designed to provide reasonable protetion against

harmful interference in a residential installation. T

reception, which can be determined by turningthe

correct the interference by one or more of the

equipment off and on, the user is encouraged to try to

pursuant to part 15 of the FCC Rules. These limits are

technician for help Changes or modifications not

- Increase the separation between the equipment and - Connect the equipment into an outlet on a circuit