



MHX Rod Blanks

MHX Dimensions for Exposed Reel Seats and Winding Checks
All measurements in millimeters (mm) from butt to tip.

Cast/Shooter	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
CS721-MHX	10.55	10.24	10.18	9.85	9.63	9.31	8.99	8.82	8.46	8.20	7.99		
CS722-MHX	10.95	10.72	10.58	10.32	10.02	9.80	9.58	9.26	9.00	8.74	8.33		
CS723-MHX	13.01	12.69	12.31	11.96	11.52	11.28	10.90	10.54	10.18	9.77	9.48		
CS724-MHX	13.15	13.12	12.58	12.21	11.89	11.55	11.22	10.85	10.62	10.23	9.89		
CS725-MHX	13.40	13.40	13.25	12.84	12.62	12.26	11.96	11.64	11.32	11.16	10.82		
CS726-MHX	13.73	13.70	13.70	13.67	13.38	13.04	12.68	12.36	12.20	11.73	11.27		

Crank Bait	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
CB783-Blend	11.43	11.13	10.93	10.65	10.33	10.06	9.69	9.38	9.13	8.78	8.49		
CB841-Blend	10.51	10.33	10.23	10.11	9.89	9.81	9.66	9.50	9.38	9.08	8.88		
CB843-Blend	12.31	12.02	11.74	11.50	11.29	10.96	10.70	10.36	9.96	9.68	9.33		
CB845-Blend	13.63	13.30	12.97	12.63	12.38	12.05	11.73	11.32	11.05	10.78	10.45		
CB847-Blend	14.23	14.00	13.75	13.45	13.09	12.74	12.40	12.08	11.72	11.38	11.01		
CB903-Blend	12.47	12.47	12.47	12.46	12.15	11.88	11.60	11.28	11.01	10.72	10.40		
CB905-Blend	14.42	14.26	14.18	13.88	13.63	13.31	12.96	12.58	12.35	12.03	11.68		
* CB905-W-Blend	14.54	14.43	14.31	13.89	13.71	13.39	13	12.66	12.31	12.02	11.7		
CB906-Blend	14.48	14.48	14.34	13.98	13.66	13.49	13.05	12.72	12.42	12.1	11.79		
CB907-Blend	14.55	14.47	14.42	14.12	13.78	13.42	13.09	12.78	12.48	12.18	11.75		
* CB907-W-Blend	14.62	14.58	14.51	14.22	13.97	13.61	13.39	12.98	12.68	12.47	12.12		
CB928-Blend	15.07	15.1	15.02	15	14.59	14.27	14.01	13.71	13.33	13.04	12.75		
CB965-Blend	14.47	14.37	14.37	14.37	14.37	14.27	13.95	13.60	13.28	12.86	12.63		
CB967-Blend	14.59	14.43	14.40	14.39	14.37	14.30	14.08	13.78	13.43	13.07	12.72		
CB968-MHX	15.05	15.01	14.98	14.94	14.9	14.83	14.56	14.23	13.95	13.61	13.43		

* - WHITE



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Composite SW	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
GFC96ML	23.63	23.54	23.13	22.75	22.43	21.98	21.53	21.13	20.74	20.30	19.98	19.48	18.97
GFC96M	24.57	24.23	23.75	23.33	22.91	22.54	22.18	21.73	21.35	20.98	20.64	20.20	19.84
GFC90ML	22.64	22.41	22.02	21.62	21.27	20.92	20.46	20.05	19.64	19.28	18.77	18.32	17.94
GFC90MH	24.24	24.06	23.61	23.21	22.82	22.35	22.03	21.55	21.20	20.80	20.33	19.98	19.60
GFC90M	23.09	22.77	22.40	22.09	21.67	21.30	20.93	20.52	20.25	19.82	19.38	18.96	18.46
GFC84ML	21.43	21.01	20.59	20.24	19.82	19.44	19.04	18.76	18.38	17.74	17.18	16.65	16.18
GFC84MH	23.08	22.62	22.37	21.93	21.58	21.31	20.91	20.45	20.05	19.67	19.26	18.68	18.15
GFC84M	22.21	21.83	21.47	21.24	20.89	20.45	20.06	19.64	19.27	18.84	18.30	17.73	17.04
GFC84L	14.27	13.99	13.73	13.43	13.16	12.80	12.49	12.16	11.88	11.57	11.25	10.95	10.64

Downrigger	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
DR845-MHX	18.79	18.45	18.21	17.79	17.51	16.90	16.55	16.29	16.11	15.55	15.13	14.69	14.30
DR1024-MHX	16.80	16.80	16.72	16.68	16.68	16.68	16.64	16.63	16.60	16.60	16.53		
DR1086-MHX	19.92	19.92	19.72	19.51	19.20	18.85	18.82	18.30	17.99	17.60	17.30		
DR1266-MHX	19.03	18.81	18.73	18.39	18.25	17.98	17.78	17.57	17.36	17.06	16.84	16.54	16.31
CB968-MHX	15.05	15.01	14.98	14.94	14.9	14.83	14.56	14.23	13.95	13.61	13.43		

Drop Shot	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
DS820-Blend	12.03	11.82	11.59	11.26	10.99	10.68	10.46	10.20	9.91	9.60	9.28		
DS821-Blend	11.79	11.92	11.86	11.67	11.65	11.59	11.55	11.44	10.93	10.64	10.27		
DS822-Blend	13.85	13.77	13.64	13.32	12.99	12.74	12.45	12.05	11.64	11.39	11.00		
* DS822-W-Blend	13.93	13.81	13.53	13.27	12.98	12.64	12.34	12.14	11.75	11.49	11.2		
DS823-MHX	14.15	14.07	13.76	13.4	13.16	12.93	12.56	12.21	11.98	11.67	11.29		

* - WHITE



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Elite Pro	Butt	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	TIP	24"
NEPS78LF	0.452	11.24	10.93	10.70	10.51	10.20	9.98	9.62	9.38	9.15	8.93	4	
NEPS78LMF	0.453	11.20	10.94	10.72	10.41	10.11	9.80	9.60	9.32	9.04	8.78	4	
NEPS78MF	0.41	10.50	10.47	10.43	10.36	10.32	10.24	10.09	9.88	9.63	9.33	4.5	
NEPS78MHF	0.438	10.98	10.90	10.86	10.85	10.74	10.62	10.41	10.14	9.96	9.66	5	
NEPS78MHXF	0.475	11.73	11.52	11.29	10.07	10.89	10.60	10.35	10.16	9.90	9.60	4.5	
NEPS78MLF	0.418	10.48	10.42	10.35	10.25	10.19	10.12	9.89	9.55	9.36	9.11	4	
NEPS78MLXF	0.455	11.38	11.19	10.89	10.67	10.44	10.20	9.97	9.77	9.52	9.24	4	
NEPS78MXF	0.465	11.60	11.40	11.13	10.89	10.63	10.41	10.27	9.90	9.67	9.41	4	
NEPS81MHXF	0.49	12.28	12.08	11.72	11.53	11.29	11.20	10.92	10.71	10.44	10.20	4	
NEPS81MLXF	0.415	10.41	10.40	10.39	10.38	10.36	10.26	10.14	10.06	9.72	9.48	4	
NEPS81MXF	0.41	10.70	10.69	10.58	10.53	10.45	10.42	10.39	10.18	9.92	9.68	4.5	
NEPS82HF	0.5	12.70	12.64	12.51	12.40	12.10	11.68	11.54	11.29	11.03	10.79	5.5	
NEPS82LF	0.47	11.60	11.45	11.14	10.92	10.65	10.40	10.10	9.90	9.65	9.34	4	
NEPS82LMF	0.47	11.75	11.52	11.30	11.10	10.85	10.56	10.26	10.05	9.73	9.42	4	
NEPS82MLF	0.425	10.44	10.43	10.38	10.36	10.32	10.26	10.20	10.10	9.80	9.55	4	
NEPS82MHF	0.44	11.11	11.07	11.01	10.93	10.90	10.84	10.76	10.60	10.42	10.21	5	
NEPS82MF	0.425	10.70	10.65	10.61	10.58	10.54	10.52	10.39	10.35	10.15	11.98	4.5	
NEPS86HF	0.51	12.95	12.88	12.85	12.84	12.77	12.37	12.18	11.82	11.60	11.37	5.5	
NEPS86LF	0.5	12.32	12.07	11.87	11.62	11.40	11.13	10.82	10.56	10.38	10.05	4	
NEPS86LMF	0.5	12.45	12.39	12.20	11.74	11.47	11.20	11.01	10.75	10.50	10.21	4	
NEPS86MF	0.49	12.40	12.37	12.36	12.33	12.25	11.97	11.73	11.46	11.30	11.00	5	
NEPS86MHF	0.5	12.55	12.51	12.48	12.43	12.32	12.07	11.80	11.54	11.31	11.00	5	
NEPS86MHXF	N/A												
NEPS86MLF	0.51	12.70	12.54	12.21	11.95	11.71	11.53	11.10	10.97	10.74	10.45	4.5	
NEPS86MLXF	0.5	12.56	12.38	12.11	11.86	11.62	11.33	11.04	10.85	10.62	10.34	4	
NEPS86MXF	0.514	12.75	12.61	12.33	12.13	11.86	11.65	11.50	11.22	11.03	10.79	4.5	
NEPS90HF	0.53	13.45	13.25	13.00	12.85	12.59	12.38	12.27	11.91	11.75	11.41	5	
NEPS90MHF	N/A												
NEPS92HF	0.55	13.72	13.51	13.43	13.29	13.10	12.90	12.64	12.40	12.22	12.02	5	

Elite-X Blanks	Butt (Inches)	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	TIP
NMB752XF	0.44	11.12	11.09	11.02	10.96	10.75	10.46	10.10	9.81	9.60	9.40	4
NMB753XF	0.464	11.87	11.80	11.75	11.62	11.30	10.96	10.62	10.25	9.97	9.65	4.5
NMB782	0.43	10.78	10.68	10.46	10.35	10.21	10.00	9.78	9.67	9.54	9.04	4.5
NMB783	0.467	11.82	11.79	11.76	11.68	11.67	11.43	11.11	10.80	10.46	10.10	5
NMB812XF	0.448	11.34	11.29	11.28	11.23	11.17	11.13	11.04	10.96	10.63	10.27	4
NMB813XF	0.473	12.00	11.98	11.97	11.96	11.95	11.89	11.80	11.60	11.30	11.00	4.5
NMB843	0.49	12.40	12.12	11.90	11.67	11.40	11.18	10.92	10.68	10.40	10.20	4.5
NMB844	0.47	11.97	11.96	11.94	11.86	11.78	11.75	11.74	11.71	11.59	11.28	5
NMB862	0.5	12.64	12.58	12.51	12.44	12.38	12.32	12.27	12.22	12.12	11.95	4.5
NMB862XF	0.47	11.96	11.87	11.81	11.78	11.78	11.76	11.76	11.75	11.67	11.50	4.5
NMB863XF	0.513	13.03	12.98	12.94	12.93	12.91	12.87	12.68	12.47	12.16	11.79	4.5
NMB873.5	0.502	12.66	12.60	12.55	12.51	12.48	12.45	12.42	12.40	12.34	12.23	5.5
NMB873	0.49	12.45	12.38	12.25	12.22	12.20	12.17	12.15	12.10	12.02	11.70	5
NMB874	0.512	12.90	12.88	12.86	12.85	12.82	12.75	12.68	12.65	12.55	12.50	5.5
NMB903	0.49	12.44	12.42	12.38	12.36	12.32	12.31	12.30	12.27	12.22	12.13	5
NMB904	0.52	12.98	12.95	12.84	12.82	12.79	12.74	12.70	12.66	12.58	12.52	5.5
NP842	0.537	13.28	12.84	12.61	12.15	11.81	11.42	11.16	10.85	10.49	10.19	4.5
NP843	0.5	12.25	12.02	11.75	11.37	11.17	10.88	10.53	10.21	10.03	9.69	4
NP844	0.5	12.59	12.30	12.05	11.75	11.48	11.06	10.73	10.36	10.07	9.88	4
NP903	0.5	12.80	12.78	12.71	12.55	12.28	11.95	11.65	11.43	11.18	10.72	4
NP904	0.52	13.15	13.09	13.03	12.76	12.40	12.12	11.79	11.45	11.12	10.84	4
NSJ781	0.4	10.15	9.84	9.63	9.41	9.20	9.01	8.79	8.56	8.33	8.06	4
NSJ782	0.41	10.38	10.16	9.88	9.72	9.52	9.30	9.08	8.82	8.62	8.44	4.5
NSJ783	0.49	12.12	11.90	11.63	11.37	11.13	10.89	10.64	10.41	10.08	9.88	5
NSJ812	0.43	10.60	10.53	10.35	10.08	9.92	9.64	9.48	9.24	9.00	8.89	4
NSJ813	0.46	11.65	11.55	11.53	11.50	11.46	11.40	11.35	11.27	11.20	10.94	5
NSJ8225	0.49	12.43	12.35	12.30	12.24	12.14	12.12	12.02	11.75	11.42	11.00	4
NSJ841	0.42	10.80	10.79	10.74	10.71	10.63	10.55	10.50	10.48	10.44	10.16	4
NSJ842	0.452	11.43	11.40	11.39	11.36	11.34	11.25	11.23	11.15	11.12	10.94	5
NSJ843	0.495	12.63	12.63	12.60	12.55	12.51	12.48	12.43	12.35	12.15	12.00	4.5
NSJ8515	0.49	12.42	12.19	11.90	11.60	11.28	11.04	10.80	10.46	10.18	10.00	4.5
NSJ870	0.47	12.09	11.87	11.60	11.33	11.10	10.84	10.64	10.45	10.05	9.78	4
NSJ871	0.481	12.18	12.12	12.08	11.93	11.70	11.45	11.22	10.95	10.60	10.30	4
NSJ872	0.46	11.50	11.45	11.40	11.39	11.35	11.25	11.21	11.18	11.17	11.15	5



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Flippin' / Punchin'	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
FS904-MHX	15.26	14.87	14.77	14.56	14.29	14.11	13.89	13.55	13.25	13.04	12.72		
FS905-MHX	15.45	15.17	14.93	14.67	14.41	14.24	14.02	13.74	13.46	13.26	13.01		
FS906-MHX	15.59	15.3	15	14.66	14.39	14.15	13.8	13.64	13.44	13.19	13.05		
FP885-MHX	14.46	14.22	14.01	13.81	13.52	13.32	13.14	12.89	12.76	12.61	12.46		
FP935-MHX	14.8	14.57	14.37	14.14	13.89	13.62	13.36	13.19	12.89	12.73	12.48		
FP936-MHX	15.08	14.96	14.67	14.39	14.2	13.75	13.6	13.29	13.21	12.85	12.67		
* FP936-W-MHX	15.19	14.99	14.68	14.43	14.31	13.95	13.79	13.52	13.25	12.99	12.72		
FP937-MHX	15.26	15.12	14.96	14.75	14.53	14.31	13.96	13.8	13.56	13.31	13.2		
FS966-MHX	14.8	14.71	14.57	14.39	14.26	14.01	13.85	13.76	13.61	13.4	13.36		

* - WHITE

Fly (2 Piece)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
F865-2-MHX	8.59	8.55	8.44	8.32	8.12	8.00	7.82	7.65					
F902-2-MHX	8.05	8.00	7.91	7.80	7.65	7.53	7.40	7.29					
F903-2-MHX	8.22	8.22	8.01	7.90	7.81	7.65	7.48	7.38					
F904-2-MHX	8.00	7.98	7.98	7.95	7.94	7.89	7.87	7.80					
F905-2-MHX	8.70	8.69	8.60	8.60	8.51	8.49	8.40	8.34					
F906-2-MHX	8.75	8.73	8.68	8.68	8.60	8.56	8.50	8.42					
F907-2-MHX	9.92	9.90	9.95	9.85	9.82	9.67	9.53	9.33					
F908-2-MHX	10.10	10.10	10.02	10.02	10.02	9.99	9.80	9.57					
F909-2-MHX	11.99	11.77	11.67	11.49	11.28	11.12	10.95	10.88					
F910-2-MHX	9.94	9.85	9.84	9.80	9.74	9.62	9.58	9.40					
F912-2-MHX	12.48	12.41	12.38	12.24	12.20	12.14	12.00	11.83					



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Fly (3 & 4 Piece)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
F662-3-MHX	5.91	5.68	5.62	5.37	5.12	4.83	4.70	4.60					
F663-3-MHX	6.01	5.73	5.73	5.51	5.30	5.18	4.91	4.74					
F703-3-MHX	7.01	6.81	6.71	6.62	6.35	6.10	5.83	5.68					
F704-3-MHX	7.30	7.12	6.93	6.68	6.55	6.26	6.10	5.92					
F763XF-3-MHX	7.85	7.72	7.46	7.31	7.13	6.98	6.77	6.53					
F763-4-MHX	6.75	6.60	6.60	6.60	6.50	6.35	6.18	6.01					
F764-4-MHX	7.10	7.10	7.10	7.04	6.83	6.63	6.40	6.20					
F803-4-MHX	6.65	6.60	6.60	6.60	6.45	6.30	6.07	5.87					
F804-4-MHX	7.97	7.81	7.71	7.44	7.16	6.93	6.70	6.53					
F864XF-4-MHX	9.2	8.82	8.58	8.27	7.94	7.77	7.38	7.1					
F865-4-MHX	9.28	8.89	8.68	8.41	8.10	7.80	7.48	7.25					
F903-4-MHX	8.94	8.80	8.57	8.28	8.04	7.83	7.57	7.34					
F904-4-MHX	9.05	8.98	8.81	8.55	8.22	7.92	7.75	7.50					
F905-4-MHX	9.38	9.10	8.75	8.51	8.29	8.05	7.77	7.52					
* F905-4-W-MHX	9.55	9.53	9.2	8.86	8.55	8.31	7.97	7.79					
F906-4-MHX	9.59	9.34	9.28	9.01	8.65	8.36	8.10	7.81					
F907-4-MHX	9.66	9.59	9.40	9.17	8.96	8.68	8.46	8.24					
F908-4-MHX	9.75	9.70	9.43	9.25	9.00	8.73	8.55	8.31					
F909-4-MHX	10.71	10.58	10.41	10.22	9.89	9.64	9.37	9.18					
F910-4-MHX	10.90	10.69	10.45	10.29	10.02	9.84	9.48	9.22					
F912-4-MHX	13.42	12.99	12.65	12.33	12.06	11.69	11.38	11.04					
F967-4-MHX	10.20	9.94	9.73	9.56	9.33	9.09	8.88	8.67					

* - WHITE

Head Boat	Butt OD	Middle	24"
HB-60100	16.99	NEARLY NO TAPER	16.49
HB-6620	9.83	NEARLY NO TAPER	9.5
HB-6630	13.95	NEARLY NO TAPER	13.45
HB-6640	13.68	NEARLY NO TAPER	13.61
HB-6950	13.25	NEARLY NO TAPER	13.36



MHX Dimensions for Exposed Reel Seats and Winding Checks. All measurements in millimeters (mm) from butt to tip.

Hot Shot	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
HS9000-MHX	13.00	12.72	12.50	12.31	12.00	11.76	11.35	11.06	10.55	10.18	9.92		
HS9600-MHX	13.40	13.38	13.22	12.95	12.72	12.47	12.27	11.98	11.81	11.44	11.20		
HS9600-2-MHX	13.50	13.31	13.04	12.75	12.47	12.20	11.92	11.58	11.40	11.12	10.78		
HS981-MHX	13.81	13.76	13.75	13.51	13.24	13.00	12.76	12.50	12.25	11.87	11.51		

Lt. Saltwater	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
L842-MHX	12.76	12.54	12.31	12.00	11.58	11.22	10.85	10.45	10.37	10.00	9.60		
* L842-W-MHX	12.70	12.61	12.24	12.07	11.71	11.30	10.98	10.65	10.30	10.04	9.67		
L843-MHX	13.48	13.17	12.98	12.68	12.19	12.05	11.78	11.56	11.55	11.19	10.95		
L844-MHX	14.00	13.80	13.54	13.22	12.88	12.70	12.52	12.20	11.87	11.57	11.44		
L902-MHX	13.61	13.49	13.18	12.92	12.66	12.42	12.10	11.80	11.43	11.01	10.61		
L903-MHX	14.48	14.20	13.90	13.66	13.37	13.04	12.73	12.37	12.08	12.03	11.87		
L904-MHX	15.03	14.72	14.32	14.02	13.63	13.42	13.24	12.94	12.70	12.42	12.21		
L904-2-MHX	16.21	15.85	15.58	15.26	14.86	14.50	14.24	13.95	13.68	13.39	13.06		
* L904-W-MHX	15.22	14.85	14.54	14.11	13.82	13.57	13.28	13.13	12.90	12.58	12.33		
L905-MHX	20.35	19.96	19.66	19.28	18.95	18.57	17.95	17.48	16.99	16.60	16.09		
L905-2-MHX	16.31	15.93	15.58	15.10	14.65	14.31	13.97	13.64	13.32	13.05	12.69		

* - WHITE



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Mag Bass	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
MB782-MHX	11.93	11.70	11.60	11.41	11.14	10.88	10.63	10.36	10.17	9.99	9.76		
MB783-MHX	13.88	13.57	13.28	12.88	12.54	12.02	11.94	11.53	11.13	10.76	10.41		
* MB783-COLOR-MHX	13.85	13.66	13.30	12.98	12.60	12.22	11.99	11.62	11.30	10.99	10.66		
MB784-MHX	14.38	14.00	13.73	13.40	13.09	12.69	12.33	12.00	11.61	11.25	10.92		
MB785-MHX	16.97	16.67	16.49	16.33	15.89	15.42	14.95	14.53	14.07	13.66	13.20		
MB842-MHX	12.91	12.51	12.46	12.22	12.02	11.84	11.60	11.45	11.14	10.88	10.61		
MB842-2-MHX	12.70	12.75	12.60	12.50	12.45	12.30	12.25	12.08	11.71	11.31	11.03		
MB843-MHX	14.66	14.65	14.31	13.95	13.60	13.21	12.89	12.54	12.22	11.87	11.56		
MB843-2-MHX	12.83	12.86	12.82	12.70	12.57	12.57	12.40	12.07	11.76	11.34	11.01		
* MB843-COLOR-MHX	14.75	14.5	14.16	13.78	13.48	13.07	12.78	12.47	12.15	11.88	11.47		
MB844-MHX	15.25	15.07	14.77	14.46	14.14	13.72	13.39	13.07	12.71	12.38	12.08		
MB844-2-MHX	13.65	13.60	13.46	13.08	12.84	12.57	12.31	12.02	11.78	11.50	11.25		
* MB844-W-MHX	15.27	15.06	14.81	14.43	14.01	13.66	13.37	12.99	12.67	12.38	12.07		
MB845-MHX	15.46	15.42	15.37	15.25	15.20	15.16	15.16	15.04	15.00	14.79	14.54		
MB873-MHX	14.94	14.91	14.95	14.53	14.27	13.89	13.42	12.41	12.09	11.85	11.63		
* MB873-COLOR-MHX	14.96	14.94	14.95	14.69	14.35	14.01	13.76	13.41	13.07	12.70	12.35		
MB874-MHX	14.52	14.42	14.42	14.43	14.38	14.34	14.31	14.24	14.10	13.82	13.40		
* MB874-W-MHX	14.27	14.19	14.18	14.15	14.02	13.97	13.82	13.88	13.94	13.62	13.24		
MB875-MHX	15.38	15.45	15.42	15.41	15.36	15.27	15.25	15.25	15.2	15.08	15.03		
MB903-MHX	14.87	14.73	14.66	14.56	14.26	13.96	13.59	13.32	12.95	12.65	12.37		
MB904-MHX	14.28	14.19	14.19	14.14	14.09	14.04	14.04	14.01	13.98	13.95	13.64		
* MB904-COLOR-MHX	14.23	14.21	14.15	14.15	14.12	14.08	14.07	14.04	13.97	13.91	13.57		
MB905-MHX	15.36	15.36	15.36	15.34	15.29	15.26	15.18	15.13	15.05	14.99	14.88		
MB941-MHX	15.06	14.63	14.19	13.88	13.35	12.96	12.70	12.41	12.09	11.85	11.63		

* - PAINTED



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Mag Bass (XF)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
MB752XF-MHX	12.68	12.68	12.62	12.58	12.49	12.21	11.82	11.50	11.18	10.79	10.44		
MB753XF-MHX	13.07	12.88	12.80	12.74	12.62	12.21	11.94	11.61	11.38	10.97	10.59		
MB783XF-MHX	13.00	12.99	12.93	12.82	12.81	12.71	12.38	12.06	11.75	11.40	11.10		
MB812XF-MHX	12.87	12.82	12.75	12.66	12.66	12.59	12.58	12.34	12.08	11.69	11.39		
MB813XF-MHX	12.98	12.97	12.82	12.80	12.80	12.80	12.78	12.64	12.28	12.05	11.80		
MB813XF-W-MHX	13.17	13.06	12.96	12.94	12.94	12.88	12.90	12.73	12.44	12.03	11.75		
MB862XF-MHX	12.93	12.74	12.74	12.68	12.66	12.67	12.62	12.56	12.58	12.52	12.21		
MB863XF-MHX	13.05	13.05	13.03	12.94	12.92	12.84	12.81	12.79	12.79	12.74	12.50		
MB863XF-W-MHX	13.20	13.18	13.07	13.07	13.03	12.96	12.82	12.79	12.80	12.76	12.50		
MB864XF-MHX	15.15	15.11	14.85	14.51	14.26	13.91	13.58	13.17	12.93	12.57	12.33		
MB941-MHX	15.06	14.63	14.19	13.88	13.35	12.96	12.70	12.41	12.09	11.85	11.63		

Musky	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
MU84M-MHX	15.92	15.84	15.76	15.70	15.62	15.48	15.22	14.81	14.51	14.17	13.90		
MU84MH-MHX	16.33	16.18	16.06	16.00	15.91	15.90	15.56	15.25	14.77	14.45	14.14		
MU84H-MHX	16.79	16.62	16.36	16.11	15.75	15.46	15.16	14.85	14.47	14.15	13.86		
MU90MH-MHX	16.78	16.70	16.70	16.47	16.40	16.25	16.17	16.04	16.02	15.75	15.27		
MU90HF-MHX	18.20	17.82	17.50	17.26	16.90	16.50	16.30	16.00	15.67	15.27	15.02		
MU96MH-MHX	15.55	15.44	15.11	14.85	14.59	14.32	14.00	13.90	13.62	13.30	13.03		
MU96H-MHX	16.50	16.38	16.03	15.70	15.57	15.32	15.00	14.70	14.20	14.10	13.82		
MU96XH-MHX	18.62	18.39	18.20	17.85	17.60	17.48	16.97	16.80	16.50	16.00	15.71		
MU102H-MHX	17.47	17.21	16.90	16.64	16.35	15.84	15.56	15.57	15.31	15.04	14.82		
MU102XH-MHX	17.41	17.04	16.83	16.56	16.45	16.19	15.90	15.57	15.35	15.00	14.80		
MU108H-MHX	18.07	17.78	17.55	17.26	17.07	16.82	16.48	16.25	15.95	15.70	15.43		
MU108XH-MHX	18.29	17.87	17.61	17.35	17.09	16.86	16.60	16.37	16.10	15.80	15.41		
MU108XXH-MHX	18.74	18.74	18.67	18.47	18.34	18.22	18.10	17.95	17.86	17.72	17.62		



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Popping	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
P842-MHX	13.38	13.25	13.08	12.69	12.35	11.95	11.72	11.50	11.10	10.76	10.53		
P842-2-MHX	12.82	12.80	12.75	12.63	12.30	11.99	11.73	11.23	10.89	10.56	10.10		
P843-MHX	13.13	12.92	12.74	12.42	12.14	11.90	11.67	11.38	11.18	10.82	10.50		
P843-2-MHX	12.87	12.69	12.38	12.17	11.88	11.60	11.36	11.10	10.78	10.53	10.27		
P844-MHX	13.13	12.83	12.68	12.42	12.11	11.82	11.59	11.31	11.00	10.74	10.44		
P844-2-MHX	12.98	12.75	12.51	12.24	11.97	11.68	11.31	11.21	10.90	10.63	10.44		
* P844-W-MHX	13.19	13.00	12.71	12.46	12.19	12.01	11.64	11.38	11.11	10.79	10.52		
P903-MHX	13.34	13.11	13.10	13.03	12.86	12.69	12.27	12.00	11.62	11.38	11.08		
P903-2-MHX	13.60	13.40	13.15	12.86	12.64	12.32	12.03	11.80	11.55	11.36	11.09		
P904-MHX	13.33	13.29	13.25	13.09	12.91	12.63	12.33	12.08	11.80	11.58	11.20		
P904-2-MHX	13.83	13.60	13.35	13.06	12.80	12.52	12.28	12.00	11.78	11.50	11.26		

* - PAINTED



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Power Tip / Gorilla	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
PTSW54XH	22.21	22.16	21.02	19.59	18.28	16.58	15.55	14.94	14.65	14.22	13.70		
PTSW54XXH	22.25	22.18	21.79	20.62	19.13	17.61	16.30	15.67	15.25	14.74	14.42		
PTSW60XXH	19.34	19.02	18.71	18.15	17.64	17.04	16.60	16.28	15.92	15.57	15.19	14.73	14.30
PTSW66H	19.17	18.76	18.43	18.14	17.82	17.49	17.22	16.82	16.54	16.25	15.92	15.57	15.18
PTSW66XXH	20.18	20.06	19.73	19.56	19.08	18.79	18.57	18.25	17.92	17.55	17.26	16.98	16.72
PTSW72H	19.51	19.41	19.19	18.98	18.86	18.41	18.18	17.95	17.71	17.44	17.16	16.94	16.64
PTSW72XH	19.92	19.75	19.70	19.72	19.43	19.18	18.97	18.67	18.35	18.03	17.74	17.44	17.15
PTSW72XXH	21.05	20.66	20.54	20.33	20.09	19.72	19.40	19.07	18.81	18.51	18.22	17.88	17.63
PTSW78H	19.97	19.98	20.00	20.00	19.87	19.53	19.19	18.81	18.42	18.09	17.78	17.42	17.12
PTSW78M-MHX	17.32	17.32	17.32	17.32	17.30	17.12	16.97	16.73	16.53	16.27	16.10	15.93	15.71
PTSW78MH-MHX	17.96	17.79	17.84	17.86	17.82	17.67	17.51	17.38	17.18	17.04	16.83	16.71	16.52
PTSW78ML-MHX	16.56	16.61	16.74	16.80	16.86	16.69	16.51	16.31	16.13	15.93	15.74	15.57	15.37
PTSW78XH	20.00	19.76	19.86	20.11	20.31	20.05	19.66	19.35	19.12	18.76	18.51	18.21	17.88
PTSW84L-MHX	16.31	16.23	16.26	16.33	16.27	16.31	16.33	16.24	16.11	15.92	15.75	15.55	15.33
PTSW84M-MHX	17.77	17.75	17.69	17.58	17.58	17.50	17.74	17.60	17.41	17.15	16.88	16.71	16.51
PTSW84MH-MHX	18.14	18.18	18.21	18.24	18.32	18.24	18.27	18.19	18.03	17.85	17.65	17.44	17.22
PTSW84ML-MHX	16.57	16.56	16.54	16.55	16.58	16.56	16.61	16.53	16.39	16.21	16.11	15.87	15.64



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Salmon/Steelhead	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SA1025-MHX	12.92	12.70	12.56	12.48	12.21	12.07	11.88	11.62	11.44	11.22	11.04	10.83	10.59
SA1085-MHX	14.18	13.93	13.76	13.55	13.34	13.13	12.94	12.72	12.51	12.36	12.18	11.93	11.74
SA1086F-MHX	15.77	15.55	15.25	15.06	14.82	14.65	14.50	14.09	13.87	13.72	13.51	13.23	12.99
ST1022-MHX	11.43	11.26	11.18	11.09	10.93	10.60	10.45	10.27	10.01	9.81	9.63	9.38	9.20
ST1023F-MHX	12.26	12.03	11.81	11.63	11.44	11.22	10.91	10.78	10.54	10.34	10.15	9.85	9.61
ST1023-MHX	12.26	12.03	11.87	11.62	11.49	11.30	11.12	10.85	10.66	10.52	10.22	9.93	9.70
ST1024F-MHX	13.91	13.71	13.60	13.36	13.05	12.70	12.55	12.25	12.05	11.74	11.48	11.12	10.85
ST1025-MHX	13.40	13.21	12.96	12.75	12.48	12.27	12.06	11.91	11.70	11.50	11.29	11.05	10.82
* ST1025-W-MHX	13.50	13.17	13.03	12.87	12.67	12.45	12.25	12.00	11.73	11.53	11.27	11.14	10.92
ST1081-MHX	11.46	11.30	11.09	10.93	10.78	10.54	10.42	10.13	9.95	9.73	9.50	9.27	9.15
ST1083F-MHX	11.61	11.61	11.61	11.54	11.54	11.42	11.26	11.20	11.20	11.12	10.91	10.73	10.46
ST1084F-MHX	14.75	14.36	14.41	14.20	13.84	13.47	13.26	12.99	12.67	12.43	12.14	11.84	11.60
ST1141-MHX	11.22	11.12	11.12	10.88	10.78	10.40	10.35	10.31	10.16	10.03	9.91	9.69	9.54
ST1142-MHX	11.52	11.34	11.17	11.08	10.85	10.67	10.47	10.31	10.13	10.00	9.86	9.72	9.52
ST1143-MHX	12.11	11.93	11.81	11.68	11.50	11.31	11.14	10.99	10.82	10.65	10.52	10.42	10.20
ST1144F-MHX	15.90	15.70	15.66	15.30	15.04	14.75	14.45	14.26	14.01	13.88	13.59	13.27	13.20
ST1203-MHX	12.41	12.34	12.24	12.18	12.13	11.98	11.91	11.83	11.71	11.55	11.34	11.15	10.96
ST1204F-MHX	16.46	16.30	16.10	15.85	15.48	15.40	14.97	14.65	14.40	14.27	14.04	13.75	13.48
ST1262-MHX	12.11	12.00	12.13	12.09	11.95	11.88	11.70	11.65	11.54	11.53	11.40	11.19	10.96
ST1263-MHX	12.5	12.42	12.16	12.08	11.97	11.93	11.68	11.64	11.47	10.49	11.23	11.21	10.84
ST1355-MHX	17.13	16.99	16.66	16.35	16.03	15.76	15.56	15.20	14.86	14.61	14.25	13.92	13.67
ST1442-MHX	10.88	10.81	10.81	10.63	10.52	10.40	10.24	10.18	10.05	9.95	9.89	9.70	9.58
ST1562-MHX	12.25	12.06	12.06	12.03	11.86	11.68	11.62	11.36	11.31	11.18	11.07	10.93	10.70
ST1563-3-MHX	11.93	11.82	11.52	11.48	11.2	11.18	11.18	10.89	10.88	10.88	10.79	10.65	10.65
ST1682-MHX	13.99	13.90	13.83	13.60	13.37	13.33	13.26	13.01	12.90	12.75	12.61	12.50	12.32

* - PAINTED



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Saltwater Series	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SW60H-MHX	14.05	13.91	13.86	13.75	13.61	13.49	13.4	13.24	13.04	12.85	12.4		
SW66H-MHX	18.57	18.4	18.3	18.25	17.78	17.42	16.97	16.57	16.19	15.76	15.35		
SW66XH-MHX	18.58	18.4	18.32	18.25	17.87	17.47	17.08	16.66	16.24	15.89	15.42		
SW70ML-MHX	14.69	14.31	14.12	13.84	13.63	13.45	13.28	13.06	12.83	12.51	12.34		
SW70M-MHX	15.24	15.1	14.92	14.78	14.44	14.17	13.84	13.65	13.4	13.16	12.94		
SW70MH-MHX	14.74	14.82	14.79	14.86	14.76	14.67	14.59	14.39	14.36	14.30	14.12		
SW70H-MHX	15.30	15.12	15.09	15.00	14.93	14.76	14.62	14.56	14.44	14.34	14.27		
SW70XH-MHX	19.11	19.04	18.89	18.65	18.45	18.35	18.13	17.14	17.53	17.11	16.64		
SW70XXH-MHX	19.77	19.67	19.54	19.47	19.19	19.07	19.01	18.70	18.27	17.96	17.67		
SW76ML-MHX	15.55	15.26	15.14	14.91	14.53	14.31	14.12	13.95	13.67	13.33	13.09		
SW76MXF-MHX	15.61	15.82	15.82	15.30	15.15	14.79	14.52	14.20	13.91	13.67	13.44		
SW76MH-MHX	18.40	18.46	18.35	18.33	18.21	18.09	17.75	17.81	17.77	17.52	17.15		
SW76H-MHX	19.09	19.07	18.97	18.85	18.80	18.61	18.47	18.29	18.21	18.18	17.70		
SW80L-MHX	15.87	15.49	15.27	15.03	14.83	14.66	14.41	14.26	13.98	13.79	13.53		
SW80M-MHX	16.75	16.59	16.38	16.17	15.89	15.43	15.14	14.90	14.75	14.59	14.36		
SW80ML-MHX	15.88	15.69	15.55	15.31	15.20	14.92	14.70	14.55	14.25	14.06	13.98		
SW80HXF-MHX	17.57	17.79	17.44	17.17	16.90	16.55	16.35	16.12	15.63	15.57	15.32		

S-Glass Spin/Cast	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SSP843-MHX	16.10	15.99	15.88	15.74	15.46	15.08	14.66	14.30	13.97	13.57	13.27		
SSP844-MHX	16.54	16.44	16.13	15.81	15.67	15.27	14.93	14.70	14.31	13.86	13.48		
SSP845-MHX	16.96	16.75	16.70	16.53	16.20	15.96	15.55	15.07	14.72	14.42	14.05		
SSP846-MHX	17.43	17.07	16.91	16.91	16.83	16.54	16.15	15.70	15.29	14.90	14.56		
SSP903-MHX	17.11	16.79	16.44	16.17	15.88	15.54	15.21	14.81	14.34	14.02	13.56		



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Spin Jig	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SJ720-MHX	9.98	9.68	9.57	9.22	8.98	8.75	8.51	8.25	8.02	7.77	7.52		
SJ781-MHX	11.20	11.09	10.97	10.75	10.39	10.17	9.89	9.62	9.35	9.09	8.79		
SJ782-MHX	11.81	11.53	11.29	10.99	10.74	10.51	10.19	9.94	9.65	9.35	9.05		
SJ782-2-MHX	11.19	11.07	11.05	10.85	10.72	10.58	10.25	9.93	9.65	9.39	8.96		
* SJ782-COLOR-MHX	11.93	11.62	11.38	11.18	10.90	10.63	10.34	10.09	9.79	9.44	9.24		
SJ783-MHX	13.66	13.45	13.26	12.91	12.51	12.14	11.80	11.45	11.10	10.76	10.43		
SJ783-2-MHX	12.45	12.43	12.40	12.36	12.18	12.16	11.82	11.47	11.14	10.88	10.57		
SJ812-MHX	12.00	11.72	11.58	11.33	11.12	10.87	10.63	10.34	10.18	9.88	9.55		
* SJ812-W-MHX	12.21	12.02	11.71	11.39	11.20	10.99	10.71	10.45	10.22	10.01	9.70		
SJ813-MHX	14.02	13.98	13.82	13.66	13.32	12.98	12.62	12.34	11.97	11.61	11.28		
* SJ813-W-MHX	14.03	13.96	13.94	13.70	13.31	13.02	12.64	12.32	12.00	11.61	11.27		
SJ833-MHX	13.49	13.48	13.44	13.44	13.16	12.75	12.40	12.06	11.70	11.40	10.95		
SJ841-MHX	12.16	11.84	11.76	11.40	11.14	10.90	10.68	10.41	10.15	9.83	9.62		
SJ842-MHX	13.41	13.41	13.53	13.39	13.23	12.86	12.52	12.18	11.80	11.45	11.15		
SJ842-2-MHX	12.62	12.45	12.43	12.37	12.36	12.26	12.18	12.00	11.74	11.32	10.96		
* SJ842-COLOR-MHX	13.79	13.70	13.57	13.57	13.57	13.28	12.89	12.50	12.21	11.88	11.57		
SJ843-MHX	13.71	13.61	13.68	13.68	13.58	13.32	13.02	12.67	12.31	11.87	11.61		
SJ843-2-MHX	13.96	13.73	13.38	13.13	12.80	12.47	12.21	12.00	11.75	11.46	11.18		
* SJ843-W-MHX	14.05	14.05	14.02	14	13.91	13.74	13.31	13.07	12.65	12.35	11.92		
SJ8600-MHX	12.50	12.24	12.06	11.61	11.28	10.97	10.65	10.37	10.14	9.89	9.63		
SJ902-MHX	13.79	13.61	13.61	13.61	13.57	13.52	13.45	13.4	13.1	12.68	12.37		
SJ903-MHX	14.21	14.21	13.98	13.98	13.96	13.93	13.82	13.76	13.37	13.05	12.76		
SJ9000-MHX	12.86	12.53	12.33	12.03	11.80	11.55	11.22	10.84	10.46	10.15	9.92		
SJ9000-2-MHX	12.06	11.87	11.70	11.44	11.00	10.85	10.48	10.21	9.92	9.55	9.20		

* - PAINTED



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Spinner Bait	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SB811-Blend	12.63	12.34	12.12	11.84	11.57	11.32	11.02	10.77	10.45	10.25	9.91		
SB812-Blend	13.95	13.84	13.62	13.27	12.86	12.57	12.25	11.77	11.53	11.18	10.75		
* SB812-W-Blend	12.72	12.94	12.8	12.65	12.52	12.45	12.38	12.14	11.83	11.48	11.21		

Spinning	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
S6010-MHX	6.35	6.12	6.09	5.99	5.70	5.57	5.37	5.25	4.97	4.75	4.60		
S660-MHX	6.48	6.44	6.32	6.18	6.12	6.03	5.85	5.69	5.50	5.33	5.10		
S661-MHX	7.16	6.96	6.80	6.59	6.41	6.25	6.07	5.75	5.71	5.53	5.37		
S661-2-MHX	7.27	7.15	6.96	6.78	6.63	6.46	6.27	6.07	5.84	5.69	5.50		
S720-MHX	6.79	6.79	6.71	6.61	6.54	6.46	6.29	6.21	6.13	5.96	5.71		
S721-MHX	7.52	7.37	7.27	6.14	6.96	6.76	6.57	6.36	6.20	6.00	5.80		
S721-2-MHX	7.56	7.45	7.31	7.11	6.95	6.79	6.61	6.43	6.25	6.06	5.87		
S781-MHX	7.99	7.77	7.64	7.50	7.29	7.09	6.90	6.79	6.59	6.40	6.23		
S781-2-MHX	7.90	7.81	7.77	7.60	7.46	7.30	7.13	6.96	6.79	6.62	6.43		
* S781-W-MHX	7.95	7.91	7.6	7.42	7.27	7.08	6.95	6.84	6.68	6.49	6.32		
S782-MHX	8.40	8.30	8.22	8.01	7.83	7.67	7.47	7.30	7.16	6.99	6.81		
S782-2-MHX	8.50	8.24	8.11	7.95	7.79	7.65	7.48	7.27	7.10	6.42	6.77		
S841-MHX	8.36	8.22	8.01	7.94	7.74	7.65	7.52	7.36	7.24	7.08	6.88		
S842-MHX	10.41	10.32	10.02	9.85	9.61	9.35	9.16	9.01	8.89	8.60	8.37		
S842-2-MHX	8.54	8.43	8.30	8.15	8.02	7.83	7.71	7.58	7.44	7.24	7.08		
* S842-W-MHX													
* S842-2-W-MHX	8.56	8.46	8.28	8.17	7.98	7.88	7.72	7.58	7.39	7.27	7.13		
S871-2-MHX	8.87	8.66	8.52	8.33	8.19	7.99	7.82	7.70	7.58	7.40	7.27		

* - PAINTED



MHX Dimensions for Exposed Reel Seats and Winding Checks.

All measurements in millimeters (mm) from butt to tip.

Surf	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SU965F-MHX	15.26	14.89	14.78	14.47	14.10	13.92	13.84	13.53	13.13	12.98	12.74	12.48	12.16
SU1085F-MHX	16.61	16.41	16.34	16.17	15.84	15.59	15.31	15.03	14.78	14.61	14.30	14.80	13.86
SU1085F-2-MHX	15.10	14.95	14.93	14.81	14.76	14.66	14.60	14.53	14.44	14.40	14.32	14.14	13.87
SU1087F-MHX	16.90	16.75	16.52	16.24	16.13	15.85	15.57	15.38	15.13	14.79	14.54	14.23	13.97
SU1087F-2-MHX	15.33	15.30	15.27	15.17	15.09	15.05	15.03	14.88	14.80	14.67	14.58	14.45	14.35
SU1088F-MHX	17.31	17.11	16.84	16.60	16.30	16.04	15.77	15.55	15.18	14.93	14.63	14.35	14.08
SU1088F-2-MHX	16.18	16.09	16.09	15.98	15.96	15.90	15.88	15.77	15.67	15.62	15.51	15.43	15.17
SU1089F-MHX	17.42	17.26	17.01	16.78	16.47	16.28	16.05	15.72	15.44	15.15	14.87	14.55	14.21
SU1207F-2-MHX	17.15	17.10	17.07	17.01	17.01	16.93	16.84	16.67	16.63	16.56	16.46	16.33	16.12
SU1208F-2-MHX	19.73	19.53	19.34	19.06	18.80	18.50	18.29	18.04	17.76	17.47	17.22	16.96	16.68
SU1209F-2-MHX	20.22	19.99	19.64	19.40	19.12	18.90	18.63	18.43	18.19	17.93	17.64	17.42	17.08

Swimbait	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SWB956-Blend	15.10	14.85	14.62	14.39	14.12	13.86	13.66	13.35	13.13	12.86	12.65	12.40	12.17
* SWB956-W-Blend													
SWB967-Blend	16.98	16.82	16.53	16.28	16.03	15.72	15.5	15.21	14.85	14.48	14.15	13.91	13.68

* - PAINTED

Travel - FW Series	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
TFW721-3-MHX	7.60	7.39	7.19	6.94	6.74	6.57	6.35	6.15	5.92	5.63	5.49		
TFW781-3-MHX	9.33	9.16	8.85	8.58	8.34	8.12	7.89	7.63	7.36	7.13	6.90		
TFW782-3-MHX	12.36	12.06	11.76	11.38	11.11	10.79	10.46	10.11	9.80	9.44	9.05		
TFW841-3-MHX	8.65	8.39	8.22	8.01	7.84	7.64	7.50	7.30	7.18	6.95	6.76		
TFW842-3-MHX	10.09	9.90	9.70	9.48	9.23	9.04	8.79	8.54	8.31	8.11	7.88		



MHX Dimensions for Exposed Reel Seats and Winding Checks. All measurements in millimeters (mm) from butt to tip.

Travel - Original	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
TR842-3-MHX	13.04	13.04	13.03	12.98	12.93	12.81	12.46	12.13	11.81	11.45	11.17		
TR843-3-MHX	13.11	13.11	13.09	13.10	13.06	13.04	12.80	12.54	12.22	11.84	11.52		
TR844-3-MHX	13.90	13.64	13.36	13.12	12.85	12.53	12.26	11.96	11.65	11.35	11.14		
TR844.5-3-MHX	13.97	13.74	13.39	13.17	12.84	12.54	12.25	11.94	11.71	11.44	11.23		
TR845-3-MHX	15.64	15.45	15.36	15.14	14.88	14.70	14.54	14.31	14.16	13.96	13.67		
TR846-3-MHX	17.06	16.99	17.00	16.86	16.54	16.12	15.71	15.28	14.80	14.33	13.75		
TR902-3-MHX	14.73	14.46	14.11	13.80	13.46	13.12	12.82	12.47	12.17	11.83	11.52		
TR903-3-MHX	15.02	14.72	14.42	14.19	13.90	13.60	13.30	12.99	12.66	12.34	12.10		
TR904-3-MHX	15.12	14.76	14.49	14.21	13.90	13.58	13.29	12.99	12.63	12.34	12.04		
TR905-3-MHX	18.83	18.75	18.69	18.44	18.08	17.56	17.09	16.59	16.11	15.66	15.20		
TR906-3-MHX	17.59	17.59	17.47	17.44	17.42	17.31	17.21	16.83	16.36	15.89	15.35		

X-Glass	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
CCB834-MHX	14.85	14.60	14.29	14.04	13.73	13.37	13.05	12.81	12.53	12.35	11.94		
CCB865-MHX	17.34	17.19	17.10	17.00	16.90	16.78	16.67	16.54	16.08	15.65	15.26		