

# Torque Wrenches



The torque wrench is an essential hand tool that is now fundamental in all garages and workshops.

The Britool torque wrench range has been carefully designed to provide a range of solutions to meet the needs of the torque-tightening user.

## What is Torque ?

- Torque is a turning or twisting force, the result of a force applied at a given distance about a known centre
- It is recorded in units of force x distance

**i.e. Nm = Newtons (force) x metres (distance) or**

**lbf/ft = lbf (force) x feet (distance) (1 Newton = 1kg m/s<sup>2</sup>)**



## Classic Mechanical Torque Wrenches

The Britool Classic torque wrench has won a reputation for reliability and quality established over 50 years. The unique mechanism has distinct advantages which ensure it remains a firm favourite with users worldwide.

## Unique 3-phase Mechanism

A progressive torque build-up to the selected setting is easily detected by three clear signals:

- 1 **SIGHT** see the mechanism progressively move towards the point of break as the load is applied
- 2 **TOUCH** feel the point of torque
- 3 **SOUND** unmistakable **CLICK**  
This makes it ideal for use in noisy environments



### ACCESSIBILITY

Compact design ideal for restricted access

### DURABILITY

Proven to be one of the most robust products in the market, the first choice for arduous conditions

### ACCURACY

Exceeds requirements of ISO 6789

### SCALE

Multiple scales – Nm, kg.m, lbf.in and lbf.ft are branded into steel tube, giving readability for the life of the product

### FLEXIBILITY

Push-through square drive for left and right hand operation

### SETTING


Retractable adjuster knob cannot be altered by accident

### SERVICE

Fully repairable with dedicated service kits

## Classic Mechanical Torque Wrench – Non-Length Dependant

Unlike most other torque wrenches, the mechanism pivots around the square drive. This gives the major advantage in that the torque wrench is not length dependant. As a result there is no variation to the application of the preset torque value, no matter where the handle is grasped.




Classic Torque Wrench Ranges

Ref.	Square drive	N.m																		
		2.5	5	10	20	33	50	70	100	135	200	225	300	330	480	720	940			
AVT100A	3/8	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
AVT300A				■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
AVT600					■	■	■	■	■	■	■	■	■	■	■	■	■	■		
EVT600A	1/2			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
EVT1200A					■	■	■	■	■	■	■	■	■	■	■	■	■	■		
EVT2000A						■	■	■	■	■	■	■	■	■	■	■	■	■		
EVT3000A							■	■	■	■	■	■	■	■	■	■	■	■		
HVT5000	3/4									■	■	■	■	■	■	■	■	■		
HVT7200																		■	■	
GVT8400	1																		■	■

Scale Divisions

Series	N.m	Kg.m	lbf.in	lbf.ft
100	0.5	0.1	10.0	1.0
300	1.0	0.1	10.0	1.0
600	2.0	0.2	20.0	2.0
1200	5.0	1.0	50.0	2.0
2000	5.0	1.0	50.0	2.0
3000	10.0	1.0	100.0	10.0
5000	10.0	-	100.0	10.0
8400	10.0	-	-	10.0



GVT8400

HVT7200

HVT5000



How To Read The Britool Torque Wrench Code

Square drive size inches	Regular type	Torque Wrench	Maximum lbf.in	Scale type
<b>E</b>	<b>V</b>	<b>T</b>	<b>3000</b>	<b>A</b>
Aero 3/8 Engineers 1/2 Heavy 3/4 Giant 1	Variable (regular, adjustable type)			A denotes a production change to the latest model

The example code in the blue band is for a 1/2" variable torque wrench, maximum 3000 lbf.in

Torque Measurement Conversion Chart

TO CONVERT FROM	TO CONVERT TO								
	mN.m millinewton-metre	cN.m centinewton-metre	N.m newton-metre	daN.m decanewton-metre	cm.kg centimetre-kg	m.kg metre-kg	in.oz inch-ounce	in.lb inch-pound	ft.lb foot-pound
1mN.m	1	0.1	0.001	0.0001	0.0102	0.000102	0.1418	0.00886	0.000738
1cN.m	10	1	0.01	0.001	0.102	0.00102	1.418	0.0886	0.00738
1N.m	1000	100	1	0.1	10.2	0.102	141.8	8.863	0.738
1daN.m	10000	1000	10	1	102	1.02	1418	88.63	7.38
1cm.kg	98	9.8	0.98	0.098	1	0.01	13.9	0.869	0.0724
1m.kg	9810	981	9.81	0.98	100	1	1390	86.90	7.24
1in.oz	7.05	0.705	0.00705	0.0007	0.072	0.0072	1	0.063	0.0052
1in.lb	112.8	11.28	0.1128	0.01128	1.152	0.0115	16	1	0.083
1ft.lb	1350	135	1.35	0.135	13.8	0.138	192	12	1





# Classic Mechanical Torque Wrenches

- Certified accuracy to  $\pm 4\%$

AVT100A



## 3/8" Classic

Ref.	Square drive	Torque range Nm	Length mm	List £
AVT100A	3/8	2.5-11	318	£115.44
AVT300A	3/8	5-33	422	£115.44
AVT600	3/8	12-68	476	£122.48

EVT3000A

EVT600A



## 1/2" Classic

Ref.	Square drive	Torque range Nm	Length mm	List £
EVT600A	1/2	12-68	476	£122.48
EVT1200A	1/2	25-135	546	£128.85
EVT2000A	1/2	50-225	597	£152.09
EVT3000A	1/2	70-330	825	£179.92

- Exceeds the requirements of ISO 6789

HVT5000

GVT8400



## 3/4" & 1" Classic

Ref.	Square drive	Torque range Nm	Length mm	List £
HVT5000	3/4	140-560	1130	£454.34
HVT7200	3/4	200-810	1181	£454.34
GVT8400	1	480-940	1397	£662.57



## Series 2 Torque Wrenches



TORQUE RANGE				
Ref.	Drive	Capacity Nm Min. Max.	Length mm	List £
D25T	1/4" Ratchet	5 - 25	290	£128.04
A50T	3/8" Ratchet	10 - 50	370	£128.04
E100T	1/2" Ratchet	20 - 100	435	£128.04
E200T	1/2" Ratchet	40 - 200	495	£145.50
E340T	1/2" Ratchet	60 - 340	650	£161.80

- Strong 72 tooth ratchet
- Split scale adjustment system
  - Linear major scale - for coarse adjustment
  - Rotary minor scale - for fine adjustment
- Positive lock - preventing accidental adjustment whilst in use
- Complies with ISO 6789
- Certified accuracy to  $\pm 4\%$

## Torque Calibration & Testing



- SI Metric and English imperial units
- Track and peak modes
- Accuracy  $\pm 1\%$  over operational range



Checkmate Torque Testers				
Ref.	Description	Range Nm	G	List £
CM40	Torque Tester	5-50	R	£1051.46
CM400	Torque Tester	36-360	R	£1051.46
CM1000	Torque Tester	110-1100	R	£1305.97

Torque Multipliers							
Ref.	Input	Max input	Output	Max output	Torque multiplication	G	List £
HXT28	3/4	560Nm	1	2800Nm	5 x	R	£736.20
EXT13	1/2	407Nm	3/4	1350Nm	3.3 x	R	£696.05

# Wrenches






### Combination Wrenches

Britool combination wrenches feature Stress Relief Drive on the ring end. All open jaw ends feature a constant radius of curvature – reducing stress concentrations and jaw flexing. Both of these features enhance fastener grip and prolong both tool and fastener life. All Britool combination wrenches are manufactured to ISO 7738.

Britool combination wrenches are supplied in four different length variants – short, standard, long and extra long.

Britool combination wrenches are clearly marked with the wrench size on the open jaw head for ease of identification.



### Open Jaw Wrenches

All open jaw ends feature a constant radius of curvature – reducing stress concentrations and flexing of the jaws.

### Ring Wrenches

Britool Ring Wrenches are offset at 45° for ease of access and feature Stress Relief Drive.


Britool wrenches are manufactured to the latest ISO standards. All are forged from the highest quality steel and precision machined to exacting standards. They fulfil the needs of the professional engineer.

- Drop forged to ensure uniform grain structure, giving increased strength and reliability
- Heat treated in carefully controlled conditions to ensure optimum performance for every wrench
- Chrome plated for maximum corrosion protection

Britool's advanced Stress Relief Drive (SRD) is standard on all 12 point rings. This reduces fastener wear, assists in the removal of worn fasteners, and enables higher torque loads to be applied.


Britool's advanced ring configuration increases the contact area between the socket and the fastener, minimising stress and reducing the chance of fastener damage.

Because the load is applied to the flat of the fastener, rather than the corners – even if the fastener is already damaged – the drive is superior to a standard profile socket.



### Conventional Profile


Corner point contact gives high stress areas – highlights show contact points on the corner of the fastener




### SRD Profile

Distributed surface loads relieves possible stress area – highlights show contact points away from the corner of the fastener

## SAFETY MEASURES




Never grind or alter the shape of the wrench




Never hammer or strike a wrench unless it is designed for this purpose



Never work with damaged or chipped tools



Always ensure there is a positive fit onto the fastener



Do not extend length of wrench by locking two together



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism
- Flexi head design for ease of access

## Flexible Ratcheting Combination Wrench Set

Ref.	Description	Sizes	List £
RRFJMSET12	12 Piece Flexible	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£153.30



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism
- Cranked reversible design

## Ratcheting Combination Wrench Set

Ref.	Description	Sizes	List £
RRJMSET1	12 Piece	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£124.91



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism

## Double Ended Ratcheting Wrench Set

Ref.	Description	Sizes	List £
RRMSET5	5 Piece	8 x 10, 10 x 11, 12 x 13, 14 x 15, 17 x 19mm	£51.10



- Fine tooth mechanism gives a 5° minimum working arc
- Robust mechanism for high torque loads and long working life
- Heat treated chrome-vanadium construction for maximum strength and durability
- Chrome and nickel plating for maximum corrosion protection
- Cranked reversible design

## Professional Stubby Combination Wrench Set

Ref.	Description	Sizes	List £
RRJSMSET7	7 Piece	10, 12, 13, 14, 15, 17, 19mm	£55.64





- Contains sizes
- Fine tooth mechanism gives a 5° minimum working arc
- Robust mechanism for high torque loads and long working life
- Heat treated chrome-vanadium construction for maximum strength and durability
- Chrome and nickel plating for maximum corrosion protection

### 4 Piece Professional TX Star Wrench Set

Ref	Description	Sizes	List £
RRTSET4	4 Piece	E6 x E8, E10 x E12, E14 x E16, E20 x E24	£26.32



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism
- Ratcheting Combination Wrench Set With Rapid Open Jaw Feature

### Rapid open jaw design

Ref.	Description	Sizes	List £
RRJMSET12F	12 Piece Rapid Jaw	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	£103.95



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism
- Flexi head design for ease of access

### Flexi Head Ratcheting Combination Wrenches

Ref.	Size mm	Length mm	List Price
RRFJM8	8	140	£11.36
RRFJM9	9	145	£11.36
RRFJM10	10	160	£11.36
RRFJM11	11	170	£11.36
RRFJM12	12	175	£11.36
RRFJM13	13	184	£12.49
RRFJM14	14	190	£12.49
RRFJM15	15	200	£13.06
RRFJM16	16	215	£13.63
RRFJM17	17	230	£14.76
RRFJM18	18	238	£15.90
RRFJM19	19	248	£15.90



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism

### Reversible Ratcheting Combination Wrenches

Ref.	Size mm	Length mm	List Price
RRJM8	8	135	£9.08
RRJM9	9	140	£9.08
RRJM10	10	158	£9.08
RRJM11	11	166	£9.08
RRJM12	12	170	£10.22
RRJM13	13	178	£10.22
RRJM14	14	187	£10.79
RRJM15	15	198	£10.79
RRJM16	16	212	£12.49
RRJM17	17	230	£12.49
RRJM18	18	238	£12.49
RRJM19	19	247	£13.06



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism

### Stubby Ratcheting Combination Wrenches

Ref.	Size mm	Length mm	List Price
RRJSM10	10	95	£6.53
RRJSM12	12	103	£7.38
RRJSM13	13	106	£7.38
RRJSM14	14	112	£7.95
RRJSM15	15	116	£7.95
RRJSM17	17	126	£10.22
RRJSM19	19	130	£10.22



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism

### Double Ended Ratcheting Wrenches

Ref.	Size mm	Length mm	List Price
RRM810	8 x 10	128	£10.16
RRM1011	10 x 11	149	£10.16
RRM1213	12 x 13	170	£11.36
RRM1415	14 x 15	190	£12.50
RRM1719	17 x 19	230	£13.63

# Combination Wrenches



- Turns a ratcheting wrench into a low profile – quick release ratchet
- 1/4"SD x 10mm, 3/8"SD x 13mm, 1/2"SD x 19mm

## 3 Piece Quick Release Adapter Set

Ref	Description	Sizes	List £
RRSD3	3 Piece Adapter Set	1/4"SD x 10mm, 3/8"SD x 13mm, 1/2"SD x 19mm	£9.03



## Combination Wrenches - Metric

Ref.	Size mm	Length mm	List
RJM6	6	109	£5.53
RJM7	7	119	£5.53
RJM8	8	129	£5.53
RJM9	9	139	£5.53
RJM10	10	149	£5.94
RJM11	11	159	£5.94
RJM12	12	169	£5.94
RJM13	13	179	£6.81
RJM14	14	189	£6.81
RJM15	15	199	£7.74
RJM16	16	209	£7.74
RJM17	17	219	£8.96
RJM18	18	229	£8.96
RJM19	19	239	£10.41
RJM20	20	249	£11.88
RJM21	21	259	£12.51
RJM22	22	269	£14.26
RJM23	23	279	£15.42
RJM24	24	289	£16.13
RJM25	25	299	£17.86
RJM26	26	309	£20.66
RJM27	27	319	£21.12
RJM28	28	329	£25.31
RJM30	30	349	£27.99
RJM32	32	269	£31.60
RJM34	34	409	£45.98
RJM36	36	439	£48.59
RJM41	41	479	£65.13
RJM46	46	549	£90.15
RJM50	50	549	£110.58
RJM55	55	609	£156.49
RJM60	60	699	£214.17
RJM65	65	699	£259.57



## Extra Long Combination Wrenches - Metric

Ref.	Size mm	Length mm	List £
RJXM10	10	190	£10.77
RJXM11	11	208	£11.00
RJXM12	12	226	£11.17
RJXM13	13	244	£11.81
RJXM14	14	262	£12.22
RJXM15	15	280	£12.87
RJXM16	16	298	£13.67
RJXM17	17	315	£14.90
RJXM18	18	334	£15.77
RJXM19	19	351	£17.17



## Combination Wrenches - AF

Ref.	Size in	Length mm	List
RJ250	1/4	109	£5.67
RJ312	5/16	129	£5.67
RJ344	11/32	139	£5.67
RJ375	3/8	149	£5.67
RJ437	7/16	159	£5.90
RJ500	1/2	179	£5.90
RJ562	9/16	189	£6.86
RJ625	5/8	209	£7.76
RJ687	11/16	219	£8.95
RJ750	3/4	239	£8.95
RJ812	13/16	259	£13.72
RJ875	7/8	269	£14.91
RJ937	15/16	289	£16.27
RJ1000	1	299	£17.90
RJ1062	1 1/16	319	£19.58
RJ1125	1 1/8	339	£25.86
RJ1250	1 1/4	369	£30.67
RJ1312	1 5/16	409	£40.49
RJ1375	1 3/8	409	£48.22
RJ1437	1 7/16	439	£49.48
RJ1500	1 1/2	439	£60.64
RJ1625	1 5/8	479	£68.36
RJ1687	1 11/16	479	£75.37
RJ1750	1 3/4	549	£75.37
RJ1812	1 13/16	549	£113.49
RJ1875	1 7/8	549	£113.49



## Combination Wrenches - Whitworth

Ref.	Size in	Whit	BA	Length mm	List £
RJ248	0.25		4	109	£7.19
RJ324	0.32		2	129	£7.20
RJ338	0.34	1/8		139	£7.93
RJ413	0.41		0	159	£7.20
RJ445	0.45	3/16		159	£7.93
RJ525	0.53	1/4		179	£8.96
RJ600	0.6	5/16		209	£10.48
RJ710	0.71	3/8		219	£12.20
RJ820	0.82	7/16		259	£15.14
RJ920	0.92	1/2		289	£19.45
RJ1010	1.01	9/16		299	£25.65
RJ1100	1.1	5/8		319	£34.40
RJ1200	1.2	11/16		369	£38.12
RJ1300	1.3	3/4		409	£51.32
RJ1480	1.48	7/8		439	£79.02

RJMSET14/TC



RJXMSET10/TC



RJMSET7L/TC



**Combination Wrench Sets  
– In ABS Tool Control Trays**

Ref.	Description	Sizes	List £
RJMSET14/TC	14 Piece Metric	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£82.95
RJMSET7L/TC	7 Piece Metric	20, 21, 22, 24, 27, 30, 32mm	£89.25
RJXMSET10/TC	10 Piece Metric – Extra Long	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£103.95



ND349K



**Stubby Combination Wrenches**

Ref.	Description	Sizes	List £
RJSMSET7	7 Piece Metric	10, 12, 13, 14, 15, 17, 19mm	£40.95

**Combination Wrench Sets**

Ref.	Description	Sizes	List £
RJMSET8	8 Piece Metric	8, 10, 11, 12, 13, 14, 17, 19mm	£46.20
RJMSET11	11 Piece Metric	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm	£68.25
ND360E	17 Piece Metric	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24mm	£141.31
RJSET8	8 Piece AF	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8in	£50.40
ND243L	10 Piece AF	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16in	£92.95
ND251D*	14 Piece AF	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1 1/16, 1 1/8, 1 1/4in	£192.64
ND130A	7 Piece Whitworth	1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2W	£74.21
ND150J	11 Piece Whitworth	1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4W	£219.80

RJMSET8




RJMSET11






# Combination Wrench Sets



RJM10/STC



RJXMSET10

RJXM7/S

## Wrench Sets - Hi-tech Foam

Ref.	Description	Sizes	List £
RJM10/STC	8 Piece Metric	10, 11, 12, 13, 14, 16, 17, 19mm	£56.97
RJ10/STC	8 Piece AF	1/4, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4in	£57.62
RJXM7/STC	7 Piece Metric Extra Long	10, 11, 12, 13, 14, 17, 19mm	£89.22

## Extra Long Combination Wrench Sets

Ref.	Description	Sizes	List £
RJXM7/S	7 Piece Metric	10, 11, 12, 13, 14, 15, 17mm	£84.79
RJXM7/S19	7 Piece Metric	10, 11, 12, 13, 14, 17, 19mm	£89.22
RJXMSET10	10 Piece Metric	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£103.95



## Open Jaw Wrenches

### Open Jaw Wrenches - Metric

Ref.	Size mm	Length mm	List £
2JM67	6 x 7	121	£4.71
2JM78	7 x 8	138	£4.71
2JM89	8 x 9	140	£4.71
2JM1011	10 x 11	157	£4.71
2JM1013	10 x 13	168	£5.53
2JM1213	12 x 13	171	£5.53
2JM1317	13 x 17	200	£6.46
2JM1415	14 x 15	184	£6.46
2JM1617	16 x 17	200	£6.46
2JM1719	17 x 19	213	£7.56

### Open Jaw Wrenches - Metric

Ref.	Size mm	Length mm	List £
2JM1819	18 x 19	213	£7.56
2JM1922	19 x 22	245	£9.48
2JM2022	20 x 22	245	£10.65
2JM2123	21 x 23	245	£10.65
2JM2224	22 x 24	259	£13.67
2JM2427	24 x 27	286	£19.23
2JM2430	24 x 30	313	£22.23
2JM2730	27 x 30	315	£22.68
2JM3032	30 x 32	321	£23.80
2JM3236	32 x 36	368	£30.38
2JM3641	36 x 41	343	£47.35



### Open Jaw Wrenches - AF

Ref.	Size in	Length mm	List £
2J2531	1/4 x 5/16	121	£4.30
2J3137	5/16 x 3/8	140	£4.43
2J3743	3/8 x 7/16	157	£4.77
2J4350	7/16 x 1/2	171	£5.53
2J5056	1/2 x 9/16	184	£5.94
2J5662	9/16 x 5/8	184	£6.00
2J5668	9/16 x 11/16	200	£6.35
2J6268	5/8 x 11/16	200	£6.57
2J6275	5/8 x 3/4	213	£7.80
2J6875	11/16 x 3/4	213	£7.80
2J7587	3/4 x 7/8	245	£8.62
2J8187	13/16 x 7/8	245	£9.25
2J8193	13/16 x 15/16	245	£9.61
2J93100	15/16 x 1	259	£13.91
2J93112	15/16 x 1 1/8	285	£18.74
2J106112	1 1/16 x 1 1/8	315	£19.50
2J106125	1 1/16 x 1 1/4	317	£20.84
2J125143	1 1/4 x 1 7/16	330	£31.77
2J131150	1 5/16 x 1 1/2	330	£33.93
2J162181	1 5/8 x 1 13/16	432	£50.99
2J168187	1 11/16 x 1 7/8	432	£52.67




### Open Jaw Wrenches - Whitworth

Ref.	Size in	Whit	Length mm	List £
2J3344	0.34 x 0.45	1/8 x 3/16	157	£6.63
2J4452	0.45 x 0.53	3/16 x 1/4	171	£7.30
2J5260	0.53 x 0.60	1/4 x 5/16	184	£7.86
2J6071	0.60 x 0.71	5/16 x 3/8	200	£9.33
2J7182	0.71 x 0.82	3/8 x 7/16	213	£11.57
2J8292	0.82 x 0.92	7/16 x 1/2	245	£13.77
2J92101	0.92 x 1.01	1/2 x 9/16	259	£17.15
2J101110	1.01 x 1.10	1/2 x 5/8	283	£22.48
2J101120	1.01 x 1.20	9/16 x 11/16	322	£27.83
2J110120	1.10 x 1.20	5/8 x 11/16	317	£28.83
2J120130	1.20 x 1.30	11/16 x 3/4	321	£33.44
2J130148	1.30 x 1.48	3/4 x 7/8	330	£49.90
2J148167	1.48 x 1.67	7/8 x 1	384	£69.74
2J186205	1.86 x 2.05	1 1/8 x 1 1/4	467	£81.90



Midget Open Jaw Wrenches - BA

Ref.	Size in	BA	Length mm	List £
5J1013	0.10 x 0.13	11 x 9	70	£4.59
5J1115	0.12 x 0.15	10 x 8	70	£4.62
5J1722	0.17 x 0.22	7 x 5	80	£4.62
5J1924	0.19 x 0.25	6 x 4	80	£4.62
5J2432	0.25 x 0.32	4 x 2	80	£4.62
5J2836	0.28 x 0.37	3 x 1	90	£5.08
5J3241	0.32 x 0.41	2 x 0	100	£5.13



\*Supplied in red PVC wallet

Midget Open Jaw Wrench Sets

Ref.	Description	Sizes	List £
NB108T	6 Piece BA	11 x 9, 10 x 8, 7 x 5, 6 x 4, 3 x 1, 2 x 0BA	£24.45

Open Jaw Wrench Sets

Ref.	Description	Sizes	List £
S2JM10	10 piece Metric	6 x 7, 7 x 8, 8 x 9, 10 x 13, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 17 x 19, 18 x 19mm	£42.66
NB351G	11 piece Metric	6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26 & 27 x 30mm	£91.20
NB227D*	6 piece AF	5/16 x 3/8, 7/16 x 1/2, 9/16 x 5/8, 11/16 x 3/4, 13/16 x 7/8, 15/16 x 1in	£44.70
NB231E	7 piece AF	5/16 x 3/8, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 9/16 x 5/8, 5/8 x 11/16, 11/16 x 3/4in	£40.10
NB250P	10 piece AF	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 9/16 x 5/8, 5/8 x 11/16, 11/16 x 3/4, 3/4 x 7/8, 15/16 x 1in	£65.01
NB131R	7 piece Whitworth	1/8 x 3/16, 3/16 x 1/4, 1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16W	£69.71
NB141C	9 piece Whitworth	1/8 x 3/16, 3/16 x 1/4, 1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 9/16 x 5/8, 5/8 x 11/16W	£119.71



Open Jaw Wrench Sets in ABS Tool Control Trays

Ref.	Description	Sizes	List £
2JMSET8/TC	8 Piece Metric	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£37.80

Ring Wrenches




Ring Wrenches - Metric

Ref.	Size mm	Length mm	List £
9RBM67	6 x 7	168	£6.27
9RBM89	8 x 9	183	£6.65
9RBM1011	10 x 11	198	£7.18
9RBM1213	12 x 13	217	£7.57
9RBM1415	14 x 15	239	£8.01
9RBM1617	16 x 17	260	£8.69
9RBM1819	18 x 19	292	£10.06



Ring Wrench Sets - Hi-tech Foam

Ref.	Description	Sizes	List £
NC391T/TC	7 Piece Metric	6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm	£65.18



## Ring Wrench Sets in ABS Tool Control Trays

Ref.	Description	Sizes	List £
RRBMSET7/TC	7 Piece Metric	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm	£47.25

## Ring Wrench Sets

Ref.	Description	Sizes	List £
NC381T	7 Piece Metric	6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm	£53.25



## Extra Long Ring Wrench Set

Ref.	Description	Sizes	List £
RRLMSET3	3 Piece Metric	10x12, 13x14, 17x19	£51.45

# Ratcheting Ring Wrenches



## Offset Ratcheting Wrenches - Metric

Ref.	Size mm	Length mm	List £
RBOM78	7 x 8	109	£11.92
RBOM910	9 x 10	138	£13.77
RBOM1112	11 x 12	168	£17.49
RBOM1314	13 x 14	168	£17.49
RBOM1517	15 x 17	200	£20.47
RBOM1921	19 x 21	227	£22.54



## Flat Ratcheting Wrenches - Metric

Ref.	Size mm	Length mm	List £
RBB78	7 x 8	108	£10.88
RBB910	9 x 10	140	£12.22
RBB1112	11 x 12	171	£15.49
RBB1314	13 x 14	171	£15.49
RBB1517	15 x 17	203	£18.57
RBB1618	16 x 18	203	£18.57
RBB1921	19 x 21	235	£20.59

## Offset Ratcheting Wrenches - AF

Ref.	Size in	Length mm	List £
RBO2531	1/4 x 5/16	109	£11.15
RBO3743	3/8 x 7/16	138	£12.65
RBO5056	1/2 x 9/16	168	£18.93
RBO6268	5/8 x 11/16	168	£21.14
RBO7587	3/4 x 7/8	227	£21.63

## Flat Ratcheting Wrenches - AF

Ref.	Size in	Length mm	List £
RBB2531	1/4 x 5/16	108	£9.94
RBB3743	3/8 x 7/16	140	£11.72
RBB4350	7/16 x 1/2	171	£17.76
RBB5056	1/2 x 9/16	171	£17.20
RBB5662	9/16 x 5/8	203	£19.76
RBB6268	5/8 x 11/16	203	£19.58
RBB7587	3/4 x 7/8	235	£19.92





### Ratcheting Box Wrench Set

Ref.	Description	Sizes	List £
RCHWRENCH1	6 Piece Ratcheting Box Wrench Set	7 x 8, 9 x 10, 11 x 12, 13 x 14, 15 x 17, 19 x 21mm	£81.76




### Ratcheting Ring Wrench Sets

Ref.	Description	Sizes	List £
RBOMSET	5 Piece Metric Ratcheting Offset	7 x 8, 9 x 10, 11 x 12, 15 x 17, 19 x 21mm	£77.24
RBOSET	5 Piece AF Ratcheting Offset	1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 7/8in	£75.37



### Ratcheting Box Wrench Set

Ref.	Description	Sizes	List £
RRMSET5	5 Piece Double Ended Ratcheting Wrench Set	8 x 10, 10 x 11, 12 x 13, 14 x 15, 17 x 19	£51.10



### Ratcheting Ring Wrench Sets - Hi-tech Foam

Ref.	Description	Sizes	List £
RBMSET/TC	7 Piece Metric Ratcheting Ring Wrench Set	7 x 8, 9 x 10, 11 x 12, 13 x 14, 15 x 17, 16 x 18, 19 x 21mm	£108.19
RBSET/TC	7 Piece AF Ratcheting Ring Wrench Set	1/4 x 5/16, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 9/16 x 5/8, 5/8 x 11/16, 3/4 x 7/8in	£113.49
RBOMSET/TC	6 Piece Metric Ratcheting Offset Ring Wrench Set	7 x 8, 9 x 10, 11 x 12, 13 x 14, 15 x 17, 19 x 21mm	£99.93

## Miscellaneous Wrenches



### 'C' Hook Wrenches

Ref.	Size mm	Length mm	List £
3150	19-51	165	£18.42
3151	32-76	216	£25.44
3152	51-121	267	£33.50



### Adjustable Wrenches - Chrome

Ref.	Jaw Opening (max) mm	Length mm	List £
306C	19	152	£19.20
308C	26	203	£22.40
310C	30	254	£27.41
312C	34	305	£36.82
315C	42	381	£59.78
318C	53	457	£105.14



- Monoblock cast iron handle with I beam construction for strength and rigidity under load
- Handle and moving jaw are forged from high quality steel – heat treated to ensure maximum strength and wear resistance

### Heavy Duty Pipe Wrenches

Ref	Length mm	Max Jaw Capacity mm	List £
PW200	200	34	£20.51
PW250	250	49	£23.94
PW300	300	60	£27.65
PW350	350	60	£31.70
PW450	450	76	£45.37




- Designed for scaffolding and steel work applications
- Heavy duty 32 tooth ratchet mechanism
- Zinc plated
- Stress relief drive on all socket heads
- Double sided mechanism gives two sizes per wrench

### Ratcheting Podger Wrenches

Ref.	Description	List £
RRPM1719	17 x 19	£19.30
RRPM1921	19 x 21	£21.58
RRPM2427	24 x 27	£26.12

# Screwdrivers & Insert Bits



# Screwdrivers Technical Information

The performance of Britool screwdrivers exceeds ISO standards. This comprehensive range gives outstanding performance, providing optimum torque with a minimum of user fatigue.

## Range

Britool screwdrivers are available with a full range of tips including long reach versions.

## Screwdriver Blades

All Britool screwdriver blades have shot blasted tips to give increased grip—ensuring positive fastener location, and reducing slippage and possible damage or injury.

Heat treatment gives the correct balance of hardening and tempering—for optimum hardness without being brittle.


Blades designed to fit large fasteners incorporate a hexagon bolster, allowing a wrench to be used if extra torque is required.

## Screwdriver Handles

Britool screwdriver handles are ergonomically designed with a two piece construction combining comfort in use with durability. A soft, textured rubber grip allows maximum torque to be applied without discomfort.

The tough bi-material handle is moulded directly onto the flanged blade, preventing the blade from twisting or pulling out of the handle.

- Colour coded for easy identification
- Textured finish ensures a firm grip even when greasy
- Large diameter handle gives a positive grip when applying high torque loads
- Small diameter area aids accurate location and fast screw turning
- Holed handle allows easy and safe storage



## Engineers Screwdrivers



### Flared Tip

Ref.	Length mm	Tip width mm	List £
SM100/5.5	100	5.5	£4.60
SM125/6.5	125	6.5	£6.22
SM150/6.5	150	6.5	£6.35
SM150/8	150	8.0	£8.27
SM250/8	250	8.0	£8.73
SM200/10	200	10.0	£10.59
SM250/12	250	12.0	£12.22

### Torx

Ref.	Length mm	Tip	List £
SM75T10	75	T10	£4.70
SM75T15	75	T15	£5.38
SM100T20	100	T20	£6.42
SM100T25	100	T25	£7.63
SM100T27	100	T27	£7.63
SM125T30	125	T30	£7.88
SM125T40	125	T40	£9.65

### Tamper Proof Torx

Ref.	Length mm	Tip	List £
SM75TPT10	75	T10	£4.77
SM75TPT15	75	T15	£5.45
SM100TPT20	100	T20	£6.47
SM100TPT25	100	T25	£7.72
SM100TPT27	100	T27	£7.95
SM125TPT30	125	T30	£7.95
SM125TPT40	125	T40	£9.65





## Pozidriv

Ref.	Length mm	Tip	List £
SM75PZ0	75	PZ0	£4.19
SM75PZ1	75	PZ1	£4.77
SM100PZ1	100	PZ1	£5.29
SM125PZ2	125	PZ2	£7.34
SM150PZ3	150	PZ3	£9.66
SM200PZ4	200	PZ4	£12.22



## Stubby Pozidriv

Ref.	Length mm	Tip	List £
SM30PZ1	30	PZ1	£4.89
SM30PZ2	30	PZ2	£5.06

## Electricians Screwdrivers



## Parallel Tip

Ref.	Length mm	Tip width mm	List £
SE50/2.5	50	2.5	£2.27
SE50/3	50	3.0	£2.44
SE75/3.5	75	3.5	£2.62
SE100/3.5	100	3.5	£3.20
SE100/4	100	4.0	£3.20
SE150/4	150	4.0	£3.96
SE150/5.5	150	5.5	£4.25
SE175/6.5	175	6.5	£4.95
SE250/5	250	5.0	£4.60



## Phillips

Ref.	Length mm	Tip	List £
SE50PH00	50	PH00	£2.50
SE75PH0	75	PH0	£2.79
SE75PH1	75	PH1	£3.69
SE100PH1	100	PH1	£4.19
SE125PH2	125	PH2	£6.22
SE150PH3	150	PH3	£8.55
SE200PH4	200	PH4	£11.23



## Insulated Parallel Tip

Ref.	Length mm	Tip width mm	List £
SES50/2.5	50	2.5	£3.43
SES100/3.5	100	3.5	£3.90
SES150/4	150	4.0	£5.18
SES175/5.5	175	5.5	£6.81



## Insulated Phillips

Ref.	Length mm	Tip	List £
SES50PH00	50	PH00	£3.55
SES75PH0	75	PH0	£4.08
SES100PH1	100	PH1	£6.05
SES125PH2	125	PH2	£8.55



## Stubby Parallel Tip

Ref.	Length mm	Tip width mm	List £
SE30/4	30	4.0	£3.67
SE30/5.5	30	5.5	£3.72
SE30/6.5	30	6.5	£3.84



## Stubby Phillips


Ref.	Length mm	Tip	List £
SE30PH1	30	PH1	£4.19
SE30PH2	30	PH2	£4.30





Screwdriver Sets			
Ref.	Description	Sizes	List £
SDS5	5 Piece Flared & Parallel Tip	Flared Tip: 6.5, 8mm Parallel Tip: 3.5, 4, 5.5mm	£26.19
SDS6	6 Piece Pozidriv, Flared & Parallel Tip	Flared Tip: 5.5, 6.5, 8mm Parallel Tip: 3.5mm Pozidriv: PZ1, PZ2	£31.80
SDS7	7 Piece Pozidriv, Flared & Parallel Tip	Flared Tip: 5.5, 6.5, 8mm Parallel Tip: 3.5, 4mm Pozidriv: PZ1, PZ2	£34.07

Micro Screwdriver Sets			
Ref.	Description	Sizes	List £
SL4/S	4 Piece Torx Micro Set	T6, 7, 8, 9	£19.25
SL6/S	6 Piece Slotted / Phillips Micro set	Slotted: 2, 2.5, 3 Phillips: PH000, 00, 0	£14.91
SL8/S	9 Piece Interchangeable Tip Micro Set	Slotted: 1, 1.2, 1.5, 1.8, 2, 2.5mm Phillips: PH000, PH00	£15.46



SDS8/TC



SDRIV1



SDRIV3



SDS9/TC



SDRIV4



SDRIV2



SDS11



SDRIV6



SDS7/2TC

Screwdriver Sets - Hi-tech Foam			
Ref.	Description	Sizes	List £
SDS7/2TC	7 Piece Torx Set	Torx: T10, 15, 20, 25, 27, 30, 40	£46.50
SDS8/TC	8 Piece Insulated Screwdriver Set	Insulated Parallel Tip: 2.5, 3.5, 4, 5.5mm Insulated Phillips Tip: PH00, PH0, PH1, PH2	£37.67
SDS9/TC	9 Piece Phillips, Flared & Parallel Tip	Flared Tip: 6.5, 8. Parallel Tip: 3.5, 4, 5.5 4mm Stubby, Phillips: PH1, PH2 PH1 Stubby	£41.85
SDS11	11 Piece Pozidriv, Flared & Parallel Tip	Flared Tip: 5.5, 6.5, 8. Parallel Tip: 3.5, 4, 6.5mm Stubby, Pozidriv: PZ0, PZ1, PZ2, PH3, PZ2 Stubby	£59.95

Screwdriver Sets			
Ref.	Description	Sizes	List £
SDRIV1	8 Piece Flared & Pozidriv Set Tip	Flared Tip :3.5, 4, 5.5, 6.5, 8 Pozidriv PZ0, PZ1, PZ2	£36.34
SDRIV2	7 Piece Torx Screwdriver Set	Torx T10, T15, T20, T25, T27, T30, T40	£42.58
SDRIV3	8 Piece Insulated Screwdriver Set	Insulated Parallel Tip : 2.5, 3.5, 4, 5.5 Phillips PH00, PH0, PH1, PH2	£36.34
SDRIV4	8 Piece Flared & Phillips Screwdriver Set Insulated	Flared Tip :3.5, 4, 5.5, 6.5, 8 Pozidriv PH0, PH1, PH2	£34.07
SDRIV5	7 Piece Tamper Proof Torx Screwdriver Set	Tamper Proof Torx:T10, T15, T20, T25, T27, T30, T40	£42.58
SDRIV6	7 Piece Stubby Screwdriver Set	Slotted Tip: 4, 5.5, 6.5 Philips PH1, PH2 Pozidriv PZ1, 2	£29.63

# Ratcheting Screwdrivers



- Robust gearless mechanism – gives less than 1° minimum working arc
- Negligible reverse torque
- Magnetic bit retention
- Complete with bits: Pozidriv 1, 2, Phillips 1, 2 Slotted 4 & 6.5mm

## Gearless Ratcheting Screwdrivers

Ref.	Description	Insert Bits	Length mm	List £
BCSD1	Gearless ratcheting screwdriver	Phillips® PH1, 2 Pozidriv® PZ1, 2 Slotted 4, 6.5mm	225	£9.03
BCSD2	Stubby gearless ratcheting screwdriver	Phillips® PH1, 2 Pozidriv® PZ1, 2 Slotted 4, 6.5mm	115	£7.89
BCSD3	Long reach gearless ratcheting screwdriver	Phillips® PH1, 2 Pozidriv® PZ1, 2 Slotted 4, 6.5mm	310	£10.79



## Professional 35 Piece Ratcheting Screwdriver Set

Ref	Contents	List £
BRSDSET1	<ul style="list-style-type: none"> <li>• Fine tooth ratcheting screwdriver handle</li> <li>• 1/4" hexagon screwdriver blades - 150mm, 250mm</li> <li>• 1/4" square drive screwdriver blade - 250mm</li> <li>• 1/4" flexible screwdriver blade - 290mm</li> <li>• Hexagon bits: 3,4,5,6,7 &amp; 8mm</li> <li>• Slotted bits: 4,5,5 &amp; 7mm</li> <li>• Pozidriv® bits: #1,2 &amp; 3</li> <li>• Phillips® bits: #1,2 &amp; 3</li> <li>• Torx® bits: TX10,15,20,25,27,30 &amp; 40</li> <li>• Tamperproof Torx® bits: TTX10,15,20,25,27,30 &amp; 40</li> <li>• 1/4" hex - 1/4" square drive adaptor</li> </ul>	£51.10



- Handle can be adjusted to give an ergonomic pistol grip design allowing much higher torque loads to be applied
- Adjustable grip ratcheting screwdriver with 1/4" hexagon drive and interchangeable blade
- Cartridge style 6 bit holder
- Fine tooth high load reversible ratchet mechanism

## Adjustable Grip Ratcheting Screwdriver

Ref	Insert Bits	List £
BRSDF1	Phillips® Tip: Ph1, 2, Pozidriv® Tip: Pz1, 2 Slotted: 4, 6.5mm	£25.55



- Fine tooth, high load reversible mechanism
- Soft touch ergonomic handle
- Soft eject, integral bit holder
- Complete with six S2 alloy steel bits

## Professional Ratcheting Screwdriver

Ref	Insert Bits	List £
BRSD2	Phillips® Tip: Ph1, 2, Pozidriv® Tip: Pz1, 2 Slotted: 4, 6.5mm	£20.44



## 18 Piece Stubby Ratcheting Screwdriver Set

Ref	Contents	List £
BRSDSET2	<ul style="list-style-type: none"> <li>• Fine tooth stubby ratcheting screwdriver handle</li> <li>• 50mm 1/4" hexagon drive screwdriver blade</li> <li>• 150mm 1/4" square drive flexible screwdriver blade</li> <li>• 5 1/4" square drive sockets 4, 4.5, 5, 5.5, 6mm</li> <li>• 1/4" Hexagon (female) / 1/4" square drive adapter (female)</li> <li>• 9 1/4" square drive S2 steel insert bits</li> <li>• 2 Slotted bits: 4, 6.5mm</li> <li>• 3 Pozidriv bits; Pz1, 2, 3</li> <li>• 3 Phillips bits; Ph1, 2, 3</li> <li>• 1/4" Hexagon (male) / 1/4" square drive adapter (male)</li> </ul>	£23.85





### 31 Piece Multi-Pattern Bit Set

Ref	Contents	List £
BBS31	<ul style="list-style-type: none"> <li>• Locking bit holder • Slotted bits: 3.5,4.5,5.5,6.5 &amp; 8mm</li> <li>• Phillips® bits: Ph1,2(x2) &amp; 3 • Pozidriv® bits: Pz1,2(x2) &amp; 3</li> <li>• Hexagon bits: 2,3,4,5,6,7 &amp; 8mm • Tamperproof Torx® bits: 9,10,15,20,25,27,30 &amp; 40mm • Robertson® square bits: #1 &amp; 2</li> </ul>	£14.19

### Hexagon Insert Bits

Ref.	Size AF	Hex Drive	Length mm	List £
1USB093	3/32"	1/4"	25	£4.04
1USB125	1/8"	1/4"	25	£4.04
1USB156	5/32"	1/4"	25	£4.04
1USB187	3/16"	1/4"	25	£4.04
1USB250	1/4"	1/4"	25	£4.04
1USB2M	2 mm	1/4"	25	£2.99
1USB25M	2.5 mm	1/4"	25	£2.99
1USB3M	3 mm	1/4"	25	£4.04
1USB4M	4 mm	1/4"	25	£3.97
1USB5M	5 mm	1/4"	25	£4.21
1USB6M	6 mm	1/4"	25	£4.21
2USB187	3/16"	5/16"	30	£4.39
2USB218	7/16"	5/16"	30	£4.39
2USB250	1/4"	5/16"	30	£4.89
2USB312	5/16"	5/16"	30	£4.89
2USB5M	5 mm	5/16"	30	£5.01
2USB6M	6 mm	5/16"	30	£5.01
2USB8M	8 mm	5/16"	30	£5.80
3USB375	3/8"	14 mm	40	£7.27
3USB500	1/2"	14 mm	40	£7.27
3USB562	9/16"	14 mm	40	£7.27
3USB10M	10 mm	14 mm	40	£7.27
3USB12M	12 mm	14 mm	40	£7.27
3USB14M	14 mm	14 mm	40	£7.27

### Long Reach Slotted Screw Insert Bits

Ref.	Point Width	Point Thickness	Hex Drive	List £
2USS5	5.5	0.87	5/16"	£4.89
2USS6	6.0	1.07	5/16"	£5.19
2USS7	7.0	1.24	5/16"	£5.19

### Bit Holders

Ref.	[F] Hex AF	[M] Hex AF	Length mm	List £
D1UBA	1/4"	1/4"	22	£6.93
A1UBA	3/8"	1/4"	28	£7.45

### 109 Piece Multi-Pattern Bit Set & Driver

Ref	Contents	List £
BBS109	<ul style="list-style-type: none"> <li>• Multi-bit, quick release bit driver • Flexible extension • Drill bit adaptor • 1/2" hex - 1/4" female square adaptor • 1/4" hex - 1/4" male adaptor • Hook adaptor • Phillips® bits: Ph0-4 + 4 spares</li> <li>• Pozidriv® bits: Pz0-4 + 4 spares • Slotted bits • Robertson® square bits: #0-4 • Electrical security bits: #1-3 • Torx® bits: TX5 - TX50</li> <li>• Tamperproof Torx® bits: TX6 - 40 • Hex bits: 1.5-8mm • Security hex bits: 1.5-8mm &amp; 5/64 - 5/32" • Spline bits: SP4 - 8 • Torq-Set bits: #1/4 - 4 • Tri-wing bits: TW1 - 5 • Snake eye bits: 4-12</li> </ul>	£51.10

### Slotted Insert Bits

Ref.	Point Width	Point Thickness	Hex Drive	List £
1USS4T	4	0.57	1/4"	£1.95
1USS45T	4.5	0.65	1/4"	£1.95
1USS55T	5.5	0.81	1/4"	£1.95
1USS65T	6.5	0.98	1/4"	£1.95
1USS8T	8	1.63	1/4"	£1.95

### Pozidriv Insert Bits

Ref.	Tip	Hex Drive	Length mm	List £
1UPZD0	PZ0	1/4"	25	£1.71
1UPZD1T	PZ1	1/4"	25	£1.34
1UPZD2T	PZ2	1/4"	25	£1.34
1UPZD3T	PZ3	1/4"	25	£1.34
1UPZD4	PZ4	1/4"	25	£4.28
2UPZD1	PZ1	5/16"	32	£3.29
2UPZD2	PZ2	5/16"	32	£3.29
2UPZD3	PZ3	5/16"	32	£3.29
2UPZD4	PZ4	5/16"	32	£3.29

### Phillips Insert Bits

Ref.	Tip	Hex Drive	Length mm	List £
1UPHD1T	PH1	1/4"	25	£1.46
1UPHD2T	PH2	1/4"	25	£1.46
1UPHD3T	PH3	1/4"	25	£1.46
1UPHD4	PH4	1/4"	25	£3.91

### Magnetic Bit Holder

Ref.	[F] Hex AF	[M] Hex AF	Length mm	List £
1BHM	1/4"	1/4"	50	£9.29

## Torx Insert Bits

Ref.	Tip	Hex Drive	Length mm	List £
1UTX6	T x 6	1/4"	25	£5.13
1UTX7	T x 7	1/4"	25	£5.13
1UTX8	T x 8	1/4"	25	£5.13
1UTX9	T x 9	1/4"	25	£5.13
1UTX10	T x 10	1/4"	25	£5.13
1UTX15	T x 15	1/4"	25	£5.13
1UTX20	T x 20	1/4"	25	£5.13
1UTX25	T x 25	1/4"	25	£3.97
1UTX27	T x 27	1/4"	27	£3.97
1UTX30	T x 30	1/4"	30	£3.97
1UTX40	T x 40	1/4"	40	£3.97
2UTX25	T x 25	5/16"	35	£5.56
2UTX30	T x 30	5/16"	35	£5.73
2UTX40	T x 40	5/16"	35	£5.87
2UTX45	T x 45	5/16"	35	£6.00
2UTX50	T x 50	5/16"	35	£6.11
2UTX55	T x 55	5/16"	35	£6.42



## Security Torx Insert Bits

Ref.	Tip	Hex Drive	Length mm	List £
1UTX10S	T x 10	1/4"	25	£4.64
1UTX15S	T x 15	1/4"	25	£4.64
1UTX20S	T x 20	1/4"	25	£4.64
1UTX25S	T x 25	1/4"	25	£4.64
1UTX27S	T x 27	1/4"	25	£4.64
1UTX30S	T x 30	1/4"	25	£4.64
1UTX40S	T x 40	1/4"	25	£4.64



## Ball End Power Keys - Metric

Ref.	Hex Size mm	Length mm	List £
HPKB4	4	183	£3.90
HPKB5	5	183	£4.16
HPKB6	6	240	£6.05
HPKB8	8	240	£7.89
HPKB10	10	240	£9.58



## Power Keys - Metric

Ref.	Hex Size mm	Length mm	List £
HPK2	2	126	£2.48
HPK2.5	2.5	126	£2.48
HPK3	3	126	£2.48
HPK4	4	183	£3.40
HPK5	5	183	£3.40
HPK6	6	240	£5.29
HPK8	8	240	£5.29
HPK10	10	240	£5.29

## Power Keys - Torx

Ref.	Tip	Length mm	List £
TPK10	T10	126	£3.70
TPK15	T15	126	£3.77
TPK20	T20	126	£4.63
TPK25	T25	133	£4.91
TPK27	T27	133	£5.05
TPK30	T30	190	£7.51
TPK40	T40	190	£8.21

## Hexagon & Power Key Sets

Ball End



Standard



TPK8/TC

## Hexagon Key Sets - Plastic Clip

Ref.	Description	List £
HKM9/C	9 Piece Metric Key Set	£8.80
HK9/C	9 Piece AF Key Set	£7.67
HKMB9/C	9 Piece Metric Ball End Hexagon Key Set	£13.80
HKB9/C	9 Piece AF Ball End Hexagon Key Set	£12.55
HKML9/C	9 Piece Metric Long Reach Hexagon Key Set	£10.53
HKL9/C	9 Piece AF Long Reach Hexagon Key Set	£10.45

## Power Key Sets

Ref.	Contents	List £
HPKM6/S	6 Piece Metric Power Key Set	£20.19
TPK6/S	6 Piece Torx Power Key Set	£29.62

## Power Key Sets - Hi-tech Foam

Ref.	Contents	List £
HPKM8/TC	2, 2.5, 3, 4, 5, 6, 8, 10mm Hexagon Power Keys	£29.90
TPK8/TC	T10, T15, T20, T25, T27, T30, T40 - Torx Power Keys	£37.46

# Pliers







## Combination Pliers

Ref.	Length mm	Max wire dia.mm	List £
PG100	165	1.6	£15.67
PG101	180	1.8	£16.47
PG102	200	2.0	£18.11



## Diagonal Cutters

Ref.	Length mm	Max wire dia.mm	List £
PG500	166	1.6	£22.14
PG501	187	1.8	£24.41



## Long Snipe Nose Plier

Ref.	Length mm	Max wire dia.mm	List £
PG200L	200	1.6	£21.58



## End Cutter

Ref.	Length mm	Max wire dia.mm	List £
PG601	200	2	£26.00



## Bent Snipe Nose Plier

Ref.	Length mm	Max wire dia.mm	List £
PG200LB	194	1.6	£22.14



## Multigrip Plier


Ref.	Length mm	Max Capacity	List £
PG800	240	47	£18.45

## Circlip Pliers



## Straight Nose Internal

Ref.	Length mm	Tip dia. mm	Size of Circlips mm		List £
			Min	Max	
PC10	140	0.9	8	12	£15.60
PC11	140	1.3	12	25	£14.38
PC12	180	1.8	19	60	£15.89
PC13	215	2.3	40	100	£18.45



## Bent Nose Internal

Ref.	Length mm	Tip dia. mm	Size of Circlips mm		List £
			Min	Max	
PC10B	130	0.9	8	12	£16.24
PC11B	130	1.3	12	25	£15.02



## Straight Nose External

Ref.	Length mm	Tip dia.mm	Size of Circlips mm		List £
			Min	Max	
PC20	145	0.9	3	10	£15.31
PC21	145	1.3	10	25	£14.26
PC22	180	1.8	19	60	£15.72
PC23	215	2.3	40	100	£18.33



## Bent Nose External

Ref.	Length mm	Tip dia.mm	Size of Circlips mm		List £
			Min	Max	
PC20B	130	0.9	3	10	£16.07
PC21B	130	1.3	10	25	£14.90
PC22B	170	1.8	19	60	£16.30
PC23B	200	2.3	40	100	£20.13



155mm Internal / External

Ref.	Type	Size of Circlips mm		Length	List £
		Min	Max		
CPU21	Internal	8	26	155	£37.04

Replacement Tips - 155mm

Ref.	Type	Tip Sizes mm	List Price
CPUTIP21	Straight	0.6, 0.9, 1.2	£11.30
	Bent 90°	0.9, 1.2	



240mm Internal / External

Ref.	Type	Size of Circlips mm		Length	List £
		Min	Max		
CPU65	Internal	31	100	240	£80.80

Replacement Tips - 240mm

Ref.	Type	Tip Sizes mm	List Price
CPUTIP65	Bent 15°	2.3, 2.7, 3.0	£16.86
	Bent 90°	2.3, 2.7, 3.0	



195mm Internal / External

Ref.	Type	Size of Circlips mm		Length	List £
		Min	Max		
CPU34	Internal	10	48	195	£41.19

Replacement Tips - 195mm

Ref.	Type	Tip Sizes mm	List £
CPUTIP34	Straight	0.9, 1.2, 1.8	£11.00
	Bent 90°	0.9, 1.2	

Miscellaneous Pliers



PM907



PM902



PM901


Lock Grip Plier

Ref.	Jaw Shape	Length mm	Jaw capacity	List £
PM900	Curved	190	42	£17.86
PM901	Curved	235	63	£19.91
PM902	Straight	190	42	£15.07
PM903	Straight	235	63	£16.53
PM906	Long Nose	150	37	£14.71
PM907	Long Nose	250	63	£19.08



Wire Twisting Pliers

Ref.	Length mm	Max wire mm	List £
PMWT6	170	0.5	£32.36
PMWT10	241	0.5	£33.69



PMS3

PMS4



## Engineers Plier Sets

Part No	Description	Sizes	List £
PMS3	3 Piece Set	200mm Combination, 200mm Long Nose, 166mm Diagonal Cutter	£59.05
PMS4	4 Piece Set	200mm Combination, 200mm Long Nose, 166mm Diagonal Cutter, 240mm Multigrip Plier	£76.06

## Interchangeable Circlip Plier Set

Part No	Description	Sizes	List £
CPUSET3	3 Piece Internal/External Interchangeable Plier Set	Internal: 8 - 100mm. External 3 - 100mm	£161.94




## Engineers Plier Set - Hi-tech Foam

Part No	Description	Sizes	List £
PMS4/TC2	4 Piece Set	200mm Combination, 200mm Long Nose, 166mm Diagonal Cutter, 240mm Multigrip	£76.06

## Lock Grip Plier Set - Hi-tech Foam

Part No	Description	Sizes	List £
PMSET3/TC	3 Piece Lock Grip Plier Set	Straight Jaw: 42mm, 63mm. Curved Jaw: 63mm	£52.32




PLIER2

PLIER3

## Circlip Plier Sets

Part No	Description	Sizes	List £
PCS2	4 Piece 19 - 60 mm Circlip Plier Set	Bent Nose Internal/External. Straight Nose Internal/External	£61.40
PCS3	4 Piece 40 - 100 mm Circlip Plier Set	Bent Nose Internal/External. Straight Nose Internal/External	£73.10



## Micro Circlip Plier Set

Ref.	Description	Sizes	List
PMCS1	4 Piece micro circlip plier set	Bent Nose Internal/External. Straight Nose Internal/External	£14.19

## 3 Piece Plier Set

Ref.	Description	Contents	List £
PLIER2	3 Piece Plier Set	180 Combination Plier, 200mm Long Nose Plier, 166mm Side Cutter	£55.64
PLIER3	3 Piece Plier Set	180 Combination Plier, 200mm Long Nose Plier, 240mm Multigrip Plier	£51.10



# Striking & Cutting



# Hammers, Chisels & Punches



- Forged medium carbon steel construction
- Hickory handle – seasoned and kiln processed to ensure the correct moisture content
- Controlled heat treatment – ensuring the correct balance of hardening and tempering

## Ball Pein Hammers - Hickory Handle

Ref.	Size (oz)	Length mm	List £
BPH4	4	275	£10.36
BPH8	8	300	£12.05
BPH16	16	350	£13.91
BPH24	24	375	£16.69
BPH32	32	400	£18.57



- Ideal for heavy duty hammering where maximum but safe blows are required

## Copper / Copper Hammers - Ash Handle

Ref.	Weight (oz)	Hammer No.	Length mm	List £
CCH16	16	A	230	£13.51
CCH32	32	1	280	£19.90
CCH48	48	2	305	£26.90
CCH64	64	3	305	£33.59



- Hickory handle – seasoned and kiln processed to ensure the correct moisture content

## Nylon Soft Faced Hammers

Ref.	Weight (oz)	Hammer No.	Length mm	List £
SFP16	16	32	280	£18.15
SFP24	24	38	305	£20.84
SFP32	32	44	305	£24.61
SFP44	44	50	330	£33.27



- User adjustable impact strength
- Tips machined from S2 steel
- Brass knurled body for a comfortable secure grip

## 2 Piece Automatic Centre Punch Set

Ref	Length mm	List £
ACPSET1	125	£23.85
	150	



## Club Hammer

Ref.	Size lbs	Length mm	List £
MCH4	4	245	£18.15



- An excellent dual purpose hammer for assembly and repair work

## Copper / Rawhide Hammers - Ash Handle

Ref.	Weight (oz)	Hammer No.	Length mm	List £
CRH14	14	A	230	£16.07
CRH24	24	1	280	£22.52
CRH40	40	2	305	£28.78
CRH56	56	3	305	£36.02



- One piece design
- Shot filled steel head prevents rebound

## Dead Blow Hammers

Ref.	Size (oz)	Length mm	List £
DBH18	18	290	£9.65
DBH42	42	380	£18.70



- Contains 4 precision ground cold chisels


## 4 Piece Cold Chisel Set

Ref	Length mm	Width mm	List £
CFCCSET1	250	25	£44.29
	200	20	
	190	15	
	180	10	



- The Britool HS212 hacksaw has a unique design which features a reversed bow. This allows extremely high blade tension levels up to 80kg to be applied progressively
- Blade tension levels of this magnitude are essential to gain the maximum benefit from bi-metal blades

Reversed Bow Hacksaw					
Ref.	Length mm	Height mm	Thickness mm	Blade Length mm	List £
HS212	385	145	26	300	£19.26



Front hand rest

Tensioning system

Two blade positions—45° and 90°

Minimum clearance needed to start cutting



Britool Professional Vices

- All forged, heavy duty steel construction for maximum longevity
- Precision machined for smooth fault free operation
- Integral anvil design
- Interchangeable jaws (excludes EV3)

Britool Professional Vices				
Ref.	Jaw Width(mm)	Jaw Opening(mm)	Jaw Depth(mm)	List Price
EV3	75	90	60	£73.81
EV4	100	100	60	£96.52
EV5	125	130	75	£153.30
EV6	150	190	90	£232.79
EV8	205	210	100	£283.89



## Pry Bars



- Powerful square section blade significantly reduces the spring effect often encountered with this style of pry bar
- Screwdriver style handles give a comfortable grip and significantly enhance the leverage which can be applied

### Screwdriver Pry Bars

Ref.	Blade Length mm	List £
SPB175	175	£12.90
SPB300	300	£13.52
SPB450	450	£21.47
SPB600	600	£25.36



- These pry bars are forged from high quality chrome alloy steel and have a red powder coated finish
- Roll head acts as a fulcrum and increases the level of leverage which can be applied
- Used extensively in the automotive industry for leverage and location, particularly on brake assemblies

### Roll Head Pry Bars

Ref.	Length mm	Shank Diameter mm	List £
217	150	8	£8.27
218	300	11	£12.74
219	413	14.3	£20.37




### 3 Piece Screwdriver Pry Bar Set

Ref	Contents	List £
SPBSET	SPB175 SPB300 SPB450	£46.48

# www.britool.com

## VISIT THE BRITOOOL WEBSITE TO SEE THE LATEST PROMOTIONS, COMPETITIONS AND NEWS



<b>A</b>		
Accessories 1/4" sq. drive	17	
Accessories 1/2" sq. drive	23, 24	
Accessories 3/8" sq. drive	20	
Accessories 3/4" sq. drive	28	
Adjustable wrenches	44	
<hr/>		
<b>B</b>		
Bit holders	50	
Bits - insert	50, 51	
Boots	60	
<hr/>		
<b>C</b>		
C-hook wrenches	44	
Cantilever tool boxes	12	
Centre punches	57	
Chisels	57	
Cirdlip pliers	53, 54	
Combination wrenches	37, 38, 39, 40, 41	
<hr/>		
<b>E</b>		
Extension bars 1/4" sq. drive	17	
Extension bars 3/8" sq. drive	20	
Extension bars 1/2" sq. drive	24	
Extension bars mixed sq. drive	27	
<hr/>		
<b>H</b>		
Hacksaws	58	
Hammers - ball pein	57	
Hammers - claw	57	
Hammers - club	57	
Hammers - copper/ copper	57	
Hammers - dead blow	57	
Hammers - nylon faced	57	
Hand portable tool boxes	12	
Hexagon keys	51	
<hr/>		
<b>I</b>		
Impact sockets 3/8" sq. drive	29	
Impact sockets 1/2" sq. drive	29	
Insert bits	50, 51	
Insulated screwdrivers	47	
<hr/>		
<b>K</b>		
Keys - hexagon	51	
<hr/>		
<b>L</b>		
Lock grip pliers	54	
<hr/>		
<b>M</b>		
Mid sections	8	
<hr/>		
<b>O</b>		
Open jaw wrenches	41, 42	
<hr/>		
<b>P</b>		
Plier sets	55	
Pliers	53, 54, 55	
Pliers - bent nose	53	
Pliers - combination	53	
Pliers - long nose	53	
Pliers - multigrip	53	
Pliers - wire twisting	54	
Podger wrenches	44	
Power keys	51	
Pry bars	59	
<hr/>		
<b>R</b>		
Ratcheting combination wrenches	37, 38	
Ratcheting ring wrenches	37, 38, 43	
Ratcheting screwdrivers	49	
Ratchets 1/4" sq. drive	17	
Ratchets 3/8" sq. drive	20	
Ratchets 1/2" sq. drive	23	
Ratchets 3/4" sq. drive	28	
Ring wrenches	42, 43	
Ring wrenches - ratcheting	37, 38, 43	
Roller cabinets	4, 5	
<hr/>		
<b>S</b>		
Screwdrivers	46, 47, 48, 49	
Screwdrivers - flared tip	46	
Screwdrivers - insulated	47	
Screwdrivers - pozidriv	47	
Screwdrivers - phillips	47	
Screwdrivers - ratcheting	49	
Screwdrivers - stubby	47	
Screwdrivers - torx	46	
Side cabinets	7	
Side shelf	8	
Socket sets 1/4" sq. drive	17, 18, 19	
Socket sets 3/8" sq. drive	21, 22	
Socket sets 1/2" sq. drive	24, 25, 26	
Socket sets 3/4" sq. drive	28	
Socket sets mixed sq. drive	27, 28	
<hr/>		
<b>T</b>		
Tape measures	59	
Tool carts	5	
Tool chests	6, 7	
Toolkits	9, 10, 11, 12	
Torque drivers	34	
Torque multipliers	34	
Torque testers	34	
Torque wrenches - classic	33	
Torque wrenches - dial	33	
Torque wrenches - electronic	33	
Torque wrenches - series 2	33	
<hr/>		
<b>V</b>		
Vices	58	
<hr/>		
<b>W</b>		
Work benches	13	
Work boots	60	
Wrenches - adjustable	44	
Wrenches - C-hook	44	
Wrenches - combination	37, 38, 49, 40, 41	
Wrenches - open jaw	41, 42	
Wrenches - podger	44	
Wrenches - ring	42, 43	





PART NO	LIST PRICE £	Page No.	PART NO	LIST PRICE £	Page No.	PART NO	LIST PRICE £	Page No.
BRCR3	£378.44	4	AF45	£41.96	20	H70	£41.33	28
BRCR5	£420.49	4	AFS20	£38.61	20	H74	£158.04	28
BRCR6	£510.59	4	APES	£8.09	20	758200	£21.58	29
BRCR6BL	£510.59	4	ASEP	£8.23	20	758300	£67.00	29
BRCR11	£594.69	5	A1UBA	£7.45	20	758500	£78.35	29
BRCR11BL	£594.69	5	CLIPA/2	£0.23	20	AVT100A	£100.66	33
BRCR7	£548.21	5	708110	£22.71	21	AVT300A	£115.44	33
BTCR16	£1,051.22	5	708120	£21.58	21	AVT600	£122.48	33
BTBR10	£420.49	6	708130	£26.12	21	EVT1200A	£128.85	33
BTBR10BL	£420.49	6	708140	£31.23	21	EVT2000A	£152.09	33
BTBR8W	£714.83	6	708310	£6.76	21	EVT3000A	£179.92	33
BTBRD6	£246.29	6	708320	£6.76	21	EVT600A	£122.48	33
BSCR8	£378.44	7	708330	£6.76	21	GVT8400	£662.57	33
BSCR8BL	£378.44	7	708340	£6.76	21	HVT5000	£454.34	33
BTBR8	£276.32	7	708350	£6.76	21	HVT7200	£454.34	33
BTBRD6BL	£246.29	7	748262	£36.34	21	A50T	£128.04	34
BMSR6	£150.17	8	748263	£62.46	21	CM1000	£1,305.97	34
BMSR6BL	£150.17	8	748261	£113.50	22	CM40	£1,051.46	34
BSCR1	£162.19	8	748264	£51.10	22	CM400	£1,051.46	34
BSCR1BL	£162.19	8	748267	£130.59	22	D25T	£128.04	34
BCH1	£22.83	9	CLIPE/2	£0.23	23	E100T	£128.04	34
BMSR8	£618.72	9	E70	£17.69	23	E200T	£145.50	34
BSH1	£30.03	9	E74	£42.89	23	E340T	£161.80	34
BSH1BL	£30.03	9	E75	£52.15	23	EXT13	£696.05	34
BRKIT228	£1,078.80	10	E77	£49.47	23	HXT28	£736.20	34
BRKIT338	£1,305.91	10	E85	£35.26	23	RRJSMSET7	£55.64	37
BRKIT80	£448.55	10	E86	£44.81	23	RRMSET5	£51.10	37
BRKIT239	£675.67	11	E91	£21.94	23	RRSD3	£9.03	39
BRKIT314	£1,470.57	11	EF74	£59.15	23	RRTSET4	£26.32	38
BRKIT447	£1,873.70	12	EF520	£43.15	23	RRFJM10	£11.36	38
BRKIT470	£2,492.59	13	EPHS	£16.39	23	RRFJM11	£11.36	38
CTB45	£29.94	13	ESHIP	£12.04	23	RRFJM12	£11.36	38
708275	£5.62	17	PR250	£1.36	23	RRFJM13	£12.49	38
708280	£5.62	17	PR450	£5.68	23	RRFJM14	£12.49	38
708290	£5.62	17	708220	£39.75	24	RRFJM15	£13.06	38
708300	£5.62	17	708230	£39.75	24	RRFJM16	£13.63	38
708510	£7.38	17	708260	£21.58	24	RRFJM17	£14.76	38
D46	£32.81	17	708270	£23.85	24	RRFJM18	£15.90	38
D70	£10.90	17	708360	£7.89	24	RRFJM19	£15.90	38
D77	£36.67	17	708370	£7.89	24	RRFJM8	£11.36	38
D91	£20.27	17	708380	£7.89	24	RRFJM9	£11.36	38
DFS20	£28.39	17	708390	£8.46	24	RRFJMSET12	£153.30	37
DPAS	£10.95	17	708400	£11.30	24	RRJM10	£9.08	38
D1UBA	£6.93	17	708530	£12.49	24	RRJM11	£9.08	38
DSAP	£8.15	17	708240	£24.98	25	RRJM12	£10.22	38
708010	£21.58	18	748275	£51.10	25	RRJM13	£10.22	38
708020	£17.03	18	748276	£32.93	25	RRJM14	£10.79	38
708030	£20.44	18	748277	£31.80	25	RRJM15	£10.79	38
708040	£13.63	18	748271	£102.14	26	RRJM16	£12.49	38
748251	£36.34	18	748272	£124.91	26	RRJM17	£12.49	38
748252	£55.64	18	748273	£101.07	26	RRJM18	£12.49	38
748254	£62.46	19	748274	£136.27	26	RRJM19	£13.06	38
748255	£73.81	19	708410	£32.93	27	RRJM8	£9.08	38
748256	£90.85	19	708420	£23.85	27	RRJM9	£9.08	38
708520	£9.65	20	708430	£24.98	27	RRJMSET1	£124.91	37
A45	£38.53	20	708540	£14.19	27	RRJMSET12F	£103.95	38
A46	£47.84	20	708550	£15.90	27	RRJSM10	£6.53	38
A70	£12.92	20	748293	£124.91	27	RRJSM12	£7.38	38
A77	£43.00	20	748289	£261.18	28	RRJSM13	£7.38	38
A91	£20.89	20	748291	£157.84	28	RRJSM14	£7.95	38

# Numerical Index & Prices

PART NO	LIST PRICE £	Page No.	PART NO	LIST PRICE £	Page No.	PART NO	LIST PRICE £	Page No.
RRJSM15	£7.95	38	RJM21	£12.51	39	2J168187	£52.67	41
RRJSM17	£10.22	38	RJM22	£14.26	39	2J186205	£81.90	41
RRJSM19	£10.22	38	RJM23	£15.42	39	2J2531	£4.30	41
RRM1011	£10.16	38	RJM24	£16.13	39	2J3137	£4.43	41
RRM1213	£11.36	38	RJM25	£17.86	39	2J3344	£6.63	41
RRM1415	£12.50	38	RJM26	£20.66	39	2J3743	£4.77	41
RRM1719	£13.63	38	RJM27	£21.12	39	2J4350	£5.53	41
RRM810	£10.16	38	RJM28	£25.31	39	2J4452	£7.30	41
RJ1000	£17.90	39	RJM30	£27.99	39	2J5056	£5.94	41
RJ1010	£25.65	39	RJM32	£31.60	39	2J5260	£7.86	41
RJ1062	£19.58	39	RJM34	£45.98	39	2J5662	£6.00	41
RJ1100	£34.40	39	RJM36	£48.59	39	2J5668	£6.35	41
RJ1125	£25.86	39	RJM41	£65.13	39	2J6071	£9.33	41
RJ1200	£38.12	39	RJM46	£90.15	39	2J6268	£6.57	41
RJ1250	£30.67	39	RJM50	£110.58	39	2J6275	£7.80	41
RJ1300	£51.32	39	RJM55	£156.49	39	2J6875	£7.80	41
RJ1312	£40.49	39	RJM6	£5.53	39	2J7182	£11.57	41
RJ1375	£48.22	39	RJM60	£214.17	39	2J7587	£8.62	41
RJ1437	£49.48	39	RJM65	£259.57	39	2J8187	£9.25	41
RJ1480	£79.02	39	RJM7	£5.53	39	2J8193	£9.61	41
RJ1500	£60.64	39	RJM8	£5.53	39	2J8292	£13.77	41
RJ1625	£68.36	39	RJM9	£5.53	39	2J92101	£17.15	41
RJ1687	£75.37	39	ND130A	£74.21	40	2J93100	£13.91	41
RJ1750	£75.37	39	ND150J	£219.80	40	2J93112	£18.74	41
RJ1812	£113.49	39	ND243L	£92.95	40	2JM1011	£4.71	41
RJ1875	£113.49	39	ND251D	£192.64	40	2JM1013	£5.53	41
RJ248	£7.19	39	ND360E	£141.31	40	2JM1213	£5.53	41
RJ250	£5.67	39	RJ10/STC	£57.62	41	2JM1317	£6.46	41
RJ312	£5.67	39	RJM10/STC	£56.97	41	2JM1415	£6.46	41
RJ324	£7.20	39	RJMSET11	£68.25	40	2JM1617	£6.46	41
RJ338	£7.93	39	RJMSET14/TC	£82.95	40	2JM1719	£7.56	41
RJ344	£5.67	39	RJMSET7L/TC	£89.25	40	2JM1819	£7.56	41
RJ375	£5.67	39	RJMSET8	£46.20	40	2JM1922	£9.48	41
RJ413	£7.20	39	RJSET8	£50.40	40	2JM2022	£10.65	41
RJ437	£5.90	39	RJSMSET7	£40.95	40	2JM2123	£10.65	41
RJ445	£7.93	39	RJXM10	£10.77	39	2JM2224	£13.67	41
RJ500	£5.90	39	RJXM11	£11.00	39	2JM2426	£15.34	41
RJ525	£8.96	39	RJXM12	£11.17	39	2JM2427	£19.23	41
RJ562	£6.86	39	RJXM13	£11.81	39	2JM2430	£22.23	41
RJ600	£10.48	39	RJXM14	£12.22	39	2JM2730	£22.68	41
RJ625	£7.76	39	RJXM15	£12.87	39	2JM3032	£23.80	41
RJ687	£8.95	39	RJXM16	£13.67	39	2JM3236	£30.38	41
RJ710	£12.20	39	RJXM17	£14.90	39	2JM3641	£47.35	41
RJ750	£8.95	39	RJXM18	£15.77	39	2JM67	£4.71	41
RJ812	£13.72	39	RJXM19	£17.17	39	2JM78	£4.71	41
RJ820	£15.14	39	RJXM7/S	£84.79	41	2JM810	£4.71	41
RJ875	£14.91	39	RJXM7/S19	£89.22	41	2JM89	£4.71	41
RJ920	£19.45	39	RJXM7/STC	£89.22	41	5J1013	£4.59	41
RJ937	£16.27	39	RJXMSET10	£103.95	41	5J1115	£4.62	41
RJM10	£5.94	39	RJXMSET10/TC	£103.95	40	5J1722	£4.62	41
RJM11	£5.94	39	2J101110	£22.48	41	5J1924	£4.62	41
RJM12	£5.94	39	2J101120	£27.83	41	5J2432	£4.62	41
RJM13	£6.81	39	2J106112	£19.50	41	5J2836	£5.08	41
RJM14	£6.81	39	2J106125	£20.84	41	5J3241	£5.13	41
RJM15	£7.74	39	2J120130	£33.44	41	2JMSET8/TC	£37.80	42
RJM16	£7.74	39	2J125143	£31.77	41	9RBM1011	£7.18	42
RJM17	£8.96	39	2J130148	£49.90	41	9RBM1213	£7.57	42
RJM18	£8.96	39	2J131150	£33.93	41	9RBM1415	£8.01	42
RJM19	£10.41	39	2J148167	£69.74	41	9RBM1617	£8.69	42
RJM20	£11.88	39	2J162181	£50.99	41	9RBM1819	£10.06	42

PART NO	LIST PRICE £	Page No.	PART NO	LIST PRICE £	Page No.	PART NO	LIST PRICE £	Page No.
9RBM67	£6.27	42	RRPM1719	£19.30	44	SM75PZ1	£4.77	47
9RBM89	£6.65	42	RRPM1921	£21.58	44	SDRIV1	£36.34	48
NB108T	£24.45	42	RRPM2427	£26.12	44	SDRIV2	£42.58	48
NB131R	£69.71	42	SM100/5.5	£4.60	46	SDRIV3	£36.34	48
NB141C	£119.71	42	SM100T20	£6.42	46	SDRIV4	£34.07	48
NB227D	£44.70	42	SM100T25	£7.63	46	SDRIV5	£42.58	48
NB231E	£40.10	42	SM100T27	£7.63	46	SDRIV6	£29.63	48
NB250P	£65.01	42	SM100TPT20	£6.47	46	SDS11	£59.95	48
NB351G	£91.20	42	SM100TPT25	£7.72	46	SDS5	£26.19	48
NC381T	£53.25	43	SM100TPT27	£7.95	46	SDS6	£31.80	48
NC391T/TC	£65.18	42	SM125/6.5	£6.22	46	SDS7	£34.07	48
RRBMSET7/TC	£47.25	43	SM125T30	£7.88	46	SDS7/2TC	£46.50	48
RRLMSET3	£51.45	43	SM125T40	£9.65	46	SDS8/TC	£37.67	48
S2JM10	£42.66	42	SM125TPT30	£7.95	46	SDS9/TC	£41.85	48
RBB1112	£15.49	43	SM125TPT40	£9.65	46	SL4/S	£19.25	48
RBB1314	£15.49	43	SM150/6.5	£6.35	46	SL6/S	£14.91	48
RBB1517	£18.57	43	SM150/8	£8.27	46	SL8/S	£15.46	48
RBB1618	£18.57	43	SM200/10	£10.59	46	BCSD1	£9.03	49
RBB1921	£20.59	43	SM250/12	£12.22	46	BCSD2	£7.89	49
RBB2531	£9.94	43	SM250/8	£8.73	46	BCSD3	£10.79	49
RBB3743	£11.72	43	SM75PZ0	£4.19	46	BRSD2	£20.44	49
RBB4350	£17.76	43	SM75T10	£4.70	46	BRSDF1	£25.55	49
RBB5056	£17.20	43	SM75T15	£5.38	46	BRSDSET1	£51.10	49
RBB5662	£19.76	43	SM75TPT10	£4.77	46	BRSDSET2	£23.85	49
RBB6268	£19.58	43	SM75TPT15	£5.45	46	1BHM	£9.29	50
RBB7587	£19.92	43	SE100/3.5	£3.20	47	1UPHD1T	£1.46	50
RBB78	£10.88	43	SE100/4	£3.20	47	1UPHD2T	£1.46	50
RBB910	£12.22	43	SE100PH1	£4.19	47	1UPHD3T	£1.46	50
RBMSET/TC	£108.19	44	SE125PH2	£6.22	47	1UPHD4	£3.91	50
RBO2531	£11.15	43	SE150/4	£3.96	47	1UPZD0	£1.71	50
RBO3743	£12.65	43	SE150/5.5	£4.25	47	1UPZD1T	£1.34	50
RBO5056	£18.93	43	SE150PH3	£8.55	47	1UPZD2T	£1.34	50
RBO6268	£21.14	43	SE175/6.5	£4.95	47	1UPZD3T	£1.34	50
RBO7587	£21.63	43	SE200PH4	£11.23	47	1UPZD4	£4.28	50
RBOM1112	£17.49	43	SE250/5	£4.60	47	1USB093	£4.04	50
RBOM1314	£17.49	43	SE30/4	£3.67	47	1USB125	£4.04	50
RBOM1517	£20.47	43	SE30/5.5	£3.72	47	1USB156	£4.04	50
RBOM1921	£22.54	43	SE30/6.5	£3.84	47	1USB187	£4.04	50
RBOM78	£11.92	43	SE30PH1	£4.19	47	1USB250	£4.04	50
RBOM910	£13.77	43	SE30PH2	£4.30	47	1USB25M	£2.99	50
RBOMSET	£77.24	44	SE50/2.5	£2.27	47	1USB2M	£2.99	50
RBOMSET/TC	£99.93	44	SE50/3	£2.44	47	1USB3M	£4.04	50
RBOSET	£75.37	44	SE50PH00	£2.50	47	1USB4M	£3.97	50
RBSET/TC	£113.49	44	SE75/3.5	£2.62	47	1USB5M	£4.21	50
RCH- WRENCH1	£81.76	44	SE75PH0	£2.79	47	1USB6M	£4.21	50
3150	£18.42	44	SE75PH1	£3.69	47	1USS45T	£1.95	50
3151	£25.44	44	SES100/3.5	£3.90	47	1USS4T	£1.95	50
3152	£33.50	44	SES100PH1	£6.05	47	1USS55T	£1.95	50
306C	£19.20	44	SES125PH2	£8.55	47	1USS65T	£1.95	50
308C	£22.40	44	SES150/4	£5.18	47	1USS8T	£1.95	50
310C	£27.41	44	SES175/5.5	£6.81	47	2UPZD1	£3.29	50
312C	£36.82	44	SES50/2.5	£3.43	47	2UPZD2	£3.29	50
315C	£59.78	44	SES50PH00	£3.55	47	2UPZD3	£3.29	50
318C	£105.14	44	SES75PH0	£4.08	47	2UPZD4	£3.29	50
PW200	£20.51	44	SM100PZ1	£5.29	47	2USB187	£4.39	50
PW250	£23.94	44	SM125PZ2	£7.34	47	2USB218	£4.39	50
PW300	£27.65	44	SM150PZ3	£9.66	47	2USB250	£4.89	50
PW350	£31.70	44	SM200PZ4	£12.22	47	2USB312	£4.89	50
PW450	£45.37	44	SM30PZ1	£4.89	47	2USB5M	£5.01	50
			SM30PZ2	£5.06	47	2USB6M	£5.01	50



# Numerical Index & Prices

PART NO	LIST PRICE £	Page No.	PART NO	LIST PRICE £	Page No.	PART NO	LIST PRICE £	Page No.
2USB8M	£5.80	50	TPK15	£3.77	51	BPH40	£24.68	57
2USS5	£4.89	50	TPK20	£4.63	51	BPH8	£12.05	57
2USS6	£5.19	50	TPK25	£4.91	51	CCH16	£13.51	57
2USS7	£5.19	50	TPK27	£5.05	51	CCH32	£19.90	57
3USB10M	£7.27	50	TPK30	£7.51	51	CCH48	£26.90	57
3USB12M	£7.27	50	TPK40	£8.21	51	CCH64	£33.59	57
3USB14M	£7.27	50	TPK6/S	£29.62	51	CFCSET1	£44.29	57
3USB375	£7.27	50	TPK8/TC	£37.46	51	CRH14	£16.07	57
3USB500	£7.27	50	PC10	£15.60	53	CRH24	£22.52	57
3USB562	£7.27	50	PC10B	£16.24	53	CRH40	£28.78	57
A1UBA	£7.45	50	PC11	£14.38	53	CRH56	£36.02	57
BBS109	£51.10	50	PC11B	£15.02	53	DBH18	£9.65	57
BBS31	£14.19	50	PC12	£15.89	53	DBH42	£18.74	57
D1UBA	£6.93	50	PC13	£18.45	53	MCH4	£18.17	57
1UTX10	£5.13	51	PC20	£15.31	53	SFP16	£18.15	57
1UTX10S	£4.64	51	PC20B	£16.07	53	SFP24	£20.84	57
1UTX15	£5.13	51	PC21	£14.26	53	SFP32	£24.61	57
1UTX15S	£4.64	51	PC21B	£14.90	53	SFP44	£33.27	57
1UTX20	£5.02	51	PC22	£15.72	53	EV3	£73.81	58
1UTX20S	£4.64	51	PC22B	£16.30	53	EV4	£96.52	58
1UTX25	£3.97	51	PC23	£18.33	53	EV5	£153.30	58
1UTX25S	£4.64	51	PC23B	£20.13	53	EV6	£232.79	58
1UTX27	£3.97	51	PG100	£15.67	53	EV8	£283.89	58
1UTX27S	£4.64	51	PG101	£16.47	53	HS212	£19.26	58
1UTX30	£3.97	51	PG102	£18.11	53	217	£8.27	59
1UTX30S	£4.64	51	PG200L	£21.58	53	218	£12.74	59
1UTX40	£3.97	51	PG200LB	£22.14	53	219	£20.37	59
1UTX40S	£4.64	51	PG500	£22.14	53	SPB175	£12.90	59
1UTX6	£5.13	51	PG501	£24.41	53	SPB300	£13.52	59
1UTX7	£5.13	51	PG601	£26.00	53	SPB450	£21.47	59
1UTX8	£5.13	51	PG800	£18.45	53	SPB600	£25.36	59
1UTX9	£5.13	51	CPU21	£37.04	54	SPBSET	£46.48	59
2UTX25	£5.56	51	CPU34	£41.19	54			
2UTX30	£5.73	51	CPU65	£80.80	54			
2UTX40	£5.87	51	CPUTIP21	£11.30	54			
2UTX45	£6.00	51	CPUTIP34	£11.00	54			
2UTX50	£6.11	51	CPUTIP65	£16.86	54			
2UTX55	£6.42	51	PM900	£17.86	54			
HK9/C	£7.67	51	PM901	£19.91	54			
HKB9/C	£12.55	51	PM902	£15.07	54			
HKL9/C	£10.45	51	PM903	£16.53	54			
HKM9/C	£8.80	51	PM906	£14.71	54			
HKMB9/C	£13.80	51	PM907	£19.08	54			
HKML9/C	£10.33	51	PMWT10	£33.69	54			
HPK10	£5.29	51	PMWT6	£32.36	54			
HPK2	£2.48	51	CPUSET3	£161.94	55			
HPK2.5	£2.48	51	PCS2	£61.40	55			
HPK3	£2.48	51	PCS3	£73.10	55			
HPK4	£3.40	51	PLIER2	£55.64	55			
HPK5	£3.40	51	PLIER3	£51.10	55			
HPK6	£5.29	51	PMCS1	£14.19	55			
HPK8	£5.29	51	PMS3	£59.05	55			
HPKB10	£9.58	51	PMS4	£76.06	55			
HPKB4	£3.90	51	PMS4/TC	£76.06	55			
HPKB5	£4.16	51	PMSET3/TC	£52.32	55			
HPKB6	£6.05	51	ACPSET1	£23.85	57			
HPKB8	£7.89	51	BPH16	£13.91	57			
HPKM6/S	£20.19	51	BPH24	£16.59	57			
HPKM8/TC	£29.90	51	BPH32	£18.57	57			
TPK10	£3.70	51	BPH4	£10.36	57			

## TRADING TERMS AND CONDITIONS

### Prices

- All goods are supplied at prices ruling on the date of receipt of orders. All prices are subject to VAT at the rate ruling on the date of despatch
- All prices quoted are published list prices, in GBP

### Minimum Order Value (excl. Spare Parts)

- All orders over £50 net, will be delivered carriage paid to most UK mainland addresses
- All orders received with a net value below £50, will be subject to a surcharge of £10, to cover picking, packing and despatch costs
- All orders above £150 net will be delivered carriage paid for offshore and Scottish Highland regions
- Spare parts, as defined in our published price lists, are subject to separate terms and conditions, which are detailed in the Spare Parts Section of our price lists
- Special delivery instructions (eg. overnight, next day, or direct to the distributor's customer) will be subject to a separate, supplementary charge. For details of the scale of charges, please refer to the Sales Office
- **N.B.** Special supplementary charges are in addition to normal minimum order charges
- Any order requiring split deliveries will be subject to the carriage paid conditions for each component of the order

### Additional Export Conditions

- For mainland Europe a minimum nett order value of £200 will be applied.
- For countries outside mainland Europe a minimum nett order of £300 will be applied
- For orders below the minimum order value, a £20 surcharge will be applied to cover export packaging and documentation
- EEC euro zone countries will be invoiced in euros
- For all other countries, invoicing will be in GBP unless specially agreed prior to acceptance of order

### Returns

- It is our policy not to accept unauthorised returns (other than repairs or warranty claims)
- All requests for returns must be authorised by a representative of the company prior to return
- All returns which have been authorised (other than returns under guarantee), will be subject to a re-stocking charge of 15%. Where goods require re-packaging, prior to re-stocking the charge will be 25%. The application of this charge will be at the discretion of the company, based upon full and final inspection of the goods as received

### Warranty

- Goods accepted against warranty claims will be replaced by the same or an equivalent product, or repaired at the Company's discretion. Credit will not be given except for claims where an equivalent product is no longer available
- The Company reserves the right to accept, or reject all warranty returns, based upon full and final inspection of the goods as received by the Company, or a representative of the Company

## GUARANTEE

All Britool products are manufactured to the highest standards and guaranteed against defective materials and workmanship when used for the purpose for which they were designed. All registered trade marks are acknowledged. Prices do not include VAT.

### Guarantee Terms and Conditions

#### General Terms:-


- 1) All products are guaranteed to perform the task for which they were designed, providing they are used under normal working conditions
- 2) This guarantee is supplementary to the legal statutory guarantee
- 3) The guarantee is without time limit, except in cases of:
  - a) Fair wear and tear
  - b) Wilful damage or misuse
  - c) Negligence (inc. failure to adhere to instructions for use, or other recommendations made by the company)
  - d) Alterations and unauthorised repairs
  - e) Where products have a specified fixed period of guarantee, as indicated in the published price list, or in documentation supplied with the product.
  - f) Consumables, which are subject to the legal statutory guarantee only.
- 4) The guarantee offers a free of charge exchange, or repair, limited to defective parts only
- 5) Products no longer in the range will be replaced by an equivalent product, or refunded if there is no equivalent available, at the Company's discretion
- 6) The guarantee gives no right to damages for loss, or consequential loss, under any circumstances

#### Specific Terms (application of the guarantee):-

- a) Moving parts (eg. ratchet mechanisms) which are subject to wear and tear, have a fixed period of guarantee. Products containing moving parts will be replaced during the guarantee period only. Thereafter, a chargeable repair or reconditioned unit will be offered
- b) Electronic products, which have a fixed period of guarantee, will be replaced or repaired, at the Company's discretion, during the guarantee period only. Thereafter, a chargeable repair or reconditioned unit will be offered. The guarantee does not include upgrades to software based products
- c) Toolboxes and roller cabinets unless stated otherwise are subject to the legal statutory guarantee, and will have moving parts only repaired or replaced under the terms of the guarantee
- d) Products with valves, seals, "O" rings, etc. are subject to a specified fixed period guarantee, outside of which, standard repair charges will apply
- e) For products issued with a Certificate of Calibration, the maintenance of the accuracy of such calibration, is outside the scope of the guarantee
- f) All repairs and refurbished products have a guarantee of 3 months only, against parts and labour

#### Conditions of Sale:-

Your attention is drawn to our Conditions of Sale which are printed at the back of this price list



It is important to follow the Health and Safety warnings supplied with each product





## The Britool Guarantee

### General Terms

1. All products are guaranteed to perform the task for which they were designed, provided they are used under normal working conditions.
2. This guarantee is in addition to your statutory rights.
3. This guarantee is without time limit, except in cases of:
  - a. Fair wear and tear.
  - b. Wilful damage or misuse.
  - c. Negligence (including failure to adhere to instructions for use or other recommendations made by the Company).
  - d. Alterations and unauthorized repairs.
  - e. Where products have a specified fixed period of guarantee, as indicated in the published price list, or in documentation supplied with the product.
  - f. Consumables, which are subject to the legal statutory guarantee only.
4. The guarantee offers a free of charge exchange or repair, limited to defective parts only.
5. Products no longer in the range will be replaced by an equivalent product or refunded if there is no equivalent available, at the Company's discretion.
6. The guarantee gives no right to damages for loss, or consequential loss under any circumstances.

### Specific Terms Applicable To The Guarantee

1. Moving parts (eg ratchet mechanisms) which are subject to wear and tear have a fixed period of guarantee. Products containing moving parts will be replaced during the guarantee period only. Thereafter, a chargeable repair or reconditioned unit will be offered.
2. Electronic products, which have a fixed period of guarantee will be replaced or repaired at the company's discretion, during the guarantee period only. Thereafter a chargeable repair or reconditioned unit will be offered. The guarantee does not include upgrades to software based products.
3. Toolboxes, roller cabinets and workbenches, unless otherwise stated are subject to the statutory guarantee. Moving parts will only be replaced or repaired under the terms of the guarantee.
4. Products with valves, seals, O-rings, etc are subject to a specified fixed period guarantee, outside of which standard repair charges will apply.
5. For products issued with a Certificate of Calibration, the maintenance of the accuracy of such calibration is outside the scope of the guarantee.

