

Date(s)

Date(s)

Test Conditions: 23°C **Extraction Technician: SH** Analytical Chemist: CB


Matrix:

Analytical Chemist: CB			7/27/2023	7/28/2023
Psychedelics and Alkaloids (HPLC)			Results	
	LOD (mg/g)	%	mg/g	mg/Bar
Norbaeocystin	< 0.020			
Mescaline (hydrochloride)	<0.040			
Aeruginascin	<0.020			
Norpsilocin	<0.020			
5-methoxy DMT	<0.020			
4-hydroxy TMT (iodide)	<0.020			
5-hydroxy DMT (hydrochloride)	<0.020			
5-methoxy NMT	<0.020			
Baeocystin	<0.020			
N,N-Dimethyltryptamine	<0.020			
Psilocybin	<0.020			
Psilocin	<0.020			

Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.

Consultir

Gary Brook - Laboratory Director - 7/28/2023



Extraction

Analysis

Test Conditions: 23°C


E Α

Psychedelics and Alkaloids (HPLC) Result LOD (mg/g) % mg/g Norbaeocystin <0.020 Mescaline (hydrochloride) <0,060	e(s) Date(s) 2023 7/28/2023
Norbaeocystin <0.020	ilts
	g mg/Gummy
Mescaline (hydrochloride) <0.060	
Aeruginascin <0.020	
Norpsilocin <0.020	
5-methoxy DMT <0.020	
4-hydroxy TMT (iodide) <0.020	
5-hydroxy DMT (hydrochloride) <0.020	
5-methoxy NMT <0.020	
Baeocystin <0.020	
N,N-Dimethyltryptamine <0.020	
Psilocybin <0.020	
Psilocin <0.020	

Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.

Gary Brook - Laboratory Director - 7/28/2023

Reporting Limits will vary based on sample extraction weight used for the analysis.



Date(s)

Date(s)

Test Conditions: 23°C Extraction Technician: SH Analytical Chemist: CB

Analytical Chemist: CB			7/27/2023	7/28/2023
Psychedelics and Alkaloids (HPLC)			Results	
	LOD (mg/g)	%	mg/g	mg/Gummy
Norbaeocystin	<0.020			
Mescaline (hydrochloride)	<0.040			
Aeruginascin	<0.020			
Norpsilocin	<0.020			
5-methoxy DMT	<0.020			
4-hydroxy TMT (iodide)	<0.020			
5-hydroxy DMT (hydrochloride)	<0.020			
5-methoxy NMT	<0.020			
Baeocystin	<0.020			
N,N-Dimethyltryptamine	<0.020			
Psilocybin	<0.020			
Psilocin	<0.020			

Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.

Altitude Consulting

Gary Brook - Laboratory Director - 7/28/2023



Analysis

Date(s)

Date(s)

Sample ID: Matrix: Labnumber:

Customer:

Address:

Total mass or volume per unit (g or mL): 9.8342


sychedelics and Alkaloids Profile Extraction

Test Conditions: 23°C **Extraction Technician: SH**

Analytical Chemist: CB			7/27/2023	7/28/2023
Psychedelics and Alkaloids (HPLC)			Results	
	LOD (mg/g)	%	mg/g	mg/Gummy
Norbaeocystin	<0.020			
Mescaline (hydrochloride)	< 0.050			
Aeruginascin	<0.020			
Norpsilocin	<0.020			
5-methoxy DMT	<0.020			
4-hydroxy TMT (iodide)	<0.020			
5-hydroxy DMT (hydrochloride)	<0.020			
5-methoxy NMT	<0.020			
Baeocystin	<0.020			
N,N-Dimethyltryptamine	<0.020			
Psilocybin	<0.020			
Psilocin	<0.020			

Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.

Gary Brook - Laboratory Director - 7/28/2023



Extraction

Date(s)

Analysis

Date(s)

Test Conditions: 23°C **Extraction Technician: SH**

Matrix:

Analytical Chemist: CB			7/27/2023	7/28/2023
Psychedelics and Alkaloids (HPLC)			Results	
	LOD (mg/g)	%	mg/g	mg/Gummy
Norbaeocystin	<0.020			
Mescaline (hydrochloride)	<0.040			
Aeruginascin	<0.020			
Norpsilocin	<0.020			
5-methoxy DMT	<0.020			
4-hydroxy TMT (iodide)	<0.020			
5-hydroxy DMT (hydrochloride)	<0.020			
5-methoxy NMT	<0.020			
Baeocystin	<0.020			
N,N-Dimethyltryptamine	<0.020			
Psilocybin	<0.020			
Psilocin	<0.020			

Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.

Consultir

Gary Brook - Laboratory Director - 7/28/2023



Test Conditions: 23°C

Extraction Analysis

Extraction Technician: SH			Date(s)	Date(s)
Analytical Chemist: CB			7/27/2023	7/28/2023
Psychedelics and Alkaloids (HPLC)				
	LOD (mg/g)	%	mg/g	mg/Gummy
Norbaeocystin	<0.020			
Mescaline (hydrochloride)	< 0.050			
Aeruginascin	<0.020			
Norpsilocin	<0.020			
5-methoxy DMT	<0.020			
4-hydroxy TMT (iodide)	<0.020			
5-hydroxy DMT (hydrochloride)	<0.020			
5-methoxy NMT	<0.020			
Baeocystin	<0.020			
N,N-Dimethyltryptamine	<0.020			
Psilocybin	<0.020			
Psilocin	<0.020			

Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.

Gary Brook - Laboratory Director - 7/28/2023