



DIFFICULTY •00

Approximate Time of Project: minutes

MATERIALS

Natural fabric

Wooden triangles

Dowel

Twine

EQUIPMENT

Scissors

Clamps

Pencil

Gloves

Bowl


Dye

DEFINITION- RESIST DYEING


Resist dyeing is a traditional method of dyeing textiles with patterns. Methods are used to "resist" or prevent the dye from reaching all the cloth, thereby creating a pattern

STEPS


- 1. Cut the fabric to the desired size.
- 2. Soak the fabric in water and ring out until it doesn't drip.
- 3. Triangle resists;
 - a. Accordion fold the fabric to create a long rectangle.



b. Accordion fold the fabric to create triangles.



c. Once all fabric is folded into triangles lay a wooden triangle on the top and bottom of the stack.














- d. Clamp the wooden triangles together using at least two clamps. The clamps should be secure enough that the fabric will not move.
- 4. Twine wrapping;
 - a. Lay the fabric out on a table and mark the centre points of where you want your circles.



b. Pinch one of the points and lift the fabric up from the point.




- c. Wrap the twine around the fabric from the point down wrapping tightly.
- d. Knot the twine 5cm from the point.
- e. Repeat for the other points.


- 5. Dowel resist;
 - a. Lay the fabric out on a table and place the dowel at one edge.



b. Roll the fabric around the dowel.



- c. Wrap twine tightly around the fabriccovered-dowel.
- d. Push the fabric from both sides of the dowel tightly into the middle so it bunches up.



- e. Wrap more twine around the fabric to keep it bunched in place.
- 6. Dye as instructed on packaging.

















