
how to make

Lincraft











Eyelet Stitch Bonnet And Garter Stitch Booties





| MEASUREMENTS | | | | | |
|--|------------|----|----|-----|------|
| Months | | 0 | 3 | 6 | 12 |
| To fit head | cm | 35 | 40 | 45 | 48 |
| To fit foot length | cm | 7 | 8 | 9.5 | 12.5 |
| Yarn Required: Lincraft Babysoft 4ply | 100g balls | 1 | 1 | 1 | 1 |

DIFFICULTY ••

NEEDLES:

A pair of 3.25mm knitting needles. Two double-pointed 3.25mm knitting needles. Wool needle for sewing up.

REQUIREMENTS:

2 buttons for Booties.

TENSION:

28 sts and 36 rows to 10cm over stocking st, using 3.25mm needles.

BONNET

Using a pair of 3.25mm needles, cast on 78 (86-94-110)

Knit 13 rows garter st, first row is wrong side, and inc 4 sts evenly across last row ... 82 (90-98-114) sts.

Beg Eyelet Patt:

Work 4 rows stocking st.

5th row: K1, * K2, yfwd, K2tog, K4, rep from * to last st,

Work 7 rows stocking st, beg with a purl row. 13th row: K1, * K6, yfwd, K2tog, rep from * to last st, K1. Work 3 rows stocking st, beg with a purl row. Last 16 rows form patt.

Cont in patt until Bonnet measures approx 9 (10-11-12) cm from beg, working last row on wrong side, and dec one st in centre of last row ... 81 (89-97-113) sts.

Working in stocking st for rem, cont as folls:

Shape Back Of Head:

1st row: K1, * K2tog, K6, rep from * to end ... 71 (**78**-85-99) sts.

2nd and alt rows: Purl.

3rd row: K1, * K2tog, K5, rep from * to end. **5th row:** K1, * K2tog, K4, rep from * to end. **7th row:** K1, * K2tog, K3, rep from * to end.

9th row: K1, * K2tog, K2, rep from * to end.

11th row: K1, * K2tog, K1, rep from * to end. **13th row**: K1, * K2tog, rep from * to end. **14th row**: P1 (**0**-1-**1**), * P2tog, rep from * to end ... 6

Break off yarn, run end through rem sts, draw up tightly and fasten off securely.

LOWER EDGING

Join back seam leaving first 8 (9-10-11) cm free from cast on edge.

With right side facing and using a pair of 3.25mm needles, knit up 43 (49-54-59) sts along open back seam.

Work 27 rows garter st. Cast off.

I-CORD TIE

Using two double-pointed 3.25mm needles, cast on 3 sts. 1st row: Knit.

** Do not turn. Slide sts to other end of needle and K3. Rep from ** until work measures 90 (92-94-96) cm (or length desired). Cast off.

FINISHING

Fold half of Lower Edging under and slip st in position (creating a casing for I-Cord Tie to thread through). Thread









how to make



I-cord Tie through Lower Edging casing and tie as desired. Sew in all ends.

BOOTIES (make 2)

Using a pair of 3.25mm needles, cast on 35 (39-47-63) sts.

1st row (wrong side): Knit.

2nd row: K1, M1, K16 (18-22-30), M1, K1, M1, K16 (18-

22-30), M1, K1 ... 39 (43-51-67) sts.

3rd row: Knit.

4th row: K2, M1, K16 (18-22-30), M1, K3, M1, K16 (18-

22-30), M1, K2.

5th row: Knit.

6th row: K3, M1, K16 (18-22-30), M1, K5, M1, K16 (18-

22-**30**), M1, K3.

7th row: Knit.

8th row: K4, M1, K16 (18-22-30), M1, K7, M1, K16 (18-

22**-30**), M1, K4 ... 51 (**55**-63**-79**) sts.

Knit 13 (13-15-17) rows garter st.

Next row: K17 (19-23-31), (sl 1, K1, psso) 4 times, K1, (K2tog) 4 times, K17 (19-23-31), 42 (47-55-71) ste

(K2tog) 4 times, K17 (**19**-23-**31**) ... 43 (**47**-55-**71**) sts.

Next row: Knit.

Next row: Cast off 20 (**22**-26-**34**) sts, K2, turn. Cont in garter st on these 3 sts for 5.5 (**6**-7-**8**) cm.

Cast off these 3 sts.

Join yarn to rem 20 (22-26-34) sts and cast off.

Using a flat seam, sew cast on edges tog to form sole. Sew back seam. Fold the last 2cm of the T-bar strap to the wrong side and stitch the cast off edge in place (this forms a loop for the Foot Strap to pass through).

FOOT STRAP

Using a pair of 3.25mm needles, knit up 4 sts at the centre of the cast off edge on the inside of the Bootie (to line up with the end of the T-bar strap).

Knit in garter st until Foot Strap measures 4.5 (4.5-5-5) cm

from beg, working last row on wrong side. **Next row:** K2, yfwd, K2tog ... buttonhole.

Knit 3 rows garter st.

Cast off.

FINISHING

Thread Foot Strap through T-bar strap. Sew buttons in position. Sew in all ends.









