

#P035 VERONICA YARN

Seamed Cabled House Socks

#P038

Knitted as a flat piece from the cuff down, these chunky cabled socks are knitted in a soft and snug yarn and lined with fleece. They're great for wearing around the house. We've created four sizes, so the whole family can wear them! Don't worry if you're outside these sizes we'll tell you how to lengthen and shorten them so they can fit any foot.

MEASUREMENTS

Size		2-5	6-10	Women's	Men's
		years	years		
Fits Foot Length	cm	14	18	24	27
Sock Length	cm	12	16	23	30
Yarn Required: Makr Veronica (M)	100g balls	1	1	2	2
Makr Baby Soft 8ply (C1)	100g balls	1	1	1	1

Please use only the yarn specified. Another yarn is likely to yield different results. Quantities are approximate as knitting styles may vary between knitters. Check the ball bands to ensure all yarn is from the same dye lot.

DIFFICULTY •••

NEEDLES AND EQUIPMENT:

A pair of 6.00mm knitting needles. A Cable Needle. A Wool Needle for sewing in ends. Stitch Holders. 0.5m of chosen lining, we've used a polar fleece here. A set of double pointed needles. 1.5m of cord for drawstring. A Pom Pom Maker. Sewing Machine for sewing up lining.

TENSION:

18 sts and 20 rows to 10cm over stocking st, using 6.00mm needles.

KNITTING ABBREVIATIONS:

К:	Knit
K2tog:	Knit 2 Together
Kfb:	K1 into the fr of the next stitch on the needle but do not slide
	the stitch off, K1 into the bk of the same stitch on the needle
	and slide the stitch off the needle
P:	Purl
P2tog:	Purl 2 Together
SI1:	Slip One Stitch purl-wise
wyif:	With Yarn in Front
wyib:	With Yarn in Back
SSK:	Slip, Slip Knit (Left Slanting Decrease)
2/1 RPC:	SI 1 st onto CN, hold in back, K2, P1, from CN
2/1 LPC:	SI 2 sts onto CN, hold in front, P1, K2 from CN
2/2 RC:	SI 2 sts onto CN, hold in back, K2, P2, from CN
2/2 LC:	SI 2 sts onto CN, hold in front, P2, K2 from CN
W&T:	Wrap and turn, see notes in pattern.
RSt St:	Reverse Stocking Stitch.

PATTERN

This pattern is written for our Women's socks, all other stitch counts and sizes are written in the brackets for easy reference and are as follows Women's (2-5 - 6-10 - Men's)

LEFT SOCK

Cuff:

Using 6mm needles cast on 46 (**34** - 38 - **50**) stitches. **Row 1:** K2, *P2, K2 repeat from * to end Repeat the above row until the ribbing measures 4 (**3** - 4 - **5**) cm from the beginning.**

Calf Cable Panel:

For easy reference we've written out each sizes set up and cable rows as follows or refer to the cable chart attached if preferred, work 11 (3 - 3 - 21) rows in the cable pattern described over the page.

TO ADJUST CALF WIDTH: If you need a little more or little less room around your calf, dec or inc by 1 st at ea end of the cable set up row, Row 0 over the page.

Size 2-5 years old only:

- Row 0 (WS): K3, [CABLE A: K4, P4, K4], K3, [CABLE B: P4], K3, [CABLE C: P6], K3.
- **Row 1:** K1, P2, [CABLE C: 2/2 LC, K2], P3, [CABLE B: 2/2 LC], P3, [CABLE A: P3, 2/1 RPC, 2/1 LPC, P3], P2, K1.
- **Row 2:** K3, [CABLE A: K3, P2, K2, P2, K3], K3, [CABLE B: P4], K3, [CABLE C: P6], K4.
- **Row 3:** K1, P2, [CABLE C: K6], P3, [CABLE B: K4], P3, [CABLE A: P2, 2/1 RPC, P2, 2/1 LPC, P1], P2, K1.
- **Row 4:** K3, [CABLE A: K2, P2, K4, P2, K2], K3, [CABLE B: P4], K3, [CABLE C: P6], K4.
- **Row 5:** K1, P2, [CABLE C: 2/2 LC, K2], P3, [CABLE B: 2/2 LC], P3, [CABLE A: P1, 2/1 RPC, P2, 2/1 LPC, P1], P2, K1.
- **Row 6:** K3, [CABLE A: K1, P2, K6, P2, K1], K3, [CABLE B: P4], K3, [CABLE C: P6], K4.
- **Row 7:** K1, P2, [CABLE C: K2, 2/2 RC], P3, [CABLE B: K4], P3, [CABLE A: 2/1 RPC, P6, 2/1 LPC], P2, K1.
- **Row 8:** K3, [CABLE A: P2, K8, P2], K3, [CABLE B: P4], K3, [CABLE C: P6], K4.
- **Row 9:** K1, P2, [CABLE C: K6], P3, [CABLE B: 2/2 LC], P3, [CABLE A: 2/1 LPC, P6, 2/1 RPC], P2, K1.
- **Row 10:** K3, [CABLE A: K1, P2, K6, P2, K1], K3, [CABLE B: P4], K3, [CABLE C: P6], K4.
- **Row 11:** K1, P2, [CABLE C: K2, 2/2 RC], P3, [CABLE B: K4], P3, [CABLE A: P1, 2/1 LPC, P4, 2/1 RPC, P1], P2, K1.
- Row 12: K3, [CABLE A: K2, P2, K4, P2, K2], K3, [CABLE B: P4], K3, [CABLE C: P6], K4.
- **Row 13:** K1, P2, [CABLE C: 2/2 LC, K2], P3, [CABLE B: 2/2 LC], P3, [CABLE A: P2, 2/1 LPC, P2, 2/1 RPC, P2], P2, K1.
- **Row 14:** K3, [CABLE A: K3, P2, K2, P2, K3], K3, [CABLE B: P4], K3, [CABLE C: P6], K4.
- **Row 15:** K1, P2, [CABLE C: K6], P3, [CABLE B: K4], P3, [CABLE A: P3, 2/1 LPC, 2/1 RPC, P3], P2, K1.
- **Row 16:** K3, [CABLE A: K4, P4, K4], K3, [CABLE B: P4], K3, [CABLE C: P6], K4.
- **Row 17:** K1, P2, [CABLE C: 2/2 LC, K2], P3, [CABLE B: 2/2 LC], P3, [CABLE A: P4, 2/2 RC, P4], P2, K1.
- **Row 18:** K3, [CABLE A: K4, P4, K4], K3, [CABLE B: P4], K3, [CABLE C: P6], K4.

All Other Sizes:

Row 0 (WS): K9 (3 - 10), [CABLE A: K4, P4, K4], P2, [CABLE B: P4], P2, [CABLE B: P4], P2, [CABLE C: P5], K6 (4 - 5) ... 46 (38 - 50) sts Row 1: K1, P5 (3 - 4), [CABLE C: 2/2 LC, K2], P2, [CABLE B: 2/2 LC], P2, [CABLE B: 2/2 LC], P2, [CABLE A: P3, 2/1 RPC, 2/1 LPC, P3], P8 (2 - 9), K1.

- **Row 2:** K9 (**3 10**), [CABLE A: K3, P2, K2, P2, K3], K2, [CABLE B: P4], K2 [CABLE B: P4], K2, [CABLE C: P6], K6 (**4 5**)
- Row 3: K1, P5 (3 4), [CABLE C: K6], P2, [CABLE B: K4], P2, [CABLE B: K4], P2, [CABLE A: P2, 2/1 RPC, P2, 2/1 LPC, P1], P8 (2 9), K1. Row 4: K9 (3 - 10), [CABLE A: K2, P2, K4, P2, K2], K2, [CABLE B: P4],
- K2, [CABLE B: P4], K2, [CABLE C: P6], K6 (4 5) **Row 5:** K1, P5 (3 - 4), [CABLE C: 2/2 LC, K2], P2, [CABLE B: 2/2 LC], P2, [CABLE B: 2/2 LC], P2, [CABLE A: P1, 2/1 RPC, P2, 2/1 LPC, P1], P8 (2 - 9), K1.

Row 6: K9 (3 - 10), [CABLE A: K1, P2, K6, P2, K1], K2, [CABLE B: P4], K2, [CABLE B: P4], K2, [CABLE C: P6], K6 (4 - 5) Row 7: K1, P5 (3 - 4), [CABLE C: K2, 2/2 RC], P2, [CABLE B: K4], P2, [CABLE B: K4], P2, [CABLE A: 2/1 RPC, P6, 2/1 LPC], P8 (2 - 9), K1. Row 8: K9 (3 - 10), [CABLE A: P2, K8, P2], K2, [CABLE B: P4], K2, [CABLE B: P4], K2, [CABLE C: P6], K6 (4 - 5) Row 9: K1, P5 (3 - 4), [CABLE C: K6], P2, [CABLE B: 2/2 LC], P2, [CABLE B: 2/2 LC], P2, [CABLE A: 2/1 LPC, P6, 2/1 RPC], P8 (2 - 9), K1. Row 10: K9 (3 - 10), [CABLE A: K1, P2, K6, P2, K1], K2, [CABLE B: P4], K2, [CABLE B: P4], K2, [CABLE C: P6], K6 (4 - 5) Row 11: K1, P5 (3 - 4), [CABLE C: K2, 2/2 RC], P2, [CABLE B: K4], P2, [CABLE B: K4], P2, [CABLE A: P1, 2/1 LPC, P4, 2/1 RPC, P1], P8 (2 - 9), K1 Row 12: K9 (3 - 10), [CABLE A: K2, P2, K4, P2, K2], K2, [CABLE B: P4], K2, [CABLE B: P4], K2, [CABLE C: P6], K6 (4 - 5) Row 13: K1, P5 (3 - 4), [CABLE C: 2/2 LC, K2], P2, [CABLE B: 2/2 LC], P2, [CABLE B: 2/2 LC], P2, [CABLE A: P2, 2/1 LPC, P2, 2/1 RPC, P2], P8 (2 - 9), K1 Row 14: K9 (3 - 10), [CABLE A: K3, P2, K2, P2, K3], K2, [CABLE B: P4], K2, [CABLE B: P4], K2, [CABLE C: P6], K6 (4 - 5) Row 15: K1, P5 (3 - 4), [CABLE C: K6], P2, [CABLE B: K4], P2, [CABLE B: K4], P2, [CABLE A: P3, 2/1 LPC, 2/1 RPC, P3], P8 (2 - 9), K1 Row 16: K9 (3 - 10), [CABLE A: K4, P4, K4], K2, [CABLE B: P4], K2, [CABLE B: P4], K2, [CABLE C: P6], K6 (4 - 5) Row 17: K1, P5 (3 - 4), [CABLE C: 2/2 LC, K2], P2, [CABLE B: 2/2 LC], P2, [CABLE B: 2/2 LC], P2, [CABLE A: P4, 2/2 RC, P4], P8 (2 - 9), K1 Row 18: K9 (3 - 10), [CABLE A: K4, P4, K4], K2, [CABLE B: P4], K2, [CABLE B: P4], K2, [CABLE C: P6], K6 (4 - 5)

Next Row (RS): Keeping cable pattern correct, K1, P2tog, work cable to the last three sts, P2togtbl, K1. Work in the cable pattern established for 3 (**2** - 3 - **3**) rows.


Repeat the last 4 (3 - 4 - 4) rows once (once - once - twice) more.

Continue without shaping, keeping cable pattern correct, remembering that **Cable A has an 18 row repeat**, work until the sock measures 17 (8 - 12 - 23) cm from the beg ending on a WS row.


ITEM A: Lining and Sock, ready for assembly




ITEM B: Cable Chart for Socks



TO READ A CABLE CHART: Work RS rows from right to left and WS rows from left to right. Work reverse stocking st in between each of the cables for the number of sts referenced in the pattern, please note these vary between sizes.





IF CALF HAS BEEN ADJUSTED: If altered your calf width before, add or remove the extra sts when your work measures 12 (**3** - 7 - **18**) cm

Turning Heel:

Next row (RS): Work as normal until the last 18 (**16** - 17 - **19**) sts, place a marker. These sts are for the heel and will be worked in stocking st, while the cable pattern continues to be worked in reverse stocking st as before. **Next row:** Purl until the marker and work in pattern until the end.

Repeat these two rows one more, place all the sts before the marker on a stitch holder and continue working the heel stitches only. ***

IMPORTANT NOTE: To avoid creating holes in your work when turning short rows, we recommend using the "wrap-and-turn" technique:

Knit to the spot where you wish to turn. Slip the next stitch on the tip of the left needle to the right needle and bring the running yarn around the slipped stitch. Replace the slipped stitch onto the left needle and then turn the work

Women's and Men's Sizes Only:

Row 1 (RS): K17, W&T Row 2: P16, W&T

Start here for sizes 2-5 and 6-10 year old.

Row 3: K14, W&T Row 4: P12, W&T Row 5: K10, W&T Row 7: K6, W&T Row 7: K6, W&T Row 8: P4, W&T Row 9: K6, W&T Row 10: P8 W&T Row 11: K10, W&T Row 12: P12, W&T

 Women's and Men's Sizes Only:

 Row 13: K14, W&T

 Row 14: P16 W&T

All Sizes:

Row 15 (RS): Knit across all of the heel sts and continue knitting across the cable panel on the st holders following the pattern, picking up and working the wrapped stitches with those they were knitted with.

Keep working the cable in the correct pattern and the heel sts in stocking st until the work measures, 17 (10 - 12 - 20) cm from the corner of the turned heel ending on a WS row.

ADJUSTING FOOT LENGTH: To lengthen or short the total sock length, the work will measure your foot length minus 3 cm.

Put half of the remaining stitches 21 (16 - 18 - 21) sts onto a st holder and knit 1 row.

TOES

Next Row: Working in stocking st for the rest of the work, cast off 3 (2 - 2 - 3) of the remaining sts at the beg of the next row. Repeat this row 3 more times, 9 (8 - 10 - 9) sts remaining. Cast off.

Returning to the sts on the stitch holder, join a new end of yarn to the work. Cast off 3 of the remaining sts at the beg of the next row. Repeat this 3 more times ... 9 (8 - 11 - 9) sts remaining

This knits the left sock, to knit the right sock flip the pattern so that the heel sts are worked at the end of the RS row and mirror the cabling so that the cables are worked in reverse, i.e. CABLE C, CABLE B, CABLE B, CABLE A. All stitching in between the cables is worked in a mirrored fashion as well.

RIGHT SOCK:

Calf Cable Panel:

Work for left sock up until **

For easy reference we've written out the set up row as follows as well as the first 4 rows of the full pattern, the cable chart and pattern are available on the previous pages for easy reference. Work 11 (3 - 3 - 21 rows) in the manner described below:

Size 2-5 years old:

Row 0 (WS): K3, [CABLE C: P6], K3, [CABLE B: P4], K3, [CABLE A: K4, P4, K4], K3.
Row 1: K1, P2, [CABLE A: P3, 2/1 RPC, 2/1 LPC, P3], P3, [CABLE B: 2/2 LC], P3, [CABLE C: 2/2 LC, K2], P2, K1.
Row 2: K3, [CABLE C: P6], K3, [CABLE B: P4], K3, [CABLE A: K3, P2, K2, P2, K3], K4.
Row 3: K1, P2, [CABLE A: P2, 2/1 RPC, P2, 2/1 LPC, P1], P3, [CABLE B: K4], P3, [CABLE C: K6], P2, K1.
Row 4: K3, [CABLE C: P6], K3, [CABLE B: P4], K3, [CABLE A: K2, P2, K4, P2, K2], K4.

All other sizes:

Row 0 (WS): K9 (3 - 10), [CABLE C: P5], P2, [CABLE B: P4], P2, [CABLE A: K4, P4, K4], K6 (4 - 5) ... 46 (38 - 50) sts Row 1: K1, P5 (3 - 4), [CABLE A: P3, 2/1 RPC, 2/1 LPC, P3], P2, [CABLE B: 2/2 LC], P2, [CABLE B: 2/2 LC], P2, [CABLE C: 2/2 LC, K2], P8 (2 - 9), K1. Row 2: K9 (3 - 10), [CABLE C: P6], K2, [CABLE B: P4], K2 [CABLE B: P4], K2, [CABLE A: K3, P2, K2, P2, K3], K6 (4 - 5) Row 3: K1, P5 (3 - 4), [CABLE A: P2, 2/1 RPC, P2, 2/1 LPC, P1], P2, [CABLE B: K4], P2, [CABLE B: K4], P2, [CABLE C: K6], P8 (2 - 9), K1. Row 4: K9 (3 - 10), [CABLE C: P6], K2, [CABLE C: K6], P8 (2 - 9), K1. Row 4: K9 (3 - 10), [CABLE C: P6], K2, [CABLE B: P4], K2, [CABLE B: P4], K2, [CABLE A: K2, P2, K4, P2, K2], K6 (4 - 5)

Keeping cable pattern correct, work the next row as: **Next Row:** K1 K2tog, work cable, knit to the last three sts, Sl1, K1, PSSO,K1.

Work in cable pattern for 3 (2 - 3 - 3) rows and repeat the last 4 (3 - 4 - 4) rows once (once - once - twice) more.

Continue without shaping, keeping cable pattern correct until the work measures 17 (8 - 12 - 23) cm from the beg ending on a WS row... 38 (30 -

32 - 40) sts rem.

Turning Heel:

Next row (RS): Knit the first 18 (**16** - 17 - **19**) sts, place a marker. These sts are for the heel and will be worked in stocking st, while the cable pattern is worked in reverse stocking st as usual. Work in cable pattern to end. **Next row:** Work in pattern until the marker then purl the last stitches.

Repeat these two rows one more, place all the sts before the marker on a stitch holder and continue working the heel stitches only. Work from *** to end in a similar fashion to the left sock.

MAKE UP AND FINISHING

Join the inner sock seam together using a mattress stitch, and taking care to line the edge of the cuff up. Weave in all ends and joins. With the steam on your iron only, no pressing, lightly steam the garment to relax the stitches.

Lining:

Line with fleece using the template provided, cutting six pattern pieces per size. Making sure that all pieces are cut on the same grain following the nap

ITEM C: Sewing up the sock outer, Women's Size

of the fabric.

- 1. Top foot, 2 pieces both cut on fold.
- 2. Sole of foot, cut 1 pair.
- 3: Calf piece, cut 1 pair.


IMPORTANT NOTE: Please print out all pattern pieces, joining along markers I & II.

Sew together pieces 2 & 3 for each foot. Sew this piece together with piece 1, making sure to leave an opening in the calf of the lining to turn the sock through. Using a zig zag stitch to attach the cuff to the lining to allow the cuff some stretch.

Weave the drawstring cord evenly through the middle of the cuff first, make and attach 3cm pom poms to the ends.




ITEM D: Toe foot and instep panel



7

ITEM E: Sole and Calf Panel



ITEM F: Panels to be attached to Item D & E

