


Lincraft



#P091

CUDDLES
YARN

**Penelope Cabled Dog
Sweater**

INTERMEDIATE KNIT

Our Cuddles yarn is soft and snuggly, perfect for keeping your pup warm on the coldest of winter nights. Named after our pint-sized model Penelope, this sweater is for our smaller dog friends. Penelope is a pomeranian cross and wears a size M.

MEASUREMENTS

Size		XS	S	M	L	XL
Neck Circumference	cm	15-22	20-30	27-35	32-40	35-45
Length	cm	20	25-30	32-37	40-45	55-60
Chest	cm	18-25	26-33	36-43	46-53	50-60
Yarn Required: Makr Cuddles	100g balls	1	1	1	2	2

Please use only the yarn specified. Another yarn is likely to yield different results. Quantities are approximate as knitting styles may vary between knitters. Check the ball bands to ensure all yarn is from the same dye lot.

ITEM A: Back of Sweater



DIFFICULTY ●●●

NEEDLES:

A 4.00mm circular knitting needle, 80cm.

A 4.50mm circular knitting needle, 80cm.

A pair of 4.50mm knitting needles.

Stitch Holders.

Wool needle for sewing in ends.

TENSION:

18 sts and 26 rows to 10cm over stocking st, using 4.50mm needles.

KNITTING ABBREVIATIONS:

- K:** Knit
K2tog: Knit 2 Together
Kfb: K1 into the fr of the next stitch on the needle but do not slide the stitch off, K1 into the bk of the same stitch on the needle and slide the stitch off the needle
P: Purl
P2tog: Purl 2 Together
Pfb: Purl 1, Purl tbl to increase by 1
Sl1: Slip One Stitch purl wise
wyif: With Yarn in Front
wyib: With Yarn in Back
ssk: Slip, Slip Knit (Left Slanting Decrease)
1/1 RC: sl 1 st onto cn, hold to back, k1, k1 from cn
1/1 LC: sl 1 st onto cn, hold in front, k1, k1 from cn
2/1 RPC: sl 1 st onto cn, hold in back, k2, p1 from cn
2/1 LPC: sl 2 sts onto cn, hold in front, p1, k2 from cn
2/2 RC: sl 2 sts onto cn, hold in back, k2, k2 from cn
2/2 LC: sl 2 sts onto cn, hold in front, k2, k2 from cn
2/3 RC: sl 3 sts onto cn, hold in back, k2, k3 from cn
2/3 LC: sl 2 sts onto cn, hold in front, k3, k2 from cn
2/1/2 RPC: sl 2 sts onto first cn and hold in back, sl 1 st onto 2nd cn and hold in back, k2, p1 from 2nd cn, k2 from first cn
2/1/2 LPC: sl 2 sts onto first cn and hold in front, sl 1 st onto 2nd cn and hold in back, k2, p1 from 2nd cn, k2 from first cn

SWEATER

IMPORTANT NOTE: This pattern is written for our extra small size, all stitch counts and references for other sizes are written in brackets for easy reference. They are as follows, XS (S - M - L - XL)

Neck:

This pattern is worked in the round beginning at the neck through to the leg openings, the piece is then spilt in two and worked separately in rows to create leg openings. Once complete the under piece and back are rejoined and worked in the round again through to the back flap.

With 4.00mm circular needles, cast on 44 (52 - 60 - 72 - 80) sts and join to begin working in the round. Take care not to twist when joining and place a stitch marker at the beginning of the round.

Round 1: *K2, P2, repeat from * to end.

Repeat Round 1 until piece measures 11cm from the beginning, ending with a WS row.

Shape Sweater:

IMPORTANT NOTE: Please refer over the page for cable instructions and chart taking note of whether the cable pattern is worked in the round or in rows.

Switch to using 4.50mm circular needles.

Round 1 (Set Up Round): P7 (6 - 10 - 6 - 10), Place a marker, work Round 1 of Cable Pattern worked in Rounds over the next 30 (40 - 40 - 50 - 60) sts, Place a marker, P7 (6 - 10 - 6 - 10)

Round 2: P1, Pfb, purl to marker, slip marker, work next round of cable pattern, slip marker, purl to last two sts, Pfb, P1 ... 46 (54 - 62 - 74 - 82) sts

Round 3: Purl to marker, slip marker, work next round of cable pattern, slip marker, purl to end of round.

Round 4: P1, Pfb, Purl to Marker, Slip marker, Work next round of cable pattern, slip marker, purl to last two sts, Pfb, P1 ... 48 (56 - 64 - 76 - 84) sts

Repeat last two rounds 3 (4 - 8 - 11 - 16) more times ... 54 (64 - 80 - 98 - 116) sts

Divide For Leg Openings:

Next Round: P6 (6 - 6 - 8 - 10), bind off next 6 sts for leg opening, purl across to marker. Slip Marker, work next round of cable pattern, Slip Marker. Purl to last 12 (12 - 12 - 14 - 16) sts, place last 30 (40 - 56 - 70 - 84) sts worked onto a holder for back, bind off next 6 sts for other leg opening, purl to end of round.

Remove the marker at the beginning of the round and purl the first 6 (6 - 6 - 8 - 10) sts again, TURN and begin working back and forth in rows on these 12 (12 - 12 - 16 - 20) stitches for the under piece only.

Under piece:

Working back and forth on remaining sts now, beginning with a WS row, work in reverse stocking st until piece measures 3 (4 - 4 - 5 - 6) cm from cast off edge ending with a WS row.

Place these sts on a second st holder.

Back:

Slipping the 30 (40 - 56 - 70 - 84) sts back onto your needles, ready to work a wrong side row.

Next Row: Work in reverse stocking st to marker, Slip Marker, work next row of Cable pattern referring to instructions for rows not rounds, work in reverse stocking st to end of the round.

Repeat the above row, until piece measures same as the under piece from the cast off edge ending with a WS row.

Rejoining Back and Under piece:

Next Round (RS): Purl across back sts to first marker, slip marker, work next round of cable pattern in rounds, slip marker, purl to end of back stitches, cast on 6 sts, purl 12 (12 - 12 - 16 - 20) stitches off your stitch holder for the under piece, cast on 6 sts, purl place a marker to mark the beg of the round ... 54 (64 - 80 - 98 - 116) sts

Work in rounds, keeping the cable pattern correct until piece measures 4cm from where sts have been cast back on, ending with a WS round.

Shape Back Flap:

Next Round: Purl to first marker, slip marker, work next round of cable pattern, slip marker, P8 (6 - 11 - 12 - 15), binding off 8 (12 - 18 - 24 - 30) sts, P8 (6 - 3 - 2 - 3), remove marker for the beginning of the round ... 46 (52 - 62 - 74 - 86) sts

Slip last 8 (6 - 3 - 2 - 3) sts just worked back onto your left hand needle.

Cut yarn and rejoin at beg of back flap sts, ready to work a WS row. The back flap is now worked back and forth in rows rather than rounds. Take care to begin referring to the cable pattern for rows rather than rounds.

Row 1: Work in rev stocking st to marker, slip marker, work next row of cable pattern, slip marker, work in rev stocking st to end of row. Repeat the above row, once more.

Row 3 (WS): K1, K2tog, knit to marker, slip marker, work next row of cable pattern, slip marker, knit to last three sts, SSK, K1 ... 44 (50 - 60 - 72 - 84) sts,

Row 4: Purl to marker, slip marker, work next row of cable pattern worked in rows, slip marker, purl to end

Repeat last two rows 11 (12 - 15 - 19 - 23) more times, removing the markers as you get to them, AT THE SAME TIME when markers are removed work decreases as patt2tog or patt2togtbl instead of K2tog or SSK. This will result in a neater finish. ... 22 (26 - 30 - 34 - 38) sts remaining

Work Row 1, 9 times, then change to 4.00mm circular needle.

LOWER BODY RIBBING

From RS, K22 (26 - 30 - 34 - 38) sts from remaining back flap sts, pick up and K54 (64 - 80 - 98 - 116) sts evenly spaced down side edge of back flap across under piece and up other side of back flap ...

Place marker for beginning of round.

Work in 2 x 2 rib as for the next rib for 5 rounds, Cast off loosely in rib.

FINISHING**Leg Ribbing:**

With RS facing and using 4.00mm circular needles pick up and K28 (32 - 32 - 36 - 40) st evenly spaced around one leg opening. Place marker at the beginning of the round. Join to begin working in the round taking care not to twist.

Work in 2 x 2 rib as for the neck for 6 rounds. Cast off loosely in rib.

Repeat on opposite leg.

Weave in all ends.

CABLE PATTERN FOR ROWS

Row 0 (Set Up): *K2, P6, K2, repeat from * between markers


- Row 1: *P2, 3/3 LC, repeat from * between markers
- Row 2: *K2, P6, K2, repeat from * between markers
- Row 3: *P1, 3/1 RPC, 3/1 LPC, P1, repeat from * between markers
- Row 4: *K1, P3, K2, P3, K1, repeat from * between markers
- Row 5: *3/1 RPC, P2, 3/1 LPC, repeat from * between markers
- Row 6: *P3, K4, P3, repeat from * between markers
- Row 7: K3, P4, 3/3 RC, [P4, 3/3 RC] 0 (1 - 1 - 2 - 3) more times, P4, K3
- Row 8: *P3, K4, P3, repeat from * between markers
- Row 9: *K3, P4, K3, repeat from * between markers
- Row 10: As Row 8
- Row 11: As Row 7
- Row 12: As Row 8
- Row 13: *3/1 LPC, P2, 3/1 RPC, repeat from * between markers
- Row 14: *K1, P3, K2, P3, K1, repeat from * between markers
- Row 15: *P1, 3/1 LPC, 3/1 RPC, P1, repeat from * between markers
- Row 16: *K2, P6, K2, repeat from * between markers

CABLE PATTERN FOR ROUNDS

Round 0 (Set Up): *P2, K6, P2, repeat from * between markers

- Round 1: *P2, 3/3 LC, repeat from * between markers
- Round 2: *P2, K6, P2, repeat from * between markers
- Round 3: *P1, 3/1 RPC, 3/1 LPC, P1, repeat from * between markers
- Round 4: *P1, K3, P2, K3, P1, repeat from * between markers
- Round 5: *3/1 RPC, P2, 3/1 LPC, repeat from * between markers
- Round 6: *K3, P4, K3, repeat from * between markers
- Round 7: K3, P4, 3/3 RC, [P4, 3/3 RC] 0 (1 - 1 - 2 - 3) more times, P4, K3
- Round 8: *K3, P4, K3, repeat from * between markers
- Round 9: *K3, P4, K3, repeat from * between markers
- Round 10: As Row 8
- Round 11: As Row 7
- Round 12: As Row 8
- Round 13: *3/1 LPC, P2, 3/1 RPC, repeat from * between markers
- Round 14: *P1, K3, P2, K3, P1, repeat from * between markers
- Round 15: *P1, 3/1 LPC, 3/1 RPC, P1, repeat from * between markers
- Round 16: *P2, K6, P2, repeat from * between markers









ITEM B: Lattice Cable Pattern



TRAVELLING CELTIC CABLE

30 (40 - 40 - 50 - 60) sts, 16 row repeat

KEY

- | | | | |
|---|-----------|---|-----------|
|  | = RS Knit |  | = 3/1 RPC |
|  | = RS Purl |  | = 3/1 LPC |
|  | = WS Knit |  | = 3/3 LC |
|  | = WS Purl |  | = 3/3 RC |

#P091

Cuddles Penelope Dog Sweater

INTERMEDIATE KNIT

ITEM C: Cable Stitch Pattern close up for Penelope Sweater

