

# DK 8ply



Projects by  
**Janine  
Tsakisiris**

# Fox

BEGINNER CROCHET



Fox

BEGINNER CROCHET

## MEASUREMENTS

Height cm 20

## YARN REQUIRED

Lincraft DK 8ply 100g balls

Main Colour (MC-gold) 1

Contrast Colour (CC-white) 1

## CROCHET HOOK

A 3.00mm crochet hook or size needed so that no holes appear in stitches through which stuffing may show.

## REQUIREMENTS

Wool needle for sewing up.

12mm safety eyes or 2 small black buttons.

30cm length of black thread to embroider nose detail.

Lincraft siliconised stuffing premium soft fill.

A stitch marker (optional).

## TENSION

Tension is not important for this project.

## SPECIAL ABBREVIATION

**mr** = magic ring (alternatively 3ch, sl st into beg ch and dc into ring).

## HEAD (worked from tip of nose to back of head in continuous spirals)

Using 3.00mm hook and CC, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.

**2nd round:** [1dc in each of next 2dc, inc in next dc] 4 times ... 16dc.

**3rd round:** 1dc in each dc to end.

**4th round:** [1dc in each of next 3dc, inc in next dc] 4 times ... 20dc.

**5th round:** 1dc in each dc to end.

**6th round:** [1dc in each of next 4dc, inc in next dc] 4 times ... 24dc.

**7th round:** 1dc in each dc to end.

Change to MC.

**8th round:** [1dc in each of next 3dc, inc in next dc] 6 times ... 30dc.

**9th round:** 1dc in each dc to end.

**10th round:** [1dc in each of next 4dc, inc in next dc] 6 times ... 36dc.

**11th round:** [1dc in each of next 5dc, inc in next dc] 6 times ... 42dc.

**12th round:** 1dc in each dc to end.

Rep 12th round 4 times.

Insert safety eyes between rounds 11 and 12, approx 7 sts apart.

Embroider nose detail.

**17th round:** [1dc in each of next 5dc, 1dc over next 2dc] 6 times ... 36dc.

Beg to stuff. Cont to stuff as you go.

**18th round:** [1dc in each of next 4dc, 1dc over next 2dc] 6 times ... 30dc.

**19th round:** [1dc in each of next 3dc, 1dc over next 2dc] 6 times ... 24dc.

**20th round:** [1dc in each of next 2dc, 1dc over next 2dc] 6 times ... 18dc.

**21st round:** [1dc in next dc, 1dc over next 2dc] 6 times ... 12dc.

**22nd round:** [1dc over next 2dc] 6 times ... 6dc.

Fasten off. Complete stuffing. Using the tail of yarn, sew in and out around the last few decs and gently pull hole closed.

## BODY (worked from base up in continuous spirals)

Using 3.00mm hook and MC, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.

**2nd round:** [1dc in next dc, inc in next dc] 6 times ... 18dc.

**3rd round:** [1dc in each of next 2dc, inc in next dc] 6 times ... 24dc.

**4th round:** [1dc in each of next 3dc, inc in next dc] 6 times ... 30dc.

**5th round:** [1dc in each of next 4dc, inc in next dc] 6 times ... 36dc.

**6th round:** [1dc in each of next 5dc, inc in next dc] 6 times ... 42dc.

**7th round:** 1dc in each dc to end.

Rep 7th round 4 times.

**12th round:** [1dc in each of next 5dc, 1dc over next 2dc] 6 times ... 36dc.

**13th round:** 1dc in each dc to end.

Rep 13th round 3 times.

**17th round:** [1dc in each of next 4dc, 1dc over next 2dc] 6 times ... 30dc.

**18th round:** 1dc in each dc to end.

Rep 18th round twice.

**21st round:** [1dc in each of next 3dc, 1dc over next 2dc] 6 times ... 24dc.

**22nd round:** 1dc in each dc to end.

Rep 22nd round twice.

**25th round:** [1dc in each of next 2dc, 1dc over next 2dc] 6 times ... 18dc.

**26th round:** 1dc in each dc to end.

Fasten off leaving long tail for sewing. Stuff.

## EARS (make 2 – worked in continuous spirals)

Using 3.00mm hook and CC, work 6dc into mr.

**1st round:** [1dc in next dc, inc in next dc] 3 times ... 9dc.

**2nd round:** 1dc in each dc to end.

Rep 2nd round once.

**4th round:** [1dc in each of next 2dc, inc in next dc] 3 times ... 12dc.

**5th round:** 1dc in each dc to end.

Change to MC.

**6th round:** [1dc in each of next 5dc, inc in next dc] twice ... 14dc.

**7th round:** 1dc in each dc to end.

Rep 7th round once.

**9th round:** [1dc in each of next 5dc, 1dc over next 2dc] twice ... 12dc.

**10th round:** 1dc in each dc to end.

**11th round:** [1dc in next dc, 1dc over next 2dc] 4 times ... 8dc.

Fasten off leaving long tail for sewing.

## ARMS (make 2 – worked in continuous spirals)

Using 3.00mm hook and CC, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.

**2nd round:** 1dc in each dc to end.

Rep 2nd round 5 times.

Change to MC.

Beg to stuff. Cont to stuff as you go. Stuff arms lightly.

**8th round:** [1dc in each of next 2dc, 1dc over next 2dc] 3 times ... 9dc.

**9th round:** 1dc in each dc to end.

Rep 9th round 12 times.

Fasten off leaving long tail for sewing. Complete stuffing.

## LEGS (make 2 – worked in continuous spirals)

Using 3.00mm hook and CC, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.

**2nd round:** [1dc in each of next 3dc, inc in next dc] 3 times ... 15dc.

**3rd round:** 1dc in each dc to end.

Rep 3rd round 5 times.

Change to MC.

**9th round:** [1dc in each of next 3dc, 1dc over next 2dc] 3 times ... 12dc.

**10th round:** 1dc in each dc to end.

Rep 10th round 3 times.

Beg to stuff. Cont to stuff as you go.

**14th round:** [1dc in each of next 4dc, 1dc over next 2dc] twice ... 10dc.

**15th round:** 1dc in each dc to end.

Rep 15th round 8 times.

Fasten off leaving long tail for sewing. Complete stuffing.

## TAIL (worked in continuous spirals)

Using 3.00mm hook and CC, work 6dc into mr.

**1st round:** [1dc in next dc, inc in next dc] 3 times ... 9dc.

**2nd round:** [1dc in each of next 2dc, inc in next dc] 3 times ... 12dc.

**3rd round:** [1dc in each of next 3dc, inc in next dc] 3 times ... 15dc.

**4th round:** 1dc in each dc to end.

**5th round:** [1dc in each of next 4dc, inc in next dc] 3 times ... 18dc.

**6th round:** 1dc in each dc to end.

**7th round:** [1dc in each of next 5dc, inc in next dc] 3 times ... 21dc.

**8th round:** 1dc in each dc to end.

Rep 8th round once.

Change to MC.

Rep 8th round twice.

**12th round:** [1dc in each of next 5dc, 1dc over next 2dc] 3 times ... 18dc.

**13th round:** 1dc in each dc to end.

**14th round:** [1dc in each of next 4dc, 1dc over next 2dc] 3 times ... 15dc.

**15th round:** 1dc in each dc to end.

**16th round:** [1dc in each of next 3dc, 1dc over next 2dc] 3 times ... 12dc.

Beg to stuff. Cont to stuff as you go.

**17th round:** 1dc in each dc to end.

**18th round:** [1dc in each of next 2dc, 1dc over next 2dc] 3 times ... 9dc.

**19th round:** 1dc in each dc to end.

Fasten off leaving long tail for sewing. Complete stuffing.

## FINISHING

Pinning before sewing is highly recommended.

Flatten Ears and whip stitch ends closed. Sew to top side of Head

at round 18, approx 8 sts apart. Sew Head to top of Body in desired

position. Add extra stuffing before sewing closed. Flatten open Arm

end and whip stitch closed. Sew to sides of Body at rounds 24 to 25.

Flatten open Leg end and whip stitch closed. Sew to bottom front of

Body between rounds 4 and 5, approx 6 sts apart. Sew Tail centrally

to lower rear of Body between rounds 5 and 6.

Sew in all ends.

## MEASUREMENTS

Length cm 16

## YARN REQUIRED

Lincraft DK 8ply (MC-marle grey) 100g balls 1

## CROCHET HOOK

A 3.00mm crochet hook or size needed so that no holes appear in stitches through which stuffing may show.

## REQUIREMENTS

Wool needle for sewing up.  
12mm safety eyes or 2 small black buttons.  
Lincraft siliconised stuffing premium soft fill.  
A stitch marker (optional).

## TENSION

Tension is not important for this project.

## SPECIAL ABBREVIATION

**mr** = magic ring (alternatively 3ch, sl st into beg ch and dc into ring).

## BODY (worked from tip of nose to tail in continuous spirals)

Using 3.00mm hook, work 5dc into mr.

**1st round:** Inc once in each dc ... 10dc.

**2nd round:** [1dc in next dc, inc in next dc] 5 times ... 15dc.

**3rd round:** [1dc in each of next 2dc, inc in next dc] 5 times ... 20dc.

**4th round:** 1dc in each dc to end.

**5th round:** [1dc in each of next 3dc, inc in next dc] 5 times ... 25dc.

**6th round:** 1dc in each dc to end.

**7th round:** [1dc in each of next 4dc, inc in next dc] 5 times ... 30dc.

**8th round:** [1dc in each of next 5dc, inc in next dc] 5 times ... 35dc.

**9th round:** [1dc in each of next 6dc, inc in next dc] 5 times ... 40dc.

**10th round:** 1dc in each dc to end.

Rep 10th round once.

**12th round:** [1dc in each of next 7dc, inc in next dc] 5 times ... 45dc.

**13th round:** 1dc in each dc to end.

Insert safety eyes between rounds 10 and 11, approx 15 sts apart.

Rep 13th round 19 times.

**33rd round:** [1dc in each of next 7dc, 1dc over next 2dc] 5 times ... 40dc.

**34th round:** 1dc in each dc to end.

Rep 34th round once.

**36th round:** [1dc in each of next 6dc, 1dc over next 2dc] 5 times ... 35dc.

**37th round:** 1dc in each dc to end.

**38th round:** [1dc in each of next 5dc, 1dc over next 2dc] 5 times ... 30dc.

**39th round:** 1dc in each dc to end.

Rep 39th round once.

Beg to stuff.

**41st round:** [1dc in each of next 4dc, 1dc over next 2dc] 5 times ... 25dc.

**42nd round:** 1dc in each dc to end.

**43rd round:** [1dc in each of next 3dc, 1dc over next 2dc] 5 times ... 20dc.

**44th round:** 1dc in each dc to end.

Rep 44th round once.

**46th round:** [1dc in each of next 2dc, 1dc over next 2dc] 5 times ... 15dc.

**47th round:** 1dc in each dc to end.

**48th round:** [1dc in next dc, 1dc over next 2dc] 5 times ... 10dc.

**49th round:** 1dc in each dc to end.

Complete stuffing.

Rep 49th round once.

**51st round:** [1dc over next 2dc] 5 times ... 5dc.

Fasten off. Using the tail of yarn, sew in and out around the last few decs and gently pull hole closed.

## DORSAL/TOP FIN (worked in continuous spirals)

Using 3.00mm hook, work 6dc into mr.

**1st round:** 1dc in each dc to end.

**2nd round:** [1dc in next dc, inc in next dc] 3 times ... 9dc.

**3rd round:** 1dc in each dc to end.

**4th round:** [1dc in each of next 2dc, inc in next dc] 3 times ... 12dc.

**5th round:** 1dc in each dc to end.

**6th round:** [1dc in each of next 3dc, inc in next dc] 3 times ... 15dc.

**7th round:** 1dc in each dc to end.

**8th round:** [1dc in each of next 4dc, inc in next dc] 3 times ... 18dc.

**9th round:** 1dc in each dc to end.

**10th round:** 1dc in each of next 6dc, [inc in next dc, 1dc in next dc] 3 times, 1dc in each of next 6dc ... 21dc.

**11th round:** 1htr in each of next 3dc, 1dc in each of next 3dc, [inc in next dc, 1dc in each of next 2dc] 3 times, 1dc in each of next 3dc, 1htr in each of next 3dc ... 24 sts.

Fasten off leaving long tail for sewing.

## TOP TAIL FIN (worked in continuous spirals)

Using 3.00mm hook, work 6dc into mr.

**1st round:** 1dc in each dc to end.

**2nd round:** [1dc in next dc, inc in next dc] 3 times ... 9dc.

**3rd round:** 1dc in each dc to end.

Rep 3rd round once.

**5th round:** [1dc in each of next 2dc, inc in next dc] 3 times ... 12dc.

**6th round:** 1dc in each dc to end.

Rep 6th round 3 times.

**10th round:** [1dc in each of next 4dc, 1dc over next 2dc] twice ... 10dc.

Fasten off leaving long tail for sewing.

## BOTTOM TAIL FIN (worked in continuous spirals)

Using 3.00mm hook, work 6dc into mr.

**1st round:** 1dc in each dc to end.

**2nd round:** [1dc in next dc, inc in next dc] 3 times ... 9dc.

**3rd round:** 1dc in each dc to end.

Rep 3rd round twice.

**6th round:** [Inc in next dc, 1dc in each of next 3dc] twice, 1dc in next dc ... 11dc.

**7th round:** 1dc in each dc to end.

**8th round:** 1dc in each of next 5dc, 1dc over next 2dc, 1dc in each of next 4dc ... 10dc.

Fasten off leaving long tail for sewing.

## SIDE FIN (make 2 – worked in continuous spirals)

Using 3.00mm hook, work 6dc into mr.

**1st round:** [1dc in next dc, inc in next dc] 3 times ... 9dc.

**2nd round:** 1dc in each dc to end.

**3rd round:** [1dc in each of next 2dc, inc in next dc] 3 times ... 12dc.

**4th round:** 1dc in each dc to end.

Rep 4th round once.

**6th round:** [1dc in each of next 3dc, inc in next dc] 3 times ... 15dc.

**7th round:** 1dc in each dc to end.

Rep 7th round twice.

**10th round:** [1dc in each of next 4dc, inc in next dc] 3 times ... 18dc.

**11th round:** 1dc in each dc to end.

Rep 11th round twice.

Fasten off leaving long tail for sewing.

## FINISHING

Pinning before sewing is highly recommended.

Flatten Dorsal Fin and sew centrally to top of Body between rounds 21 and 32. Flatten Tail Fins and whip stitch end closed. Sew Top Tail Fin pointing up to rear of Body. Sew Bottom Tail Fin pointing down to rear of Body. Flatten Side Fins and sew angled slightly down to sides of Body parallel to the Dorsal Fin.

Sew in all ends.

# Shark

BEGINNER CROCHET





# Panda

BEGINNER CROCHET

## MEASUREMENTS

Height cm 17

## YARN REQUIRED

Lincraft DK 8ply 100g balls

Main Colour (MC-white) 1

Contrast Colour (CC-marle charcoal) 1

## CROCHET HOOK

A 3.00mm crochet hook or size needed so that no holes appear in stitches through which stuffing may show.

## REQUIREMENTS

Wool needle for sewing up.

12mm safety eyes or 2 small black buttons.

Lincraft siliconised stuffing premium soft fill.

A stitch marker (optional).

## TENSION

Tension is not important for this project.

## SPECIAL ABBREVIATION

**mr** = magic ring (alternatively 3ch, sl st into beg ch and dc into ring).

## EYE PATCH (make 2 – worked in continuous spirals)

Using 3.00mm hook and CC, work 6dc into mr.

Do not pull hole closed.

**1st round:** Inc once in each dc ... 12dc.

**2nd round:** [1dc in next dc, inc in next dc] 6 times ... 18dc.

Fasten off leaving long tail for sewing.

Place 12mm safety eye through centre hole and pull hole tight.

Do not connect safety eye backing.

Set aside.

## HEAD (worked from tip of nose to back of head in continuous spirals)

Using 3.00mm hook and MC, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.

**2nd round:** [1dc in next dc, inc in next dc] 6 times ... 18dc.

**3rd round:** [1dc in each of next 5dc, inc in next dc] 3 times ... 21dc.

**4th round:** [1dc in each of next 6dc, inc in next dc] 3 times ... 24dc.

**5th round:** [1dc in each of next 7dc, inc in next dc] 3 times ... 27dc.

**6th round:** [1dc in each of next 8dc, inc in next dc] 3 times ... 30dc.

**7th round:** [1dc in each of next 4dc, inc in next dc] 6 times ... 36dc.

**8th round:** [1dc in each of next 5dc, inc in next dc] 6 times ... 42dc.

**9th round:** 1dc in each dc to end.

**10th round:** [1dc in each of next 6dc, inc in next dc] 6 times ... 48dc.

**11th round:** 1dc in each dc to end.

Rep 11th round 4 times.

**16th round:** [1dc in each of next 6dc, 1dc over next 2dc] 6 times ... 42dc.

Attach safety eyes between rounds 7 and 8, approx 8 sts apart ensuring eye stem is through both Eye Patch and Head layer before securing.

Embroider nose detail using 50cm length of CC.

**17th round:** [1dc in each of next 5dc, 1dc over next 2dc] 6 times ... 36dc.

**18th round:** [1dc in each of next 4dc, 1dc over next 2dc] 6 times ... 30dc.

**19th round:** [1dc in each of next 3dc, 1dc over next 2dc] 6 times ... 24dc.

Beg to stuff.

**20th round:** [1dc in each of next 2dc, 1dc over next 2dc] 6 times ... 18dc.

**21st round:** [1dc in next dc, 1dc over next 2dc] 6 times ... 12dc.

**22nd round:** [1dc over next 2dc] 6 times ... 6dc.

Fasten off. Complete stuffing. Using the tail of yarn, sew in and out around the last few decs and gently pull hole closed.

Sew down Eye Patches to Head.

## EARS (make 2 – worked in continuous spirals)

Using 3.00mm hook and CC, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.

**2nd round:** [1dc in next dc, inc in next dc] 6 times ... 18dc.

**3rd round:** 1dc in each dc to end.

Rep 3rd round twice.

**6th round:** [1dc in next dc, 1dc over next 2dc] 6 times ... 12dc.

Fasten off leaving long tail for sewing.

## BODY (worked from base up in continuous spirals)

Using 3.00mm hook and MC, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.

**2nd round:** [1dc in next dc, inc in next dc] 6 times ... 18dc.

**3rd round:** [1dc in each of next 2dc, inc in next dc] 6 times ... 24dc.

**4th round:** [1dc in each of next 3dc, inc in next dc] 6 times ... 30dc.

**5th round:** [1dc in each of next 4dc, inc in next dc] 6 times ... 36dc.

**6th round:** [1dc in each of next 5dc, inc in next dc] 6 times ... 42dc.

**7th round:** [1dc in each of next 6dc, inc in next dc] 6 times ... 48dc.

**8th round:** 1dc in each dc to end.

Rep 8th round 3 times.

**12th round:** [1dc in each of next 6dc, 1dc over next 2dc] 6 times ... 42dc.

**13th round:** 1dc in each dc to end.

Rep 13th round 3 times.

**17th round:** [1dc in each of next 5dc, 1dc over next 2dc] 6 times ... 36dc.

**18th round:** 1dc in each dc to end.

Rep 18th round twice.

Change to CC.

**21st round:** [1dc in each of next 4dc, 1dc over next 2dc] 6 times ... 30dc.

**22nd round:** 1dc in each dc to end.

**23rd round:** [1dc in each of next 3dc, 1dc over next 2dc] 6 times ... 24dc.

**24th round:** 1dc in each dc to end.

**25th round:** [1dc in each of next 2dc, 1dc over next 2dc] 6 times ... 18dc.

**26th round:** 1dc in each dc to end.

Fasten off leaving long tail for sewing. Stuff.

## ARMS AND LEGS (make 4 – worked in continuous spirals)

Using 3.00mm hook and CC, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.

**2nd round:** [1dc in each of next 3dc, inc in next dc] 3 times ... 15dc.

**3rd round:** 1dc in each dc to end.

Rep 3rd round 6 times.

**10th round:** [1dc in each of next 3dc, 1dc over next 2dc] 3 times ... 12dc.

**11th round:** 1dc in each dc to end.

Rep 11th round once.

Fasten off leaving long tail for sewing. Stuff. Do not overstuff ends.

## FINISHING

Pinning before sewing is highly recommended.

Flatten Ears and whip stitch end closed. Sew to top of Head between rounds 15 and 16, approx 7 sts apart. Sew Head to top of Body in desired position. Add extra stuffing before sewing closed. Flatten ends of Arms and Legs and whip stitch closed. Sew Arms to top sides of Body between rounds 24 and 25. Sew Legs to front bottom of Body between rounds 5 and 6, approx 4 sts apart. Sew in all ends.

### MEASUREMENTS

Height cm 22

### YARN REQUIRED

Lincraft DK 8ply 100g balls  
 Main Colour (MC-butter) 1  
 1st Colour (C1-white) 1  
 2nd Colour (C2-brown bear) 1

### CROCHET HOOK

A 3.00mm crochet hook or size needed so that no holes appear in stitches through which stuffing may show.

### REQUIREMENTS

Wool needle for sewing up.  
 12mm safety eyes or 2 small black buttons.  
 Lincraft siliconised stuffing premium soft fill.  
 18x13mm safety nose.  
 A stitch marker (optional).

### TENSION

Tension is not important for this project.

### SPECIAL ABBREVIATION

**mr** = magic ring (alternatively 3ch, sl st into beg ch and dc into ring).

### HEAD (worked in continuous spirals)

Using 3.00mm hook and MC, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.  
**2nd round:** [1dc in next dc, inc in next dc] 6 times ... 18dc.  
**3rd round:** [1dc in each of next 2dc, inc in next dc] 6 times ... 24dc.  
**4th round:** [1dc in each of next 3dc, inc in next dc] 6 times ... 30dc.  
**5th round:** [1dc in each of next 4dc, inc in next dc] 6 times ... 36dc.  
**6th round:** [1dc in each of next 5dc, inc in next dc] 6 times ... 42dc.  
**7th round:** [1dc in each of next 6dc, inc in next dc] 6 times ... 48dc.  
**8th round:** 1dc in each dc to end.  
 Rep 8th round 7 times.  
**16th round:** [1dc in each of next 6dc, 1dc over next 2dc] 6 times ... 42dc.  
**17th round:** [1dc in each of next 5dc, 1dc over next 2dc] 6 times ... 36dc.  
 Insert safety eyes between rounds 10 and 11, approx 6 sts apart.  
**18th round:** [1dc in each of next 4dc, 1dc over next 2dc] 6 times ... 30dc.  
**19th round:** 1dc in each dc to end.  
**20th round:** [1dc in each of next 3dc, 1dc over next 2dc] 6 times ... 24dc.  
 Beg to stuff. Cont to stuff as you go.  
**21st round:** 1dc in each dc to end.  
**22nd round:** [1dc in next dc, 1dc over next 2dc] 8 times ... 16dc.  
**23rd round:** [1dc over next 2dc] 8 times ... 8dc.  
 Fasten off. Complete stuffing. Sew in end.

### EARS (make 2 – worked in continuous spirals)

Using 3.00mm hook and MC, work 5dc into mr.

**1st round:** Inc once in each dc ... 10dc.  
**2nd round:** [1dc in each of next 4dc, inc in next dc] twice ... 12dc.  
**3rd round:** 1dc in each dc to end.  
**4th round:** [1dc in each of next 5dc, inc in next dc] twice ... 14dc.  
**5th round:** 1dc in each dc to end.  
 Fasten off leaving long tail for sewing.

### NOSE (worked in continuous spirals)

Using 3.00mm hook and C1, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.  
**2nd round:** 1dc in next dc, inc in each of next 3dc, 1dc in each of next 3dc, inc in each of next 3dc, 1dc in each of next 2dc ... 18dc.  
**3rd round:** 1dc in next dc, [inc in next dc, 1dc in next dc] 3 times, 1dc in each of next 3dc, [inc in next dc, 1dc in next dc] 3 times, 1dc in each of next 2dc ... 24dc.  
**4th round:** 1dc in each dc to end.  
**5th round:** [1dc in each of next 4dc, 1dc over next 2dc] 4 times ... 20dc.  
 Fasten off leaving long tail for sewing.  
 Attach safety nose between rounds 2 and 3.

### MANE (worked in rows)

Using 3.00mm hook and C2, make 55ch.

**1st row:** 1dc in 2nd ch from hook, 1dc in each of next 53ch ... 54dc.  
**2nd row:** Turn, [10ch, sl st in next dc] 53 times ... 53 10ch lps.  
 Fasten off leaving long tail for sewing.  
 When wrapped around face there should be an overlap of approx 2-3cm.

### BODY (worked in continuous spirals)

Using 3.00mm hook and MC, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.  
**2nd round:** [1dc in next dc, inc in next dc] 6 times ... 18dc.  
**3rd round:** [1dc in each of next 2dc, inc in next dc] 6 times ... 24dc.  
**4th round:** [1dc in each of next 3dc, inc in next dc] 6 times ... 30dc.  
**5th round:** [1dc in each of next 4dc, inc in next dc] 6 times ... 36dc.  
**6th round:** [1dc in each of next 5dc, inc in next dc] 6 times ... 42dc.  
**7th round:** [1dc in each of next 6dc, inc in next dc] 6 times ... 48dc.  
**8th round:** 1dc in each dc to end.  
 Rep 8th round 6 times.  
**15th round:** [1dc in each of next 6dc, 1dc over next 2dc] 6 times ... 42dc.  
**16th round:** 1dc in each dc to end.  
 Rep 16th round 4 times.  
**21st round:** [1dc in each of next 5dc, 1dc over next 2dc] 6 times ... 36dc.  
**22nd round:** 1dc in each dc to end.  
 Rep 22nd round once.  
**24th round:** [1dc in each of next 4dc, 1dc over next 2dc] 6 times ... 30dc.  
**25th round:** 1dc in each dc to end.  
**26th round:** [1dc in each of next 3dc, 1dc over next 2dc] 6 times ... 24dc.  
**27th round:** 1dc in each dc to end.  
 Beg to stuff.  
**28th round:** [1dc in each of next 2dc, 1dc over next 2dc] 6 times ... 18dc.  
**29th round:** [1dc in each of next 7dc, 1dc over next 2dc] twice ... 16dc.  
 Fasten off leaving long tail for sewing. Complete stuffing.

### LEGS (make 2 – worked in continuous spirals)

Using 3.00mm hook and C1, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.  
**2nd round:** [1dc in next dc, inc in next dc] 6 times ... 18dc.  
**3rd round:** [1dc in each of next 2dc, inc in next dc] 6 times ... 24dc.  
**4th round:** 1dc in each dc to end.  
 Rep 4th round twice.  
**7th round:** [1dc in each of next 2dc, 1dc over next 2dc] 6 times ... 18dc.  
**8th round:** [1dc in next dc, 1dc over next 2dc] 6 times ... 12dc.  
 Change to MC.  
**9th round:** 1dc in each dc to end.  
 Beg to stuff. Cont to stuff as you go.  
 Rep 9th round 13 times.  
 Fasten off leaving long tail for sewing. Complete stuffing. Don't overstuff end.

### ARMS (make 2 – worked in continuous spirals)

Using 3.00mm hook and C1, work 6dc into mr.

**1st round:** Inc once in each dc ... 12dc.  
**2nd round:** [1dc in next dc, inc in next dc] 6 times ... 18dc.  
**3rd round:** 1dc in each dc to end.  
 Rep 3rd round twice.  
**6th round:** [1dc in next dc, 1dc over next 2dc] 6 times ... 12dc.  
**7th round:** [1dc in each of next 2dc, 1dc over next 2dc] 3 times ... 9dc.  
 Change to MC.  
**8th round:** 1dc in each dc to end.  
 Beg to stuff. Cont to stuff as you go.  
 Rep 8th round 15 times.  
 Fasten off leaving long tail for sewing. Complete stuffing. Don't overstuff end.

### TAIL (worked in continuous spirals)

Using 3.00mm hook and MC, work 6dc into mr.

**1st round:** 1dc in each dc to end.  
 Rep 1st round 9 times.  
 Fasten off leaving long tail for sewing. Leave unstuffed.

### FINISHING

Pinning before sewing is highly recommended. Sew Nose to front of Head. Stuff before sewing closed. Flatten Ears and sew to top of Head. Sew Head to Body. Add extra stuffing before sewing closed. Flatten ends of Arms and sew to sides of Body at round 28. Flatten ends of Legs and sew to bottom of Body at rounds 5 to 6 approx 4 sts apart. Wrap Mane around Head in front of Ears and down under chin to check fit. Sew overlap of 2-3cm tog and position this section on top of Head between Ears. Pin Mane around to check placement and sew. Sew Tail to rear of Body at rounds 7 to 8. Using 10cm lengths of C2, hook through end of Tail to make tufts of hair. Trim to desired length. Sew in all ends.

# Lincraft



## LINCRAFT DK YARN

**Composition:** 100% Acrylic  
**Weight:** 100g  
**Meterage:** 250m  
**Needle Size:** 4.00mm  
**Tension (10cm x 10cm):** 22 stitches x 28 rows  
**Care Instructions -** Machine or Hand Wash. Cold Rinse Well. Do Not Wring. Do Not Bleach. Do Not Tumble Dry. Do Not Iron. Drycleanable.

Visit [www.lincraft.com.au](http://www.lincraft.com.au) and download your free **How to Sheet #A459** to make these Design your own animal.

## CROCHET ABBREVIATIONS

|                           |                         |                            |
|---------------------------|-------------------------|----------------------------|
| <b>alt:</b> alternate     | <b>foll:</b> following  | <b>sl st:</b> slip stitch  |
| <b>beg:</b> beginning     | <b>htr:</b> half treble | <b>sp/s:</b> space/s       |
| <b>ch:</b> chain          | <b>inc:</b> increase    | <b>st/s:</b> stitch/es     |
| <b>cm:</b> centimetre     | <b>lp/s:</b> loop/s     | <b>tog:</b> together       |
| <b>cont:</b> continue     | <b>mm:</b> millimetre   | <b>tr:</b> treble          |
| <b>dc:</b> double crochet | <b>patt:</b> pattern    | <b>yoh:</b> yarn over hook |
| <b>dec:</b> decrease      | <b>rem:</b> remaining   |                            |
| <b>dtr:</b> double treble | <b>rep:</b> repeat      |                            |

## METRIC IMPERIAL US

|               |    |     |
|---------------|----|-----|
| <b>2.00mm</b> | 14 | -   |
| <b>2.25mm</b> | 13 | B/1 |
| <b>2.50mm</b> | 12 | -   |
| <b>2.75mm</b> | -  | C/2 |
| <b>3.00mm</b> | 11 | -   |
| <b>3.25mm</b> | 10 | D/3 |
| <b>3.50mm</b> | 9  | E/4 |
| <b>3.75mm</b> | -  | F/5 |
| <b>4.00mm</b> | 8  | G/6 |

## METRIC IMPERIAL US

|                |     |      |
|----------------|-----|------|
| <b>4.50mm</b>  | 7   | 7    |
| <b>5.00mm</b>  | 6   | H/8  |
| <b>5.50mm</b>  | 5   | I/9  |
| <b>6.00mm</b>  | 4   | J/10 |
| <b>6.50mm</b>  | 3   | K/10 |
| <b>7.00mm</b>  | 2   | -    |
| <b>8.00mm</b>  | 0   | -    |
| <b>9.00mm</b>  | 00  | -    |
| <b>10.00mm</b> | 000 | -    |



30311893

# Lincraft

Where ideas come to life.

Things you should know: Unforeseen manufacturing, supplier delivery problems or unexpected demand may occasionally result in stock unavailability. We reserve the right to limit quantities. Prices do not include accessories. Reproduction of colours may not be accurate. Lines illustrated are representative of the range. Ranges, styles and colours may vary by store. Art/Design: Racket Agency © Copyright Lincraft Australia Pty Ltd 2017. © Copyright Lincraft New Zealand Ltd 2017. LNC001508.

FOR CUSTOMER ENQUIRIES PLEASE CALL 1300 LINCRAFT (Australia only) • For your nearest store location or to shop online visit [www.lincraft.com.au](http://www.lincraft.com.au) or [www.lincraft.co.nz](http://www.lincraft.co.nz)



Share your creations with us! Hashtag #lincraftloves

## ClubLincraft

Join today it's Free!