

MEASUREMENTS

Months		0	3	6	12
Fits chest	cm	35	40	45	50
Garment measures (at chest)	cm	41	46	52	58
Length (approx)	cm	28	31	34	40
YARN REQUIRED					
Lincraft Babysoft 4ply	100g balls	1	1	1	1

NEEDLES

A pair of 3.25mm knitting needles. Wool needle for sewing up.

REQUIREMENTS

A stitch holder.

6 buttons.

TENSION

28 sts and 36 rows to 10cm over stocking st, using 3.25mm needles.

EYELET PATTERN STITCH

1st row: K1, * K2, yfwd, K2tog, K4, rep from * to last st, K1. Work 7 rows stocking st, beg with a purl row. **9th row:** K1, * K6, yfwd, K2tog, rep from * to last st, K1.

Work 7 rows stocking st, beg with a purl row.

Last 16 rows form patt.

NOTE

Care must be taken when shaping in this patt. Do not work the 'yfwd' unless the 'K2tog' can also be worked.

BACK

Using 3.25mm needles, cast on 20 (22-22-24) sts.

Work 2 rows stocking st.

Cont in stocking st and cast on 3 sts at beg of every row until there are 26 (40-46-48) sts, then 4 sts at beg of every row until there are 66 (72-78-88) sts.

Work 11 (13-21-23) rows.

Dec one st at each end of next row, then every 12th (14th-22nd-24th) row until 60 (66-74-84) sts rem.

Cont without shaping until work measures 18 (20-22-27) cm (or length required from crotch to armhole) from beg, ending with a purl row.

Shape Armholes:

Cast off 2 (2-4-5) sts at beg of next 2 rows ... 56 (62-66-74) sts. Dec one st at each end of next row, then every alt row until 50 (58-58-66) sts rem. *

Work 29 (35-35-37) rows.

Shape Shoulders:

Cast off 4 (5-5-6) sts at beg of next 4 rows, then 4 (6-5-6) sts at beg of next 2 rows.

Next row: Knit and dec one st in centre ... 25 (25-27-29) sts.

1st row: K1, * P1, K1, rep from * to end. **2nd row:** K2, * P1, K1, rep from * to last st, K1.

Last 2 rows form rib.

Work a further 5 rows rib.

Cast off in rib.

FRONT

Work as for Back to **. Purl 1 row.

Beg Eyelet Patt:

Work 10 (16-16-16) rows eyelet patt.

Next row: Keeping patt correct as placed, patt 19 (23-22-26), turn. Cont on these 19 (23-22-26) sts.

Dec one st at neck edge in every row until 17 (21-20-24) sts rem, then every alt row until 14 (18-17-20) sts rem.

Work 1 row.

Note: Front shoulders are 8 rows lower than the Back, to accommodate shoulder openings.

Shape Shoulder:

Cast off 4 (5-5-6) sts, knit to last 2 sts, K2tog. Work 1 row.

Rep last 2 rows once.

Cast off rem 4 (6-5-6) sts.

Slip next 12 (12-14-14) sts onto a stitch holder.

With right side facing, join yarn to rem sts and patt to end. Dec one st at neck edge in every row until 17 (21-20-24) sts rem, then every alt row until 13 (17-16-19) sts rem.

Shape Shoulder:

Cast off 4 (5-5-6) sts at beg of next row.

Next row: K2tog, knit to end.

Cast off 4 (5-5-6) sts at beg of next row.

Work 1 row.

Cast off rem 4 (6-5-6) sts.

FRONT NECKBAND

With right side facing and using 3.25mm needles, knit up 8 (8-8-9) sts along right front neck, knit across sts from Front stitch holder and dec one st in centre, then knit up 8 (8-8-9) sts along left front neck ... 27 (27-29-31) sts.

Work 7 rows rib.

Cast off in rib.

ARMHOLE BANDS

Ioin side seams.

With right side facing and using 3.25mm needles, knit up 57 (63-73-79) sts along armhole edge.

Work 7 rows rib.

Cast off in rib.

FRONT SHOULDER BANDS

With right side facing and using 3.25mm needles, knit up 25 (27-27-29) sts along front shoulder incl side edge of Neckband and Armhole Bands.

Work 3 rows rib.

4th row: Rib 2, [rib 2tog, yrn, rib 7 (8-8-9)] twice, rib 2tog, yrn, rib 3 ... 3 buttonholes.

Work 3 rows rib.

Cast off in rib.

BACK SHOULDER BANDS

With right side facing and using 3.25mm needles, knit up 25 (27-27-29) sts along back shoulder incl side edge of Neckband and Armhole Bands. Work 7 rows rib.

Cast off in rib.

LEG OPENING BANDS

With right side facing and using 3.25mm needles, knit up 43 (51-57-65) sts around leg opening. Work 7 rows rib. Cast off in rib.

FINISHING

Sew Back and Front cast on edges and Leg Opening Band seams. Sew on buttons. Sew in all ends.



MEASUREMENTS

Months		0	3	6	12
Fits chest	cm	35	40	45	50
Garment measures	cm	41	46	52	58
Length	cm	22	26	29	33
Sleeve length	cm	11	13	16	19

YARN REQUIRED

Lincraft Babysoft 4ply 100g balls 1 1 1 2

NEEDLES

A pair of 3.25mm knitting needles. Wool needle for sewing up.

REQUIREMENTS

3 stitch holders. 5 (6-6-6) buttons.

TENSION

28 sts and 36 rows to 10cm over stocking st, using 3.25mm needles.

NOTE

Care must be taken when shaping in this patt. Do not work the 'yfwd' unless the 'K2tog' can also be worked.

BACK

Using 3.25mm needles, cast on 59 (67-75-83) sts. 1st row: K2, * P1, K1, rep from * to last st, K1. 2nd row: K1, * P1, K1, rep from * to end. Last 2 rows form rib.

Work a further 4 (4-8-8) rows rib and dec one st in centre of last row ... 58 (66-74-82) sts.

Beg Eyelet Patt:

Work 4 rows stocking st.

5th row: K1, * K2, yfwd, K2tog, K4, rep from * to last st, K1.

Work 7 rows stocking st, beg with a purl row. **13th row:** K1, * K6, yfwd, K2tog, rep from * to last st. K1.

Work 3 rows stocking st, beg with a purl row. Last 16 rows form patt for Back.

Cont in patt until work measures 11 (14-16-18) cm from beg, working last row on wrong side.

Shape Raglan Armholes:

Keeping patt correct, cast off 2 sts at beg of next 2 rows ... 54 (62-70-78) sts.

Dec one st at each end of next row, then every 4th row until 40 (52-64-70) sts rem, then every alt row until 28 (28-30-32) sts rem.

Work 1 row.

Leave rem sts on a stitch holder.

LEFT FRONT

Using 3.25mm needles, cast on 27 (**31**-35**-39**) sts. Work 6 (**6**-10-**10**) rows rib and dec one st in centre of last row ... 26 (**30**-34**-38**) sts. **

Beg Eyelet Patt:

Work 4 rows stocking st. **5th row:** K1, * K2, yfwd, K2tog, K4, rep from * to last 1 (**5**-1-**5**) st/s, [K2, yfwd, K2tog] 0 (**1**-0-**1**) time/s, K1.

Work 7 rows stocking st, beg with a purl row. **13th row:** K1, * K6, yfwd, K2tog, rep from * to last 1 (5-1-5) st/s, K1 (5-1-5).

Work 3 rows stocking st, beg with a purl row. Last 16 rows form patt for Left Front.

Cont in patt until work measures same as Back to beg of armhole shaping, working last row on wrong side.

Shape Raglan Armhole:

Keeping patt correct, cast off 2 sts at beg of next row ... 24 (28-32-36) sts.

Dec one st at armhole edge in 2nd row, then every 4th row until 17 (23-29-32) sts rem, Sizes 3, 6 And 12 Months Only: then every alt row until (17-18-20) sts rem.

Shape Neck:

Cast off 6 **(6-7-8)** sts, patt to end ... 11 **(11-11-12)** sts. Dec one st at armhole edge in next row, then every alt row 5 **(5-5-6)** times, AT SAME TIME dec one st at neck edge in next row, foll 4th row, then foll 6th row ... 2 sts.

Work 1 row.

K2tog and fasten off.

RIGHT FRONT

Work as for Left Front to **.

Beg Eyelet Patt:

Work 4 rows stocking st.

5th row: K1 (**5**-1-**5**), * K2, yfwd, K2tog, K4, rep from * to last st, K1.

Work 7 rows stocking st, beg with a purl row. **13th row:** K1 (**3**-1-**3**), [yfwd, K2tog] 0 (**1**-0-**1**) time/s, * K6, yfwd, K2tog, rep from * to last st, K1. Work 3 rows stocking st, beg with a purl row. Last 16 rows form patt for Right Front.

Cont in patt until work measures same as Back to beg of armhole shaping, working last row on wrong side.

Work 1 row.

Shape Raglan Armhole:

Keeping patt correct, cast off 2 sts at beg of next row ... 24 (30-32-36) sts.

Dec one st at armhole edge in next row, then every 4th row until 18 (23-29-32) sts rem, Sizes 3, 6 And 12 Months Only: then every alt row until (18-19-21) sts rem.

Work 3 (1-1-1) row/s.

Shape Neck:

Cast off 6 (6-7-8) sts, patt to last 2 sts, K2tog ... 11 (11-11-12) sts.

Dec one st at armhole edge in every alt row 6 (6-6-7) times, AT SAME TIME dec one st at neck edge in 2nd row, foll 4th row, then foll 6th row ... 2 sts.

Work 1 row.

K2tog and fasten off.

SLEEVES

Using 3.25mm needles, cast on 37 (39-43-45) sts. Work 6 (6-10-10) rows rib and dec one st in centre of last row ... 36 (38-42-44) sts.

Beg Eyelet Patt:

Work 4 rows stocking st.

5th row: K2 (**3**-1-**2**), * K2, yfwd, K2tog, K4, rep from * to last 2 (**3**-1-**2**) st/s, K2 (**3**-1-**2**).

6th row: Purl.

Last 6 rows places patt for Sleeves.

Keeping patt correct as placed (noting there are still 16 rows to the patt rep) and working extra sts into patt as they become available, inc one st at each end of next row, then every alt (alt-4th-4th) row until there are 48 (42-52-48) sts, then every 4th (4th-6th-6th) row until there are 50 (52-56-60) sts.

Cont in patt without shaping until work measures 11 (13-16-19) cm (or length desired) from beg, working last row on wrong side.

Shape Raglan:

Keeping patt correct, cast off 2 sts at beg of next 2 rows ... 46 (48-52-56) sts.

Sizes 3 And 12 Months Only:

Dec one st at each end of next row, then every 4th row until (44-50) sts rem. Work 1 row.

All Sizes:

Dec one st at each end of next row, then every alt row until 8 sts rem.

Work 1 row.

Leave rem sts on a stitch holder.

NECKBAND

Join raglan seams, noting that tops of Sleeves form part of neckline.

With right side facing and using 3.25mm needles, knit up 15 (15-16-19) sts along Right Front neck shaping, [K2tog, K4, K2tog] across right Sleeve stitch holder, [K2tog, K12 (12-13-14), inc in next st, K11 (11-12-13), K2tog] across Back stitch holder, [K2tog, K4, K2tog] across Left Sleeve stitch holder, then knit up 15 (15-16-19) sts along Left Front neck shaping ... 69 (69-73-81) sts. Work 7 rows rib, beg with a 2nd row. Cast off in rib.

RIGHT FRONT BAND

With right side facing and using 3.25mm needles, knit up 55 (67-73-83) sts along Right Front edge, incl side edge of Neckband. Work 3 rows rib, beg with a 2nd row. 4th row: Rib 2 (2-3-3), rib 2tog, yrn, * rib 10 (10-11-13), rib 2tog, yrn, rep from * to last 3 sts, rib 3 ... 5 (6-6-6) buttonholes. Work 3 rows rib. Cast off loosely in rib.

LEFT FRONT BAND

Work to correspond with Right Front Band, omitting buttonholes.

FINISHING

Join side and Sleeve seams. Sew on buttons. Sew in all ends.



MEASUREMENTS

Months		0	3	6	12
Fits chest	cm	35	40	45	50
Garment measures	cm	39	46	52	56
Length	cm	22	26	29	33
YARN REQUIRED					
Lincraft Babysoft 4ply	100g balls	1	1	1	1

NEEDLES

A pair of 3.25mm knitting needles. Wool needle for sewing up.

REQUIREMENTS

2 stitch holders.

TENSION

29 sts and 58 rows to 10cm over patt, using 3.25mm needles.

SPECIAL ABBREVIATION

K1U = lift the two slip strands onto right-hand needle, knit next st, pass two slip strands over the st just knitted.

NOTE

Care must be taken when shaping in this patt. Do not work the slip sts in 1st, 2nd, 7th and 8th rows, unless the 'K1U' can also be worked in the 6th or 12th row.

RACK

Using 3.25mm needles, cast on 57 (69-75-81) sts. **1st row:** K2, * P1, K1, rep from * to last st, K1. **2nd row:** K1, * P1, K1, rep from * to end.

Last 2 rows form rib.

Work a further 6 (6-8-8) rows rib and inc 2 sts evenly across last row ... 59 (**71**-77**-83**) sts.

Knit 1 row.

Beg Patt:

1st row (wrong side): K1, * leaving ybk sl 3 purlways, K3, rep from st to last 4 sts, leaving ybk sl 3 purlways, K1.

2nd row: P1, * leaving yft sl 3 purlways, P3, rep from * to last 4 sts, leaving yft sl 3 purlways, P1.

3rd row: Purl. 4th row: Knit. 5th row: Purl.

6th row: K2, * K1U, K5, rep from * to last 3 sts, K1U, K2.

7th row: K4, * leaving ybk sl 3 purlways, K3, rep from * to last st, K1. 8th row: P4, * leaving yft sl 3 purlways, P3, rep from * to last st, P1.

9th row: Purl. 10th row: Knit. 11th row: Purl.

12th row: K5, * K1U, K5, rep from * to end.

Last 12 rows form patt.

Cont in patt until work measures 12 (15-17-20) cm from beg, working last row on wrong side.

Shape Armholes:

Keeping patt correct, cast off 2 (4-4-4) sts at beg of next 2 rows ... 55

Dec one st at each end of next row, then every alt row until 51 (57-63-69) sts rem. *

Cont without shaping until work measures 22 (26-29-33) cm from beg, working last row on wrong side.

Shape Shoulders:

Cast off 4 (5-6-6) sts at beg of next 4 rows, then 4 (5-5-7) sts at beg of next 2 rows.

Leave rem 27 (27-29-31) sts on a stitch holder.

FRONT

Work as for Back to **.

Cont without shaping until there are 30 (30-30-32) rows less than Back to beg of shoulder shaping, working last row on wrong side.

Shape Neck:

Next row: Patt 19 (22-24-26), turn. Cont on these 19 (22-24-26) sts.

Dec one st at neck edge in 2nd row, then every 4th row until 13 (16-18-21) sts rem, then every 6th row until 12 (15-17-19) sts rem. Work 1 row.

Shape Shoulder:

Cast off 4 (5-6-6) sts at beg of next and alt row.

Work 1 row.

Cast off rem 4 (5-5-7) sts.

Slip next 13 (13-15-17) sts onto a stitch holder.

With right side facing, join yarn to rem sts and patt to end. Dec one st at neck edge in 2nd row, then every 4th row until 13 (16-18-21) sts rem, then every 6th row until 12 (15-17-19) sts rem. Work 2 rows.

Shape Shoulder:

Work as for other shoulder shaping.

NECKBAND

Join right shoulder seam.

With right side facing and using 3.25mm needles, knit up 14 (14-14-**15**) sts along left side of neck, knit across sts from Front stitch holder and dec one st in centre, knit up 14 (14-14-15) sts along right side of neck, then knit across sts from Back stitch holder and dec 2 sts evenly across ... 65 (65-69-75) sts.

Work 7 rows rib, beg with a 2nd row.

Cast off very loosely in rib.

ARMHOLE BANDS

Join left shoulder and Neckband seam.

With right side facing and using 3.25mm needles, knit up 57 (67-73-79) sts along armhole edge.

Work 7 rows rib, beg with a 2nd row.

Cast off in rib.

FINISHING

Join side and Armhole Band seams. Sew in all ends.













KNITTING ABBREVIATIONS

alternate alt: beginning centimetre beg: cm: cont: continue dec: decrease following foll: inc: increase including incl: knit millimetre mm:

M1: make one by picking up the loop between 2 stitches & knitting into the back of it (thereby increasing without using up a stitch). purl

patt: pattern

psso: pass slip stitch over p2sso: pass the two slip stitches over

rem: remaining rep: st/s: repeat stitch/es tbl: through back of loop tog: ybk: together yarn back yft: yarn front yfwd: yarn forward yon: yarn over needle yarn around needle

METRIC IMPERIAL US

2.00mm 2.25mm 2.50mm 13 12 2.75mm 12 3.00mm 11 3.25mm 10 3 8 3.50mm 9 3.75mm 4.00mm

METRIC IMPERIAL US

0	4.50mm	7	7
1	5.00mm	6	8
-1	5.50mm	5	9
2	6.00mm	4	10
3	6.50mm	3	10.5
5 4	7.00mm	2	10.5
-	7.50mm	1	11
5	8.00mm	0	11
6	9.00mm	00	13



30324725

