



Safety Rail Source®

NEXTGEN SKYLIGHT SAFETY-SCREEN™

MODEL SRS

CUT SHEET

NextGen Skylight Safety-Screen™ is a metal screen system for commercial skylights to protect against injuries or death from accidental falls through the lens of the skylight. The screen rests on the roof surface and is engineered to transfer an impact load directly to the roof and not to the skylight curb. The screen is attached to the skylight frame with vinyl coated stainless steel straps wrapped around the vertical wire grid. Self-tapping screws fasten the screen to the skylight frame.

Construction, Materials, Installation


Screen material is .187 and .250 diameter 304 stainless steel or galvanized carbon steel wire in a 4" X 4" grid. The screen rests on the roof surface and is attached to the skylight frame with vinyl coated stainless steel straps mounted on the vertical wire grid.

Screen Installation: Installation is easy and fast. Screens are set over the skylight and fastened into the metal skylight frame.

Installation Time: 1 man, 15 minutes

Performance:

The NextGen Skylight Safety-Screen™ is designed and tested to comply with OSHA 29 CFR 1910.28(b)(3)(i) and Cal/OSHA 8 CCR §3212.



Made in USA

Safety Rail Source®
2570 Blvd of the Generals, Ste. 200
Norristown, PA 19403
(877) 723-3766
www.SafetyRailSource.com