



## CERTIFICATE OF ANALYSIS

Boulder, CO 80302 • 1-855-790-8169 • charlottesweb.com

Product Code: ABC-P-CSBNO040TW-R2	
Product Description: Medic, Back & Neck Pain Relief Ointment 1.4 oz	
Batch Number: V0121054	Expiration Date: August 23, 2022
Units Manufactured: 2,940	Batch Size: 129.101 kgs
Manufacture Date: February 23, 2021	

PARAMETER	TEST METHOD	SPECIFICATION	RESULT	PASS/FAIL
<b>IDENTIFICATION</b>				
Odor	Organoleptic Inspection	Strong Camphor and Menthol	Strong Camphor and Menthol Smell	Pass
Visual	Organoleptic Inspection	Off White to Slight Yellow Color	Off White Color	Pass
		Free of Foreign Material	Free of Foreign Material	Pass
		Opaque Thick Gel Cream	Opaque Thick Gel Cream	Pass
<b>CANNABINOIDS POTENCY</b>				
CBDVA	AOAC 2018.11/JAOAC Vol 98, Progressive GMP – Torrance, CA	As Reported	Not Detected	
CBDV		As Reported	Not Detected	
CBDA		NMT 0.3% (3 mg/g)	Not Detected	Pass
CBGA		As Reported	Not Detected	
CBG		As Reported	Not Detected	
CBD		NLT 15 mg/g (NLT 100% of label claim)	18.77 mg/g	Pass
THCV		Not Detected	Not Detected	Pass
CBN		As Reported	Not Detected	
Delta-9 THC		Not Detected	Not Detected	Pass
THCA (THCA-A)		Not Detected	Not Detected	Pass
Total Delta-9 THC + THCA		Not Detected	Not Detected	Pass
CBC		As Reported	Not Detected	

Batch Number: V0121054	
Document ID: QS-COA-0018	Revision: 0



## CERTIFICATE OF ANALYSIS

Boulder, CO 80302 • 1-855-790-8169 • charlottesweb.com

PARAMETER	TEST METHOD	SPECIFICATION	RESULT	PASS/FAIL
<b>THC</b>				
Total Delta-9 THC Per Container	Calculation	As Reported	Not Detected	
Total Delta-9 THC Per Serving		As Reported	Not Detected	
<b>FUNCTIONAL INGREDIENT</b>				
Menthol	AOAC 2018.11/JAOAC Vol 98, Progressive GMP – Torrance, CA	13 – 16% (90 – 110% of label claim)	14%	Pass
Camphor		9 – 11% (90 – 110% of label claim)	10%	Pass
<b>MICROBIOLOGY</b>				
Salmonella spp.	USP <62> (modified), Progressive GMP – Torrance, CA	Absent	Absent	Pass
Escherichia coli	USP <62> (modified), Progressive GMP – Torrance, CA	<10 CFU/g	Absent	Pass
Total Aerobic Plate Count	USP <61> (modified), Progressive GMP – Torrance, CA	<10 <sup>4</sup> CFU/g	<10 cfu/g	Pass
Total Yeast and Molds	USP <61> (modified), Progressive GMP – Torrance, CA	<10 <sup>3</sup> CFU/g	<10 cfu/g	Pass
Total Coliforms	USP <62> (modified), Progressive GMP – Torrance, CA	<10 <sup>2</sup> CFU/g	Absent	Pass
Pseudomonas aeruginosa	USP <62> (modified), Progressive GMP – Torrance, CA	<10 CFU/g	Absent	Pass
Staphylococcus aureus	USP <62> (modified), Progressive GMP – Torrance, CA	<10 <sup>2</sup> CFU/g	Absent	Pass
<b>HEAVY METALS</b>				
Arsenic	USP <233> Elemental Impurities, ICP-MS, Progressive GMP - Torrance, CA	NMT 1.5 µg/g	<0.1 µg/g	Pass
Cadmium		NMT 0.5 µg/g	<0.1 µg/g	Pass
Lead		NMT 0.5 µg/g	<0.1 µg/g	Pass
Mercury		NMT 3.0 µg/g	<0.1 µg/g	Pass
<b>CATEGORY I RESIDUAL SOLVENTS</b>				
1,2-Dichloroethane	USP <461>/ J Food Prot.	NMT 1.0 µg/g	<1.0 µg/g	Pass



CHARLOTTE'S WEB™

STANLEY BROTHERS

**CERTIFICATE OF ANALYSIS**

Boulder, CO 80302 • 1-855-790-8169 • charlottesweb.com

2018, Progressive GMP -  
Torrance, CA

Benzene	NMT 1.0 µg/g	<1.0 µg/g	<b>Pass</b>
Chloroform	NMT 1.0 µg/g	<1.0 µg/g	<b>Pass</b>
Ethylene oxide	NMT 25 µg/g	<25 µg/g	<b>Pass</b>
Methylene chloride	NMT 1.0 µg/g	<1.0 µg/g	<b>Pass</b>
Trichloroethylene	NMT 1.0 µg/g	<1.0 µg/g	<b>Pass</b>

Batch Number: V0121054

Document ID: QS-COA-0018

Revision: 0



## CERTIFICATE OF ANALYSIS

Boulder, CO 80302 • 1-855-790-8169 • charlottesweb.com

PARAMETER	TEST METHOD	SPECIFICATION	RESULT	PASS/FAIL
<b>CATEGORY II RESIDUAL SOLVENTS</b>				
Acetone	USP <461>/ J Food Prot. 2018, Progressive GMP - Torrance, CA	NMT 5000 µg/g	<200 µg/g	Pass
Acetonitrile		NMT 410 µg/g	<200 µg/g	Pass
Butane		NMT 5000 µg/g	<500 µg/g	Pass
Ethanol		NMT 5000 µg/g	<1000 µg/g	Pass
Ethyl acetate		NMT 5000 µg/g	<500 µg/g	Pass
Ethyl ether		NMT 5000 µg/g	<500 µg/g	Pass
Heptane		NMT 5000 µg/g	<50 µg/g	Pass
Hexane		NMT 290 µg/g	<30 µg/g	Pass
Isopropyl alcohol		NMT 5000 µg/g	<500 µg/g	Pass
Methanol		NMT 3000 µg/g	<500 µg/g	Pass
Pentane		NMT 5000 µg/g	<25 µg/g	Pass
Propane		NMT 5000 µg/g	<1000 µg/g	Pass
Toluene		NMT 890 µg/g	<90 µg/g	Pass
Total xylenes (ortho-, meta-, para-)		NMT 2170 µg/g	<160 µg/g	Pass
<b>CATEGORY I RESIDUAL PESTICIDES</b>				
Aldicarb	AOAC 2007.01/CEN EN 15662, Progressive GMP - Torrance, CA	NMT 0.10 µg/g	<0.10 µg/g	Pass
Carbofuran		NMT 0.10 µg/g	<0.10 µg/g	Pass
Chlordane		NMT 0.10 µg/g	<0.10 µg/g	Pass
Chlorfenapyr		NMT 0.10 µg/g	<0.10 µg/g	Pass
Chlorpyrifos		NMT 0.10 µg/g	<0.10 µg/g	Pass
Coumaphos		NMT 0.10 µg/g	<0.10 µg/g	Pass
Daminozide		NMT 0.10 µg/g	<0.10 µg/g	Pass
DDVP (Dichlorvos)		NMT 0.10 µg/g	<0.10 µg/g	Pass
Dimethoate		NMT 0.10 µg/g	<0.10 µg/g	Pass
Ethoprop(hos)		NMT 0.10 µg/g	<0.10 µg/g	Pass
Etofenprox		NMT 0.10 µg/g	<0.10 µg/g	Pass

Batch Number: V0121054	
Document ID: QS-COA-0018	Revision: 0



## CERTIFICATE OF ANALYSIS

Boulder, CO 80302 • 1-855-790-8169 • charlottesweb.com

PARAMETER	TEST METHOD	SPECIFICATIONS	RESULT	PASS/FAIL
<b>CATEGORY I RESIDUAL PESTICIDES</b>				
Fenoxycarb	AOAC 2007.01/CEN EN 15662, Progressive GMP - Torrance, CA	NMT 0.10 µg/g	<0.10 µg/g	Pass
Fipronil		NMT 0.10 µg/g	<0.10 µg/g	Pass
Imazalil		NMT 0.10 µg/g	<0.10 µg/g	Pass
Methiocarb		NMT 0.10 µg/g	<0.10 µg/g	Pass
Methyl parathion		NMT 0.10 µg/g	<0.10 µg/g	Pass
Mevinphos		NMT 0.10 µg/g	<0.10 µg/g	Pass
Paclobutrazol		NMT 0.10 µg/g	<0.10 µg/g	Pass
Propxur		NMT 0.10 µg/g	<0.10 µg/g	Pass
Spiroxamine		NMT 0.10 µg/g	<0.10 µg/g	Pass
Thiacloprid		NMT 0.10 µg/g	<0.10 µg/g	Pass
PARAMETER	TEST METHOD	SPECIFICATIONS	RESULTS	PASS/FAIL
<b>CATEGORY ii RESIDUAL PESTICIDES</b>				
Abamectin	AOAC 2007.01/CEN EN 15662, Progressive GMP - Torrance, CA	NMT 0.3 µg/g	<0.1 µg/g	Pass
Acephate		NMT 5 µg/g	<0.1 µg/g	Pass
Acequinocyl		NMT 4 µg/g	<1.0 µg/g	Pass
Acetamiprid		NMT 5 µg/g	<0.1 µg/g	Pass
Azoxystrobin		NMT 40 µg/g	<0.1 µg/g	Pass
Bifenazate		NMT 5 µg/g	<0.1 µg/g	Pass
Bifenthrin		NMT 0.5 µg/g	<0.1 µg/g	Pass
Boscalid		NMT 10 µg/g	<0.1 µg/g	Pass
Captan		NMT 5 µg/g	<0.2 µg/g	Pass
Carbaryl		NMT 0.5 µg/g	<0.1 µg/g	Pass
Chlorantraniliprole		NMT 40 µg/g	<0.1 µg/g	Pass
Clofentezine		NMT 0.5 µg/g	<0.1 µg/g	Pass
Cyfluthrin		NMT 1 µg/g	<0.1 µg/g	Pass

Batch Number: V0121054	
Document ID: QS-COA-0018	Revision: 0



**CERTIFICATE OF ANALYSIS**

Boulder, CO 80302 • 1-855-790-8169 • charlottesweb.com

PARAMETER	TEST METHOD	SPECIFICATION	RESULT	PASS/FAIL
<b>CATEGORY II RESIDUAL PESTICIDES</b>				
Cypermethrin	AOAC 2007.01/CEN EN 15662, Progressive GMP - Torrance, CA	NMT 1 µg/g	<0.1 µg/g	Pass
Diazinon		NMT 0.2 µg/g	<0.1 µg/g	Pass
Dimethomorph		NMT 20 µg/g	<0.1 µg/g	Pass
Etoxazole		NMT 1.5 µg/g	<0.1 µg/g	Pass
Fenhexamid		NMT 10 µg/g	<0.1 µg/g	Pass
Fenpyroximate		NMT 2 µg/g	<0.1 µg/g	Pass
Flonicamid		NMT 2 µg/g	<0.1 µg/g	Pass
Fludioxonil		NMT 30 µg/g	<0.1 µg/g	Pass
Hexythiazox		NMT 2 µg/g	<0.1 µg/g	Pass
Imidacloprid		NMT 3 µg/g	<0.1 µg/g	Pass
Kresoxim-methyl		NMT 1 µg/g	<0.1 µg/g	Pass
Malathion		NMT 5 µg/g	<0.1 µg/g	Pass
Metalaxyl		NMT 15 µg/g	<0.1 µg/g	Pass
Methomyl		NMT 0.1 µg/g	<0.1 µg/g	Pass
Myclobutanil		NMT 9 µg/g	<0.1 µg/g	Pass
Naled		NMT 0.5 µg/g	<0.1 µg/g	Pass
Oxamyl		NMT 0.2 µg/g	<0.1 µg/g	Pass
Pentachloronitrobenzene		NMT 0.2 µg/g	<0.1 µg/g	Pass
Permethrin		NMT 20 µg/g	<0.1 µg/g	Pass
Phosmet		NMT 0.2 µg/g	<0.1 µg/g	Pass
Piperonylbutoxide	NMT 8 µg/g	<0.1 µg/g	Pass	
Prallethrin	NMT 0.4 µg/g	<0.1 µg/g	Pass	
Propiconazole	NMT 20 µg/g	<0.1 µg/g	Pass	
Pyrethrins	NMT 1 µg/g	<1.0 µg/g	Pass	
Pyridaben	NMT 3 µg/g	<0.1 µg/g	Pass	

Batch Number: V0121054	
Document ID: QS-COA-0018	Revision: 0



## CERTIFICATE OF ANALYSIS

Boulder, CO 80302 • 1-855-790-8169 • charlottesweb.com

PARAMETER	TEST METHOD	SPECIFICATION	RESULT	PASS/FAIL
<b>CATEGORY II RESIDUAL PESTICIDES</b>				
Spinetoram	AOAC 2007.01/CEN EN 15662, Progressive GMP - Torrance, CA	NMT 3 µg/g	<0.1 µg/g	Pass
Spinosad		NMT 3 µg/g	<0.1 µg/g	Pass
Spiromesifen		NMT 12 µg/g	<0.1 µg/g	Pass
Spirotetramat		NMT 13 µg/g	<0.1 µg/g	Pass
Tebuconazole		NMT 2 µg/g	<0.1 µg/g	Pass
Thiamethoxam		NMT 4.5 µg/g	<0.1 µg/g	Pass
Trifloxystrobin		NMT 30 µg/g	<0.1 µg/g	Pass
PARAMETER	TEST METHOD	SPECIFICATION	RESULT	PASS/FAIL
<b>CATEGORY OTHER RESIDUAL PESTICIDES</b>				
Glyphosate	ECM for Glyphosate in Water - MRID 40881601, Progressive GMP – Torrance, CA	NMT 0.2 µg/g	<0.1 µg/g	Pass
Metolachlor	AOAC 2007.01/CEN EN 15662, Progressive GMP - Torrance, CA	NMT 0.3 µg/g	<0.1 µg/g	Pass
PARAMETER	TEST METHOD	SPECIFICATION	RESULT	PASS/FAIL
<b>MYCOTOXINS</b>				
Total of aflatoxin B1, B2, G1 and G2	AOAC-RI 050901, USDA/GIPSA 2018-113, Progressive GMP – Torrance, CA	NMT 20 µg/kg	<2.0 µg/kg	Pass
Ochratoxin A		NMT 20 µg/kg	<1.0 µg/kg	Pass

Batch Number: V0121054	
Document ID: QS-COA-0018	Revision: 0



# CHARLOTTE'S WEB™

STANLEY BROTHERS

## CERTIFICATE OF ANALYSIS

Boulder, CO 80302 • 1-855-790-8169 • charlottesweb.com

### INGREDIENT LIST:

COMPONENT	PART NUMBER	MANUFACTURER	LOT NUMBER
Menthol Crystals	1035	N/A	TLMC-200957
Natural Camphor	1077	N/A	GONPD0713X
MCT Hemp Oil	4098	N/A	V0421049

QUALITY APPROVAL		
Prepared By/ Date	Approved By/ Date	Status

This Charlotte's Web Inc.™ product has been reviewed by Quality Assurance, has been found to have met all product specifications, and is released. This product contains less than 0.3% THC per hemp regulation.

Batch Number: V0121054	
Document ID: QS-COA-0018	Revision: 0