48" Nanoplastic LED Tube





FEATURES

- 120~277VAC Input
- Type A+B Hybrid
- Replaces Existing T8 Fluorescent Lamps, No Rewiring Required
- Compatible with Most Instant Start and Rapid Start Ballasts
- Double Ended Wiring with Shunted or Non-shunted Sockets
- Nanoplastic for Superior Optical Performance
- High Efficacy, Up to 145 LPW
- Exceptional Color Accuracy, CRI >80
- 5-Year Manufacturer's Limited Warranty
- UL-Listed & DLC-Certified

APPLICATION INFORMATION

Applications

IndoorOutdoor


Market Segments Commercial

- - Residential

SPECIFICATIONS

Part Number	Size (in.)	Color Temperature	Input Voltage (V)	Rated Power (W)	Nominal Lumens Per Watt (±3%)	Typical Lumens (Im) (±10%)	CRI (±5)
CL-NT8Y0BR13W-4GX01	48"	4000K	100~277	13	1800	138.5	80+

PRODUCT DIMENSIONS





CLEANLIFE®

1-800-316-2532 info@cleanlife.com

www.cleanlife.com

PLEASE NOTE: Product specifications are based off of third party test reports and are subject to change without notice.

CLEANLIFE® and the Pinwheel Mark are registered trademarks of Superior Ventures LLC. All Rights Reserved.

Not to be reproduced or published without prior permission.