

ACTIVA PRODUCTS, INC.

512 South Garrett

Marshall, TX 75670

Phone: 903-938-2224

Fax: 903-938-3899

PRODUCT NAME: Celluclay

MATERIAL SAFETY DATA SHEET

SECTION 1 – MANUFACTURER'S INFORMATION

EMERGENCY PHONE NUMBER

903-938-2224 (Day)

Trade Name: Celluclay

Chemical Name: N/A

Manufacturer's Name: Activa Products, Inc. (903) 938-2224

Address: 512 South Garrett, Marshall, TX 75670

SECTION 2 – INGREDIENTS INFORMATION

Product consists of:	%	TLV	PEL	UNITS
Gypsum				
Starch	100	10*	15*	MG/M ³
Printed clay coat sulfite paper (as Cellulose (paper fiber))		10*	15*	MB/M ³
Perlite		10*	15*	MG/M ³
Sodium Benzoate		**	50	MPPCF
		NE	NE	

*TLV and PEL are as nuisance particulate,
total dust.

**TLV-10 MG/M³

SECTION 3 – PHYSICAL DATA

Boiling Point: (°F)	NA	Specific Gravity: (H ₂ O=1)	>60
Vapor Pressure:(MM Hg.)	N/A	Percent Volatile	
		By volume (%)	NA
Vapor Density: (AIR-1)	N/A	pH	NA
Solubility in water:	Appreciable	Evaporation rate:	NA

Appearance and Odor: Greyish powder; odorless

SECTION 4 – FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method used)	None	Flammable Limits	LEL	UEL
Extinguishing Media	Water		NE	NE
Special Fire				
Fighting Procedures	No special procedures required.			
Unusual Fire and				
Explosion Hazards	Dust clouds will present a fire hazard when exposed to heat or flame.			

SECTION 5 – HEALTH HAZARD INFORMATION

Symptoms/Effects of Overexposure Inhalation of dust may cause respiratory annoyance. Prolonged contact may cause mild skin rash in sensitive individuals. Eye contact may cause watering.

FIRST AID

Eyes Flush eyes with large amounts of water. Get medical attention if irritation persists.

Skin Wash thoroughly with soap and water. Get medical attention if irritation persists.

ACTIVA PRODUCTS, INC.
512 S. GARRETT
MARSHALL, TX 75670

Inhalation Move victim to fresh air. Get medical help if irritation persists.

Ingestion Contact local control center or physician IMMEDIATELY!

SECTION 6 – REACTIVITY DATA

Stability Normally Stable.
Avoid heat, open flame

Incompatible Material Strong oxidizers

Hazardous Decomposition Products Combustion may produce Carbon monoxide, Carbon dioxide, Sulfur dioxide

SECTION 7 – SPILL OR LEAK PROCEDURES

Procedures Carefully clean up spilled material and place in dry containers for reuse or disposal. Avoid excessive dust generation.

Waste Disposal Method Dispose of in accordance with Local, State, and Federal regulations.

SECTION 8 – SPECIAL PROTECTION INFORMATION

Respiratory Not normally required. If TLV is exceeded, or for symptoms of overexposure, wear a NIOSH-approved dust/mist respirator.


Eyewear If potential for eye contact exists, wear chemical goggles.

Clothing/Gloves Not normally required.

Ventilation Local exhaust may be necessary under some handling/use conditions. Specific needs should be addressed by supervisory or health/safety personnel.

SECTION 9 – SPECIAL PRECAUTIONS

Store in dry area. This product does not contain any carcinogens (at 0.1% or greater) as defined by IARC, NTP, or OSHA.


John F. Strauss

February 2, 2014

ACTIVA PRODUCTS, INC.
512 S. GARRETT
MARSHALL, TX 75670