

10 Track Spots > Mirror Square Track Spots

65406BT/W/W



15W COB LED track spot with, ideal for shops and showrooms.

Complete with 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40002A/W



40003A/W

Physical Specification

Item Group

10 Track Spots

Family

Mirror Square Track Spots

Order Code

65406BT/W/W

Colour

White

Material

Die Cast

Shape


Rectangular


Length

80mm


| | |
|---------------|--------------|
| Width | 80mm |
| Height | 148mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |

Electrical Characteristics


| Gear | Built In |
|------------------|---|
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 15W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |

| Fitting | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Voltage | 40V |
| Safety Class |  |
| Power(Watts) | 14W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Cree |
| LED Number | 4 |

Gear

| | |
|------------------|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 9,45-14,7W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 350mA | 27-42V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | Lifud |


Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 1200lm |
| Light Efficiency | 80lm/W |
| CRI | 90 |
| Beam Angle | 38° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Pcs/Carton | 24 |
| Barcode | 5291889067863 |
| HS Code | 9405409900 |

Energy Label



Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

