



Product Datasheet

06 Downlights Fixed LED>The COB Project Round Range

10105K/G/C



5W COB LED project round range downlight, IP53.

Complete with 120mA dimmable driver.

Complies with standard EN60598-1 and any other specific standards.










Downloads








Dimensions



Gallery





Physical Specification


Product Type	Gear
Item Group	06 Downlights Fixed LED
Family	The COB Project Round Range
Order Code	10105K/G/C
Colour	Grey
Material	Die Cast
Shape	Circular

Height	100mm
Diameter	123mm
Cutout Hole Diameter	107mm
Recessed Ceiling	Yes
Depth Required	130mm
Indoor	Yes
Adjustable	No
Electrical Characteristics	
Gear	External-Included
Fitting . Driver	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	5W
IP Rating	IP53
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	120mA
Voltage	40V
Safety Class	
Power(Watts)	4,2W
IP Rating	IP53
Light Source	LED built in

LED Brand	GH
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,2-5W
Power Factor	0,8
Constant Current	Yes
Output	120mA
Voltage Range	35-42V
IP Rating	IP20
Safety Class	
Ambient Temp	40°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Cable
Illumination Data	
O. J T	400014
Colour Temperature	4000K
Light Efficiency	410lm
Light Efficiency	82Im/W
CRI	4.000
Beam Angle	100°
Illumination Diagram	
Packing Info	
Box Length	13,5cm

Box Width	13cm
Box Height	11,5cm
Box Weight	0,450kg
Pcs/Carton	24
Barcode	5291889028116
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Wee Directive	Yes

switch to one light!

