

New 2021 Edition 2>Recessed Spots Fixed LED

## 10112BTR/B/W



9W/12W COB LED 2-Step trimless Recessed spot, IP20, for general application. Requires 500mA/700mA constant current driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately



89015A

## Related items



89015AT

## Physical Specification


Item Group	New 2021 Edition 2
Family	Recessed Spots Fixed LED
Order Code	10112BTR/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	92mm
Diameter	64mm
Cutout Hole Diameter	70mm
Recessed trimless ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

### Fitting


Input Type	Constant Current
Input Current	500mA/700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	
Cable Length	
F Mark	

Bridgelux
40cm


## Illumination Data

Colour Temperature	
Lumen Output	
Light Efficiency	
CRI	
Beam Angle	
Illumination Diagram	
Dark Light	


3000K
1100lm
91,67lm/W
90
40°

Yes

## Packing Info

Pcs/Carton	
Barcode	
HS Code	

48
5291889070061
9405409900

## Energy Label



Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

