

02 Recessed Spots Fixed LED>The Round Mirror Range

10112X/B/W



12W Recessed spot, IP20.

Complete with 300mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Round Mirror Range
Order Code	10112X/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	35mm
Diameter	112mm
Cutout Hole Diameter	100mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes

Adjustable

No

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

12W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

Fitting

Input Type

Constant Current

Input Current

300mA

Voltage

36V

Safety Class



Power(Watts)

10,8W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 3030

LED Brand

Sanan

LED Number

9

F Mark




Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	7,2-12,6W
Power Factor	0,85
Constant Current	Yes
300mA	24-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	-20°C...+60°C
Operating Temp	90°C
Brand	Eaglerise
Protection	Over Load Protection, Over Voltage Protection, Short circuit Protection

Illumination Data

Colour Temperature	3000K
Lumen Output	960lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	40
Barcode	5291889074601
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

