



Product Datasheet

New 2021 Edition 2>Downlights Fixed LED

10118TD/W/W



18W LED recessed downlight, IP54. Suitable for Indoor/Outdoor installation.

Complete with 450mA driver.

Complies with standard EN60598-1 and any other specific standards.











Downloads









Dimensions




Physical Specification

Item Group	New 2021 Edition 2
Family	Downlights Fixed LED
Order Code	10118TD/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	86mm
Diameter	170mm
Cutout Hole Diameter	150mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes

Outdoor	Yes
Adjustable	No
lectrical Characteristics	
Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	18W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	450mA
Voltage	39V
Safety Class	
Power(Watts)	17,55W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
F Mark	F
Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	13,5-18W
Power Factor	0,9
Constant Current	Yes
450mA	30-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	ONE
Ilumination Data	
Colour Temperature	3000K
Lumen Output	1530lm
Light Efficiency	85lm/W
CRI	80
Beam Angle	60°
Illumination Diagram	
Dark Light	Yes
Packing Info	
Box Length	19cm
Box Width	19cm
Box Height	9,6cm
Pcs/Carton	24
Barcode	5291889069683
HS Code	

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

one

switch to one light!

