



Product Datasheet

06 Downlights Fixed LED>The COB Project Round Range

10120K/G/W



20W COB LED project round range downlight, IP53.

Complete with 500mA dimmable driver.

Complies with standard EN60598-1 and any other specific standards.








Downloads







Dimensions



Gallery





Physical Specification


Product Type	Gear
Item Group	06 Downlights Fixed LED
Family	The COB Project Round Range
Order Code	10120K/G/W
Colour	Grey
Material	Die Cast
Shape	Circular

Height	140mm
Diameter	164mm
Cutout Hole Diameter	150mm
Recessed Ceiling	Yes
Depth Required	170mm
Indoor	Yes
Adjustable	No
Electrical Characteristics	
Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP53
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	36V
Safety Class	
Power(Watts)	18W
IP Rating	IP53
Light Source	LED built in

LED Brand	GH
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	17-21W
Power Factor	0,9
Constant Current	Yes
500mA	35-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	40°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Cable
Ilumination Data	
Oeleva Terrar eneture	200014
Colour Temperature	3000K
Light Efficiency	1500lm
Light Efficiency	75lm/W
CRI	400%
Beam Angle	100°
Illumination Diagram	
Packing Info	
Box Length	19cm

Box Width	17cm
Box Height	16cm
Box Weight	0,97kg
Pcs/Carton	24
Barcode	5291889028185
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Wee Directive	Yes

switch to one light!

