



Product Datasheet

02 Recessed Spots Fixed LED>The Retro Dark Light Range

10120Z/B/W



20W Recessed Dark Light LED spot with black and brass reflector, IP20.

Supplied with Black & Brass reflectors.

Complete with 500mA driver.

Complies with standard EN60598-1 and any other specific standards.













Downloads









Dimensions





85mm

Gallery





Physical Specification

Item Group	
Family	
Order Code	
Colour	
Material	
Shape	
Height	

02 Recessed Spots Fixed LED

The Retro Dark Light Range

10120Z/B/W

Black

Die Cast + Plastic

Circular

85mm

Diameter	118mm
Cutout Hole Diameter	105mm
Recessed Ceiling	Yes
Depth Required	105mm
Indoor	Yes
Adjustable	No
lectrical Characteristics	
Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	37,2V
Safety Class	
Power(Watts)	18,6W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree

F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	12,5-20W
Power Factor	0,5
Constant Current	Yes
500mA	25-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud
Illumination Data	
Colour Tomporoturo	20001/
Colour Temperature	3000K
Light Efficiency	1600lm
Light Efficiency CRI	80
Beam Angle	45°
	45
Illumination Diagram Dark Light	Yes
Dark Light	
Packing Info	
Box Length	16cm
Box Width	13,5cm


 Box Height
 10cm

 Pcs/Carton
 20

 Barcode
 5291889059035

 HS Code
 9405409900

Energy Label



Certification & Warranty

Warranty 3 Years

Weee Directive Yes

switch to one light!

