

06 Downlights Fixed LED>The COB Project Round Range

10130KA/G/W



30W COB LED project round range downlight, IP53.

Complete with 700mA dimmable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Product Type

Gear

Item Group

06 Downlights Fixed LED

Family

The COB Project Round Range

Order Code

10130KA/G/W

Colour

Grey

Material



Die Cast


Shape

Circular


Height	180mm
Diameter	242mm
Cutout Hole Diameter	210mm
Recessed Ceiling	Yes
Depth Required	210mm
Indoor	Yes
Adjustable	No

Electrical Characteristics


Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP53
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	36V
Safety Class	
Power(Watts)	25,2W
IP Rating	IP53
Light Source	LED built in


LED Brand
F Mark

GH


Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	24,5-29,4W
Power Factor	0,9
Constant Current	Yes
700mA	35-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	40°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Cable

Illumination Data


Colour Temperature	3000K
Lumen Output	2000lm
Light Efficiency	66,67lm/W
CRI	80
Beam Angle	100°
Illumination Diagram	

Packing Info

Box Length	25cm
------------	------

Box Width	25cm
Box Height	20cm
Box Weight	1,83kg
Pcs/Carton	12
Barcode	5291889033523
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Wee Directive	Yes

switch to
one light!

one
LIGHT

