



Product Datasheet

04 Recessed Spots Adjustable LED>The 3W Mini Series

11103LC/B/D/35



3W LED adjustable recessed spot, mini series range, IP20.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.










Downloads





Dimensions



Gallery



Must be ordered seperately



89004A

Physical Specification Product Type Fitting 04 Recessed Spots Adjustable LED Item Group Family The 3W Mini Series Order Code 11103LC/B/D/35 Colour Black Aluminium Material Circular Shape Height 36mm Diameter 52mm **Cutout Hole Diameter** 45mm Recessed Ceiling Yes Depth Required 56mm Indoor Yes

1 Direction

Electrical Characteristics

Adjustable

Fitting	
Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	1
Cable Length	40cm
F Mark	F

Illumination Data

Colour Temperature	6000K
Lumen Output	120lm
Light Efficiency	40lm/W
Beam Angle	35°
Illumination Diagram	


Packing Info

Pcs/Carton 100

Barcode 5291889023111

HS Code 9405409900

Energy Label



Certification & Warranty

Warranty 2 Years

Wee Directive Yes

switch to one light!

