

Product Datasheet

www.1-light.eu

04 Recessed Spots Adjustable LED>The Super Narrow 4? Beam

11106DB/B/W



6W LED recessed adjustable spot, IP20.

Requires 500mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
IES O CE	- 95mm

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The Super Narrow 4? Beam
Order Code	11106DB/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	95mm

Diameter	78mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes



Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	12V
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
Cable Length	20cm
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	540lm
Light Efficiency	90lm/W
CRI	80
Beam Angle	4°
Illumination Diagram	

Yes


Packing Info

Dark Light

Pcs/Carton	30
Barcode	5291889060826
HS Code	9405409900



Energy Label



Certification & Warranty

Warranty	3 Years
Weee Directive	Yes

switch to one light!



